

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	2.0	(0.6)	74.8	507.7	83.0	7.8	2.4	7.0	3.5	4.0	3.0
			1600 1699	7.0	(2.2)	71.7	519.3	64.1	7.8	3.0	6.7	4.0	4.3	2.7
			1500 1599	10.0	(3.1)	71.5	543.0	64.8	8.1	3.2	5.4	3.8	4.0	3.0
			1400 1499	82.0	(25.3)	71.1	516.7	59.2	7.8	3.1	4.6	4.1	3.4	2.9
			1300 1399	88.0	(27.2)	70.3	506.3	55.4	7.8	3.5	3.8	4.2	2.9	2.9
			1200 1299	76.0	(23.5)	70.1	511.1	53.6	7.6	3.2	3.1	4.4	2.4	2.9
			1100 1199	35.0	(10.8)	69.1	501.3	50.2	7.3	3.8	2.6	4.6	2.0	2.9
			1000 1099	6.0	(1.9)	69.3	418.5	43.0	6.4	2.9	2.5	4.3	2.2	3.0
			900 999	9.0	(2.8)	68.8	430.1	38.3	5.4	2.0	2.4	4.9	2.0	3.6
			800 899	2.0	(0.6)	70.2	378.0	44.0	5.3	1.9	2.5	4.0	2.0	5.0
			700 799	1.0	(0.3)	69.2	331.0	31.0	4.7	1.3	2.0	5.0	2.0	2.0
			600 699	5.0	(1.5)	70.0	284.8	34.4	4.2	1.2	2.2	5.0	1.6	3.4
			500 599	1.0	(0.3)	69.3	284.0	29.0	4.0	1.0	2.0	6.0	2.0	6.0
				324.0	(9.9)	70.3	501.8	54.8	7.5	3.2	3.7	4.3	2.8	3.0
			1800 1899	1.0	(1.7)	73.6	431.0	64.0	7.0	1.6	9.0	3.0	5.0	3.0
			1600 1699	1.0	(1.7)	72.9	498.0	68.0	7.7	2.5	8.0	4.0	4.0	3.0
			1500 1599	3.0	(5.1)	71.6	469.0	57.7	7.2	2.5	5.3	3.7	3.7	3.0
			1400 1499	23.0	(39.0)	71.3	492.2	58.2	7.5	2.8	3.8	4.0	2.9	2.5
			1300 1399	19.0	(32.2)	71.0	464.2	55.9	7.2	2.9	3.2	4.4	2.3	2.5
			1200 1299	5.0	(8.5)	69.6	515.8	54.0	7.3	3.6	3.0	4.6	2.4	2.6
			1100 1199	1.0	(1.7)	69.3	364.0	37.0	4.6	1.5	4.0	4.0	3.0	3.0
			1000 1099	1.0	(1.7)	69.8	486.0	51.0	5.7	2.2	3.0	5.0	3.0	4.0
			900 999	2.0	(3.4)	69.7	331.5	36.5	4.5	1.5	2.5	4.5	2.0	3.5
			800 899	1.0	(1.7)	71.0	324.0	42.0	4.8	1.1	3.0	5.0	2.0	4.0
			700 799	2.0	(3.4)	68.0	336.0	28.5	4.3	1.9	2.5	4.0	2.0	4.0
				59.0	(1.8)	70.9	467.2	54.8	7.0	2.7	3.7	4.2	2.7	2.7
			1700 1799	1.0	(4.3)	72.6	495.0	65.0	8.7	3.1	7.0	4.0	5.0	3.0
			1600 1699	2.0	(8.7)	70.7	548.5	60.5	8.3	3.7	6.5	3.5	4.5	3.0
			1500 1599	2.0	(8.7)	71.5	495.5	65.0	7.3	3.3	7.5	3.5	4.0	3.0
			1400 1499	12.0	(52.2)	70.9	513.0	58.1	7.5	3.0	4.5	4.2	3.3	2.8
			1300 1399	3.0	(13.0)	69.9	537.0	56.3	7.8	3.7	4.0	4.3	3.3	3.0
			1200 1299	2.0	(8.7)	69.3	497.0	52.5	7.2	3.9	2.5	3.5	2.0	3.0
			1100 1199	1.0	(4.3)	70.1	418.0	53.0	6.1	3.3	5.0	5.0	3.0	3.0
				23.0	(0.7)	70.7	511.4	58.3	7.6	3.2	4.8	4.0	3.4	2.9
			1700 1799	3.0	(2.0)	72.6	568.0	72.7	8.4	3.0	8.7	4.3	4.7	2.3
			1600 1699	2.0	(1.4)	70.5	539.1	60.0	8.7	4.2	7.0	4.0	4.0	2.5
			1500 1599	17.0	(11.5)	70.8	570.5	61.8	8.5	3.5	5.9	3.6	4.1	2.8
			1400 1499	20.0	(13.5)	70.8	518.2	56.0	8.2	3.2	4.5	3.9	3.4	2.8
			1300 1399	41.0	(27.7)	70.4	534.6	55.3	8.0	3.2	4.0	4.1	3.0	2.8
			1200 1299	36.0	(24.3)	70.1	526.7	55.5	7.6	3.3	4.1	3.9	3.0	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1100 1199	20.0	(13.5)	69.2	493.4	46.9	7.6	3.5	2.8	4.0	2.1	2.8
			1000 1099	7.0	(4.7)	70.0	509.1	51.1	8.0	3.4	3.1	4.1	2.3	2.7
			600 699	1.0	(0.7)	68.1	402.0	30.0	5.0	1.6	3.0	5.0	2.0	3.0
			499	1.0	(0.7)	69.6	256.0	28.0	4.0	1.0	2.0	5.0	2.0	6.0
				148.0	(4.5)	70.3	525.8	54.9	7.9	3.3	4.2	4.0	3.1	2.8
			1700 1799	1.0	(50.0)	70.5	553.0	69.0	8.2	4.9	8.0	5.0	5.0	3.0
			600 699	1.0	(50.0)	67.9	370.0	34.0	4.5	2.4	4.0	4.0	3.0	4.0
				2.0	(0.1)	69.2	461.5	51.5	6.3	3.6	6.0	4.5	4.0	3.5
			1800 1899	1.0	(0.5)	74.0	614.0	92.0	8.0	3.3	9.0	4.0	5.0	3.0
			1700 1799	7.0	(3.8)	72.8	483.6	65.0	7.8	2.4	7.9	3.6	4.6	2.7
			1600 1699	9.0	(4.9)	71.9	489.4	63.0	7.8	3.1	6.6	3.9	4.2	2.8
			1500 1599	12.0	(6.6)	71.7	510.1	64.4	7.7	3.1	6.4	3.7	4.1	2.8
			1400 1499	15.0	(8.2)	71.6	492.7	62.0	7.7	3.1	5.9	3.8	3.8	2.9
			1300 1399	67.0	(36.6)	70.7	498.0	57.8	7.5	3.3	4.7	4.0	3.5	2.7
			1200 1299	35.0	(19.1)	70.1	485.9	53.4	7.6	3.6	3.5	4.1	2.9	2.9
			1100 1199	28.0	(15.3)	70.3	502.4	55.5	7.5	3.4	3.0	4.4	2.3	2.8
			1000 1099	9.0	(4.9)	69.4	436.2	47.2	6.7	3.5	2.7	4.1	2.0	2.8
				183.0	(5.6)	70.8	493.3	57.6	7.6	3.3	4.6	4.0	3.3	2.8
			1900 1999	3.0	(1.1)	72.4	524.7	66.3	8.6	3.1	7.3	3.7	4.7	2.7
			1800 1899	2.0	(0.7)	72.5	541.0	63.5	8.7	2.4	8.5	3.5	5.0	2.5
			1700 1799	20.0	(7.4)	72.3	489.7	64.9	7.7	2.8	7.2	3.7	4.5	2.8
			1600 1699	23.0	(8.5)	71.5	496.1	61.6	7.6	3.1	6.3	3.7	4.0	2.7
			1500 1599	35.0	(12.9)	71.3	495.6	58.6	7.8	3.0	5.7	3.7	4.0	2.9
			1400 1499	84.0	(30.9)	70.9	485.8	55.9	7.4	2.9	4.5	4.0	3.4	2.6
			1300 1399	55.0	(20.2)	70.2	472.5	52.2	7.2	3.2	4.2	4.0	3.1	2.7
			1200 1299	32.0	(11.8)	70.2	475.2	51.6	7.4	3.2	3.0	4.3	2.3	2.7
			1100 1199	8.0	(2.9)	69.3	430.9	43.8	6.7	3.2	2.8	4.1	2.3	2.9
			1000 1099	3.0	(1.1)	69.9	486.7	51.7	8.2	4.1	2.3	4.3	2.3	2.7
			600 699	5.0	(1.8)	69.1	346.8	35.0	4.7	1.8	2.8	5.2	2.2	4.2
			500 599	1.0	(0.4)	69.4	335.0	38.0	5.0	2.3	3.0	5.0	2.0	5.0
			499	1.0	(0.4)	68.3	365.5	28.0	4.9	1.5	2.0	6.0	2.0	5.0
				272.0	(8.3)	70.8	480.0	55.3	7.4	3.0	4.7	4.0	3.4	2.8
			1800 1899	3.0	(1.4)	72.7	519.3	65.3	8.3	2.4	8.0	3.7	4.7	2.7
			1700 1799	5.0	(2.3)	71.2	520.6	61.8	7.6	3.1	6.6	3.8	4.2	2.6
			1600 1699	13.0	(5.9)	71.5	510.6	59.9	7.8	2.8	6.2	4.2	4.2	2.9
			1500 1599	15.0	(6.8)	71.2	500.8	61.0	7.4	3.1	5.7	3.9	3.9	2.9
			1400 1499	59.0	(26.6)	70.9	494.4	57.1	7.7	3.1	4.2	4.0	3.2	2.9
			1300 1399	64.0	(28.8)	70.4	493.6	55.3	7.4	3.3	3.8	4.1	3.1	2.7
			1200 1299	46.0	(20.7)	69.7	499.3	51.1	7.2	3.2	3.2	4.3	2.4	2.7
			1100 1199	14.0	(6.3)	68.3	511.2	49.2	6.9	4.1	3.0	4.0	2.1	2.6

							(kg)	(m2)	(m)	(m)						
					(%)											
			1000 1099	2.0	(0.9)	67.6	468.5	43.0	6.3	4.1	2.5	5.0	2.0	2.5		
			700 799	1.0	(0.5)	70.1	237.0	34.0	3.3	1.0	2.0	5.0	2.0	3.0		
				222.0	(6.8)	70.4	497.2	55.3	7.4	3.2	4.1	4.1	3.1	2.8		
			2100 2199	2.0	(0.5)	73.5	571.0	72.0	8.3	1.8	8.5	3.5	5.0	2.5		
			1900 1999	2.0	(0.5)	75.0	520.5	77.5	8.2	1.6	9.0	4.0	5.0	2.5		
			1800 1899	9.0	(2.2)	73.0	511.3	67.7	7.3	1.9	7.1	3.6	4.4	2.1		
			1700 1799	33.0	(7.9)	72.3	513.3	64.9	7.9	2.6	7.1	3.7	4.6	2.5		
			1600 1699	62.0	(14.9)	72.0	504.0	62.8	7.7	2.6	5.8	3.7	4.1	2.6		
			1500 1599	117.0	(28.1)	71.3	499.2	59.4	7.5	2.8	4.8	3.9	3.6	2.6		
			1400 1499	133.0	(31.9)	70.8	489.7	56.6	7.2	3.0	4.0	4.1	3.2	2.7		
			1300 1399	23.0	(5.5)	69.7	490.2	52.0	7.0	3.3	3.4	4.5	2.6	2.7		
			1200 1299	17.0	(4.1)	69.7	453.8	48.9	6.6	3.1	3.1	4.7	2.4	2.6		
			1100 1199	10.0	(2.4)	70.3	452.2	49.8	6.4	2.4	2.5	4.8	2.1	2.7		
			1000 1099	7.0	(1.7)	70.8	447.9	51.7	6.3	2.1	2.6	5.0	2.1	3.0		
			900 999	1.0	(0.2)	70.0	402.0	44.0	5.1	1.5	2.0	5.0	2.0	4.0		
			800 899	1.0	(0.2)	70.6	265.0	36.0	4.3	1.0	2.0	5.0	2.0	3.0		
							417.0	(12.7)	71.2	493.6	58.5	7.4	2.8	4.7	4.0	3.5
			1700 1799	1.0	(3.2)	72.2	556.5	70.0	8.4	3.2	8.0	4.0	5.0	3.0		
			1500 1599	6.0	(19.4)	71.2	524.1	60.3	7.5	2.8	5.3	4.0	3.7	2.5		
			1400 1499	5.0	(16.1)	71.0	422.2	51.0	7.3	2.9	3.8	4.2	3.0	2.0		
			1300 1399	7.0	(22.6)	70.3	419.4	47.0	7.1	2.9	3.0	4.4	2.1	2.0		
			1200 1299	7.0	(22.6)	70.3	407.6	47.3	6.5	2.8	2.3	4.6	2.1	2.0		
			1100 1199	4.0	(12.9)	69.2	397.3	46.3	5.9	3.5	2.3	4.8	2.0	2.0		
			900 999	1.0	(3.2)	71.1	311.5	42.0	5.3	1.5	3.0	5.0	2.0	2.0		
				31.0	(0.9)	70.5	435.5	50.8	6.9	2.9	3.5	4.4	2.6	2.1		
			2100 2199	1.0	(0.2)	74.8	551.0	83.0	9.0	2.8	10.0	4.0	5.0	3.0		
			2000 2099	2.0	(0.5)	72.3	472.5	60.5	7.3	2.1	9.0	4.0	5.0	2.5		
			1900 1999	7.0	(1.6)	74.0	544.3	77.6	8.2	2.3	10.6	3.6	5.0	2.6		
			1800 1899	13.0	(2.9)	73.0	520.6	69.5	8.1	2.5	7.8	3.6	4.8	2.5		
			1700 1799	36.0	(8.1)	72.2	536.1	67.3	8.0	2.8	7.6	3.5	4.6	2.8		
			1600 1699	38.0	(8.6)	71.8	527.2	63.8	8.0	2.9	6.6	3.8	4.1	2.7		
			1500 1599	58.0	(13.1)	71.3	523.5	60.4	7.8	2.9	5.7	3.8	3.9	2.7		
			1400 1499	127.0	(28.7)	70.8	506.1	57.7	7.6	3.1	4.6	4.0	3.4	2.6		
			1300 1399	86.0	(19.4)	70.3	480.4	53.0	7.3	3.1	3.9	4.2	3.0	2.6		
			1200 1299	50.0	(11.3)	70.0	476.0	51.5	7.3	3.3	3.3	4.1	2.5	2.6		
			1100 1199	20.0	(4.5)	68.7	428.6	40.9	6.5	3.3	2.8	3.9	2.1	2.5		
			1000 1099	4.0	(0.9)	69.6	334.8	36.8	4.8	1.7	2.8	4.5	2.3	3.0		
			700 799	1.0	(0.2)	69.8	311.0	36.0	3.8	1.0	2.0	6.0	1.0	4.0		
							443.0	(13.5)	70.9	499.7	57.5	7.5	3.0	5.0	3.9	3.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(2.3)	73.2	570.0	72.0	8.7	2.4	11.0	3.0	5.0	3.0
			1800 1899	2.0	(4.5)	72.3	503.5	64.5	8.5	3.1	8.0	4.0	5.0	2.5
			1700 1799	3.0	(6.8)	71.5	547.0	62.7	8.4	3.1	5.7	3.3	4.0	3.0
			1600 1699	5.0	(11.4)	71.1	524.4	63.4	7.3	3.2	6.2	3.4	4.2	3.0
			1500 1599	4.0	(9.1)	71.8	486.5	63.5	7.5	3.0	5.5	4.0	3.5	3.0
			1400 1499	11.0	(25.0)	71.3	486.6	57.3	7.4	2.7	4.0	3.6	3.2	2.7
			1300 1399	10.0	(22.7)	70.2	473.5	53.7	7.0	3.2	3.2	4.1	2.8	2.8
			1200 1299	8.0	(18.2)	69.2	487.8	50.4	7.3	4.0	3.3	3.9	2.4	2.8
				44.0	(1.3)	70.8	494.9	57.5	7.4	3.2	4.5	3.8	3.3	2.8
			1400 1499	3.0	(18.8)	70.4	533.3	56.7	7.5	3.0	3.3	4.0	3.0	2.3
			1300 1399	4.0	(25.0)	70.4	492.0	54.8	7.9	3.5	4.5	4.3	3.3	2.0
			1200 1299	5.0	(31.3)	70.5	483.2	51.4	7.4	2.7	2.2	4.4	2.0	2.2
			1100 1199	1.0	(6.3)	68.5	465.0	46.0	7.3	4.4	3.0	5.0	2.0	2.0
			800 899	2.0	(12.5)	68.0	284.5	29.5	4.0	2.6	2.0	5.5	2.0	2.0
			499	1.0	(6.3)	70.2	224.0	31.0	2.7	0.2	1.0	6.0	1.0	3.0
				16.0	(0.5)	70.0	452.6	48.9	6.8	2.9	2.9	4.6	2.4	2.2
			1700 1799	1.0	(5.9)	72.7	497.5	59.0	7.9	1.6	6.0	3.0	4.0	3.0
			1500 1599	2.0	(11.8)	72.8	546.5	66.0	8.7	2.4	6.0	3.5	3.5	2.5
			1400 1499	1.0	(5.9)	70.8	597.5	68.0	9.6	4.7	6.0	4.0	4.0	3.0
			1300 1399	8.0	(47.1)	71.0	517.3	58.4	7.7	2.9	5.0	4.1	3.3	2.8
			1200 1299	4.0	(23.5)	71.6	506.3	58.5	7.9	2.6	3.8	3.8	2.3	3.0
			1100 1199	1.0	(5.9)	69.1	544.4	47.0	7.5	2.8	2.0	4.0	2.0	2.0
				17.0	(0.5)	71.4	523.3	59.2	8.0	2.8	4.8	3.9	3.1	2.8
			1700 1799	1.0	(14.3)	73.1	515.2	74.0	8.3	3.3	5.0	3.0	4.0	2.0
			1600 1699	1.0	(14.3)	70.2	590.4	58.0	8.6	3.4	5.0	4.0	4.0	3.0
			1500 1599	1.0	(14.3)	71.3	490.8	59.0	8.0	3.2	4.0	4.0	3.0	3.0
			1400 1499	3.0	(42.9)	68.9	559.9	55.7	7.8	4.3	3.7	4.0	3.0	3.0
			1300 1399	1.0	(14.3)	70.7	545.0	54.0	8.8	3.0	2.0	5.0	2.0	3.0
				7.0	(0.2)	70.3	545.9	58.9	8.2	3.7	3.9	4.0	3.1	2.9
			1700 1799	2.0	(4.9)	72.8	491.8	63.5	7.8	2.1	6.5	3.5	4.5	2.5
			1600 1699	3.0	(7.3)	71.2	481.7	54.0	7.9	2.7	4.7	4.0	3.3	3.0
			1500 1599	9.0	(22.0)	71.1	454.1	54.2	7.2	2.7	3.9	3.9	3.0	2.7
			1400 1499	8.0	(19.5)	70.9	450.2	50.5	7.0	2.3	3.5	4.3	2.8	2.6
			1300 1399	15.0	(36.6)	70.0	467.4	48.3	7.2	2.9	3.0	4.1	2.5	2.9
			1200 1299	2.0	(4.9)	70.4	450.0	50.0	6.1	2.1	2.5	5.0	2.0	3.0
			1100 1199	2.0	(4.9)	70.2	401.8	45.0	5.8	2.1	2.0	5.5	2.0	2.5
				41.0	(1.2)	70.7	459.3	51.1	7.1	2.6	3.5	4.2	2.8	2.8
			1700 1799	9.0	(52.9)	70.7	485.1	58.0	7.3	3.4	5.8	4.0	3.9	3.0
			1600 1699	1.0	(5.9)	73.5	413.0	65.0	6.6	1.7	7.0	4.0	4.0	3.0

					(%)		(kg)	(m ²)	(m)	(m)				
			1500 1599	2.0	(11.8)	71.5	550.0	64.0	9.2	4.0	4.5	3.5	3.5	3.0
			1400 1499	1.0	(5.9)	69.4	436.0	46.0	6.3	3.0	4.0	4.0	3.0	3.0
			1300 1399	1.0	(5.9)	72.1	388.0	53.0	6.4	1.8	4.0	4.0	3.0	3.0
			1200 1299	1.0	(5.9)	71.7	340.0	46.0	7.3	2.5	3.0	5.0	2.0	4.0
			900 999	2.0	(11.8)	70.0	399.0	44.0	4.8	1.5	2.0	4.5	2.0	3.5
				17.0	(0.5)	70.9	461.2	55.8	7.1	3.0	4.9	4.1	3.4	3.1
			1800 1899	1.0	(50.0)	73.4	479.6	75.0	7.0	2.6	9.0	4.0	5.0	3.0
			1400 1499	1.0	(50.0)	70.6	507.4	65.0	6.5	3.5	6.0	5.0	4.0	2.0
				2.0	(0.1)	72.0	493.5	70.0	6.8	3.0	7.5	4.5	4.5	2.5
			1700 1799	1.0	(1.0)	71.1	558.2	62.0	9.2	3.8	6.0	4.0	4.0	3.0
			1600 1699	22.0	(21.6)	72.8	532.3	69.7	8.0	2.5	6.9	3.8	4.3	2.6
			1500 1599	31.0	(30.4)	71.1	517.6	59.2	7.6	2.8	4.7	3.9	3.5	2.9
			1400 1499	22.0	(21.6)	70.8	558.5	63.5	8.1	3.5	4.3	4.0	3.2	3.0
			1300 1399	10.0	(9.8)	70.1	506.2	53.6	7.5	3.3	3.4	4.0	2.4	3.0
			1200 1299	14.0	(13.7)	69.9	450.0	46.9	7.1	3.0	3.3	4.0	2.6	2.8
			1100 1199	2.0	(2.0)	70.3	411.4	43.5	7.0	2.5	2.5	5.0	2.0	3.0
				102.0	(3.1)	71.1	517.5	59.9	7.7	3.0	4.7	3.9	3.4	2.8
			1900 1999	1.0	(1.1)	73.4	484.6	73.0	7.6	2.8	9.0	4.0	5.0	3.0
			1700 1799	6.0	(6.7)	72.0	475.5	60.8	7.7	2.7	5.8	3.8	4.3	2.7
			1600 1699	10.0	(11.1)	71.3	498.0	61.1	7.8	3.3	6.5	3.6	4.3	2.8
			1500 1599	13.0	(14.4)	70.8	499.0	57.3	7.7	3.2	5.2	4.0	3.8	2.6
			1400 1499	23.0	(25.6)	70.6	494.7	55.0	7.6	3.2	4.1	4.0	3.1	2.9
			1300 1399	19.0	(21.1)	70.5	466.0	53.6	7.2	3.1	3.7	4.2	2.8	2.6
			1200 1299	14.0	(15.6)	69.4	475.6	47.7	7.5	3.5	3.1	4.6	2.4	3.0
			1100 1199	4.0	(4.4)	69.4	504.3	51.3	7.7	3.8	2.8	4.0	2.0	3.0
				90.0	(2.7)	70.5	485.7	55.0	7.5	3.2	4.4	4.1	3.2	2.8
			1500 1599	1.0	(25.0)	69.9	569.2	60.0	8.6	4.3	4.0	4.0	3.0	3.0
			1100 1199	3.0	(75.0)	70.5	437.7	50.7	6.7	2.7	3.0	4.3	2.0	2.7
				4.0	(0.1)	70.4	470.6	53.0	7.2	3.1	3.3	4.3	2.3	2.8
			1700 1799	1.0	(16.7)	74.3	544.0	71.0	9.2	1.7	4.0	4.0	3.0	3.0
			1600 1699	4.0	(66.7)	68.8	530.8	49.3	8.0	4.1	3.8	4.3	3.0	3.0
			1200 1299	1.0	(16.7)	70.2	466.0	56.0	6.5	3.2	2.0	5.0	2.0	3.0
				6.0	(0.2)	69.9	522.2	54.0	7.9	3.6	3.5	4.3	2.8	3.0
			1700 1799	1.0	(33.3)	71.1	578.8	71.0	8.9	4.6	7.0	4.0	4.0	3.0
			1300 1399	2.0	(66.7)	70.3	390.9	42.5	5.8	1.8	2.0	4.5	2.0	2.0
				3.0	(0.1)	70.6	453.6	52.0	6.9	2.7	3.7	4.3	2.7	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(11.1)	71.7	383.6	58.0	6.6	3.1	4.0	4.0	3.0	3.0
			1300 1399	3.0	(33.3)	71.9	453.1	57.0	7.8	2.7	4.3	4.3	3.3	3.0
			1200 1299	3.0	(33.3)	70.1	459.6	49.7	6.8	2.8	3.3	3.7	2.7	3.0
			1100 1199	2.0	(22.2)	70.8	439.8	51.5	7.3	2.9	3.0	5.0	2.5	3.0
				9.0	(0.3)	71.0	444.6	53.4	7.2	2.8	3.7	4.2	2.9	3.0
			1900 1999	1.0	(1.8)	72.9	411.0	55.0	8.3	2.2	8.0	4.0	5.0	3.0
			1700 1799	5.0	(8.8)	72.1	527.6	64.6	8.5	3.0	6.2	4.0	4.2	2.4
			1600 1699	12.0	(21.1)	71.7	514.2	67.0	7.9	3.6	4.8	3.5	3.6	2.8
			1500 1599	4.0	(7.0)	71.5	468.7	58.3	7.4	2.7	4.5	4.3	3.0	2.5
			1400 1499	10.0	(17.5)	71.0	484.7	56.2	7.8	3.1	3.9	4.0	3.2	2.6
			1300 1399	9.0	(15.8)	70.4	487.1	56.1	7.4	3.5	3.7	4.1	2.8	2.7
			1200 1299	9.0	(15.8)	69.7	499.2	53.4	8.0	4.1	3.3	4.1	2.4	2.8
			1100 1199	7.0	(12.3)	68.5	502.7	50.0	7.2	4.3	3.0	4.0	2.1	2.7
				57.0	(1.7)	70.7	497.1	58.1	7.8	3.5	4.2	3.9	3.1	2.7
			1500 1599	1.0	(12.5)	73.1	382.0	56.0	8.2	2.5	5.0	3.0	4.0	3.0
			1400 1499	1.0	(12.5)	70.5	507.0	55.0	7.9	3.2	4.0	4.0	3.0	3.0
			1300 1399	2.0	(25.0)	70.2	450.0	48.5	6.7	2.5	2.0	4.0	2.0	3.0
			1200 1299	2.0	(25.0)	70.5	476.7	50.5	7.0	2.4	3.0	4.0	3.0	3.0
			1100 1199	1.0	(12.5)	70.4	495.6	59.0	6.3	2.9	2.0	5.0	2.0	3.0
			1000 1099	1.0	(12.5)	69.8	401.6	50.0	5.6	3.0	4.0	4.0	3.0	4.0
				8.0	(0.2)	70.7	454.9	52.3	6.9	2.7	3.1	4.0	2.8	3.1
			1900 1999	1.0	(11.1)	73.2	600.0	87.0	8.6	4.1	8.0	4.0	5.0	3.0
			1700 1799	1.0	(11.1)	71.0	534.6	58.0	7.0	2.1	5.0	4.0	4.0	2.0
			1600 1699	1.0	(11.1)	71.3	510.6	64.0	7.5	3.3	6.0	4.0	4.0	3.0
			1400 1499	2.0	(22.2)	70.3	524.9	57.0	8.0	3.5	3.0	4.0	2.5	3.0
			1300 1399	2.0	(22.2)	69.9	489.3	56.5	6.6	3.4	4.5	4.0	3.0	3.0
			1200 1299	1.0	(11.1)	70.0	478.8	48.0	7.6	2.9	3.0	4.0	2.0	3.0
			1100 1199	1.0	(11.1)	70.0	472.8	47.0	6.8	2.3	2.0	4.0	2.0	3.0
				9.0	(0.3)	70.7	513.9	59.0	7.4	3.1	4.3	4.0	3.1	2.9
			1600 1699	1.0	(20.0)	71.8	549.2	65.0	8.7	3.2	6.0	4.0	4.0	3.0
			1500 1599	2.0	(40.0)	71.8	469.7	59.5	7.8	2.9	6.0	4.0	4.0	3.0
			1400 1499	1.0	(20.0)	71.1	557.8	58.0	8.2	2.5	4.0	4.0	3.0	2.0
			1100 1199	1.0	(20.0)	67.1	525.6	50.0	7.2	5.5	3.0	4.0	2.0	3.0
				5.0	(0.2)	70.7	514.4	58.4	7.9	3.4	5.0	4.0	3.4	2.8
			1700 1799	1.0	(3.0)	71.8	548.0	61.0	9.4	3.1	7.0	4.0	4.0	3.0
			1600 1699	1.0	(3.0)	71.1	527.0	54.0	8.0	2.3	6.0	3.0	4.0	3.0
			1400 1499	7.0	(21.2)	71.5	465.4	58.9	7.2	2.7	5.1	3.9	3.4	3.0
			1300 1399	12.0	(36.4)	70.2	453.9	49.0	7.4	3.1	4.1	3.9	3.1	2.9
			1200 1299	5.0	(15.2)	70.5	400.7	46.8	6.6	2.6	3.4	4.0	3.0	3.0
			1100 1199	7.0	(21.2)	70.1	443.7	47.7	6.9	2.8	3.3	4.1	2.3	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				33.0	(1.0)	70.6	451.2	51.0	7.2	2.8	4.2	3.9	3.0	3.0
			1700 1799	1.0	(1.0)	69.9	512.0	53.0	7.9	3.6	5.0	3.0	4.0	3.0
			1600 1699	2.0	(1.9)	72.3	563.5	63.5	8.1	1.9	6.0	3.5	4.0	3.0
			1500 1599	12.0	(11.4)	71.6	523.3	62.8	8.0	3.0	5.3	4.3	3.8	2.8
			1400 1499	23.0	(21.9)	71.1	491.9	59.0	7.7	3.2	4.4	4.0	3.2	2.8
			1300 1399	38.0	(36.2)	70.3	485.1	52.9	7.4	3.2	3.8	4.3	2.8	2.7
			1200 1299	19.0	(18.1)	69.8	470.7	49.9	7.2	3.3	3.1	4.5	2.3	2.6
			1100 1199	8.0	(7.6)	69.4	461.2	45.0	6.9	2.9	2.9	4.5	2.0	2.9
			1000 1099	1.0	(1.0)	69.3	334.6	31.0	6.2	2.3	3.0	5.0	2.0	3.0
			700 799	1.0	(1.0)	68.2	434.0	39.0	5.1	2.5	2.0	6.0	1.0	4.0
				105.0	(3.2)	70.5	486.4	54.1	7.5	3.1	3.9	4.3	2.9	2.7
			1700 1799	1.0	(1.0)	73.8	442.8	67.0	7.5	1.9	6.0	3.0	4.0	2.0
			1600 1699	14.0	(13.7)	71.2	496.4	58.2	8.0	3.2	5.4	3.7	4.0	2.6
			1500 1599	12.0	(11.8)	70.9	475.0	57.8	7.4	3.4	4.8	3.8	3.8	2.8
			1400 1499	35.0	(34.3)	70.6	485.9	54.1	7.7	3.2	3.4	3.8	3.0	2.8
			1300 1399	26.0	(25.5)	70.2	467.7	53.2	7.4	3.5	3.4	3.7	3.0	2.7
			1200 1299	11.0	(10.8)	70.7	483.2	57.4	7.4	3.4	2.4	3.7	2.1	2.5
			1100 1199	2.0	(2.0)	71.5	444.2	60.0	7.0	3.1	3.0	4.0	2.0	3.0
			1000 1099	1.0	(1.0)	68.3	404.0	43.0	6.3	4.2	2.0	4.0	2.0	3.0
				102.0	(3.1)	70.6	479.1	55.4	7.6	3.3	3.7	3.8	3.1	2.7
			1600 1699	1.0	(3.7)	70.1	543.0	54.0	8.7	3.6	4.0	3.0	3.0	3.0
			1500 1599	4.0	(14.8)	71.5	492.3	57.8	6.9	2.0	4.3	4.5	3.0	2.8
			1400 1499	11.0	(40.7)	70.8	492.6	58.3	7.3	3.2	4.1	3.9	3.2	2.9
			1300 1399	4.0	(14.8)	71.3	556.8	65.3	8.5	3.7	3.8	4.0	3.3	3.0
			1200 1299	7.0	(25.9)	70.3	457.9	49.9	6.6	2.5	4.0	4.1	2.7	2.6
				27.0	(0.8)	70.8	494.9	56.9	7.3	2.9	4.0	4.0	3.0	2.8
			2000 2099	1.0	(3.3)	74.9	580.2	90.0	9.3	3.4	9.0	4.0	5.0	3.0
			1800 1899	3.0	(10.0)	71.9	528.7	66.3	7.8	3.0	5.7	3.3	4.0	3.0
			1700 1799	2.0	(6.7)	72.0	518.4	62.0	7.5	2.3	5.0	4.0	4.0	3.0
			1600 1699	2.0	(6.7)	71.8	542.0	66.5	8.1	3.1	6.0	4.0	4.0	3.0
			1500 1599	3.0	(10.0)	71.9	440.4	57.7	7.3	2.7	5.3	4.3	3.7	2.7
			1400 1499	3.0	(10.0)	70.9	480.3	56.0	7.3	2.8	5.0	4.0	3.7	3.0
			1300 1399	2.0	(6.7)	71.7	447.7	60.0	6.6	2.5	3.5	4.0	3.0	3.0
			1200 1299	7.0	(23.3)	70.0	487.5	51.6	7.4	3.3	3.4	4.3	2.4	3.0
			1100 1199	6.0	(20.0)	70.6	445.4	50.2	6.7	2.5	2.8	4.3	2.0	3.0
			1000 1099	1.0	(3.3)	69.5	333.6	37.0	5.2	2.1	2.0	5.0	2.0	3.0
				30.0	(0.9)	71.1	478.8	56.9	7.3	2.8	4.3	4.1	3.1	3.0
			1800 1899	1.0	(7.1)	71.2	508.2	61.0	7.8	3.3	6.0	4.0	4.0	3.0
			1700 1799	1.0	(7.1)	70.9	518.2	59.0	8.4	3.7	6.0	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	2.0	(14.3)	71.5	564.2	65.5	7.7	2.7	6.5	3.0	4.5	3.0
			1400 1499	2.0	(14.3)	70.7	503.4	52.5	7.7	2.6	6.0	3.0	4.0	2.5
			1300 1399	4.0	(28.6)	70.8	495.1	59.8	7.9	3.8	4.5	3.5	3.5	2.8
			1200 1299	1.0	(7.1)	72.5	472.3	61.0	8.2	2.7	4.0	4.0	3.0	3.0
			1100 1199	2.0	(14.3)	68.0	530.0	46.0	7.3	4.0	3.5	3.5	2.5	3.0
			1000 1099	1.0	(7.1)	68.7	505.0	40.0	8.6	3.7	2.0	3.0	2.0	3.0
				14.0	(0.4)	70.5	512.8	56.3	7.8	3.4	4.9	3.4	3.5	2.9
			1900 1999	1.0	(4.8)	71.4	541.0	68.0	7.6	3.5	8.0	4.0	5.0	3.0
			1800 1899	2.0	(9.5)	72.5	490.9	67.0	8.2	3.3	6.0	3.5	4.0	3.0
			1700 1799	3.0	(14.3)	71.2	495.2	58.3	7.8	3.0	5.7	3.7	4.0	3.0
			1400 1499	6.0	(28.6)	71.9	490.0	63.8	7.4	2.8	4.8	3.7	3.3	3.0
			1300 1399	6.0	(28.6)	70.5	514.6	55.7	7.7	3.1	3.7	3.8	3.0	3.0
			1200 1299	1.0	(4.8)	68.3	540.4	44.0	7.4	3.2	3.0	4.0	2.0	3.0
			1100 1199	2.0	(9.5)	68.2	484.2	44.5	7.2	4.2	3.5	4.0	2.5	3.0
				21.0	(0.6)	70.9	502.1	58.4	7.6	3.1	4.7	3.8	3.3	3.0
			1900 1999	1.0	(1.3)	72.6	520.3	75.0	7.5	3.4	8.0	4.0	5.0	2.0
			1700 1799	19.0	(25.3)	69.7	515.9	54.1	7.1	3.3	3.9	4.2	2.8	2.9
			1600 1699	4.0	(5.3)	71.8	527.5	69.3	7.7	3.5	6.3	4.0	4.3	2.5
			1500 1599	2.0	(2.7)	73.0	411.4	66.0	6.7	2.5	5.5	3.5	4.5	3.0
			1400 1499	20.0	(26.7)	70.4	486.7	54.8	7.3	3.1	3.6	4.0	2.9	2.8
			1300 1399	14.0	(18.7)	70.1	440.7	50.4	6.4	2.8	3.4	4.4	2.7	2.7
			1200 1299	12.0	(16.0)	69.6	442.2	47.8	6.1	2.8	3.2	4.1	2.5	2.3
			1100 1199	2.0	(2.7)	67.3	472.3	44.0	6.3	4.6	2.5	4.5	2.0	3.0
			1000 1099	1.0	(1.3)	67.9	485.6	41.0	4.6	1.9	3.0	5.0	2.0	3.0
				75.0	(2.3)	70.1	478.6	53.5	6.8	3.1	3.8	4.1	2.9	2.7
			1800 1899	1.0	(5.3)	72.1	447.4	67.0	6.5	3.0	6.0	2.0	4.0	3.0
			1400 1499	2.0	(10.5)	69.8	442.5	47.5	6.8	3.0	3.5	4.0	3.0	2.0
			1300 1399	8.0	(42.1)	70.3	466.2	52.9	7.0	3.1	3.5	4.3	2.9	2.6
			1200 1299	5.0	(26.3)	69.9	442.5	48.4	6.3	2.8	2.6	4.0	2.0	2.8
			1100 1199	3.0	(15.8)	69.3	416.3	42.3	6.2	2.7	2.3	4.3	2.0	2.3
				19.0	(0.6)	70.1	448.6	50.2	6.7	2.9	3.2	4.1	2.6	2.6
			1600 1699	4.0	(2.1)	71.8	485.1	63.8	7.2	2.9	6.5	4.0	4.3	3.3
			1500 1599	4.0	(2.1)	71.3	508.7	65.5	7.2	3.3	5.8	4.0	4.0	2.8
			1400 1499	19.0	(9.8)	70.7	478.3	56.8	7.0	3.1	4.5	3.9	3.4	3.0
			1300 1399	58.0	(30.1)	70.5	483.9	54.3	7.3	3.0	3.7	4.3	2.8	3.0
			1200 1299	70.0	(36.3)	69.6	465.3	49.6	6.8	3.2	3.2	4.6	2.4	2.9
			1100 1199	33.0	(17.1)	69.3	464.5	47.5	7.0	3.4	2.8	4.8	2.1	3.0
			1000 1099	5.0	(2.6)	69.0	456.4	48.0	6.1	3.3	2.6	5.4	2.0	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
				193.0	(5.9)	70.0	473.1	51.9	7.0	3.2	3.5	4.5	2.6	3.0
			1200 1299	1.0	(25.0)	70.0	596.4	68.0	9.2	5.4	4.0	4.0	3.0	3.0
			700 799	2.0	(50.0)	69.3	350.9	39.5	4.9	2.3	2.0	4.5	2.0	3.0
			500 599	1.0	(25.0)	69.7	525.2	56.0	6.2	2.8	3.0	6.0	2.0	7.0
				4.0	(0.1)	69.6	455.9	50.8	6.3	3.2	2.8	4.8	2.3	4.0
			600 699	1.0	(0.0)	68.5	371.2	37.0	4.4	2.2	2.0	5.0	2.0	4.0
			1700 1799	1.0	(1.1)	75.4	520.9	85.0	8.2	2.2	8.0	4.0	5.0	2.0
			1600 1699	3.0	(3.2)	70.4	498.1	59.0	7.9	4.1	5.7	4.3	4.0	2.3
			1500 1599	7.0	(7.4)	71.6	529.4	63.3	8.5	3.3	4.9	4.0	3.6	2.9
			1400 1499	28.0	(29.8)	71.0	509.3	59.4	8.0	3.5	4.0	4.1	3.2	3.0
			1300 1399	28.0	(29.8)	70.3	508.0	56.4	8.1	3.9	3.3	4.0	2.7	3.0
			1200 1299	18.0	(19.1)	69.5	495.7	50.5	7.8	3.9	2.6	4.2	2.3	2.9
			1100 1199	4.0	(4.3)	68.3	509.1	53.3	7.7	5.4	2.8	4.8	2.3	3.0
			1000 1099	1.0	(1.1)	70.1	504.9	63.0	6.1	3.5	4.0	5.0	2.0	6.0
			900 999	2.0	(2.1)	69.2	522.6	49.5	5.8	2.3	2.0	5.5	2.0	3.0
			800 899	1.0	(1.1)	69.8	383.7	46.0	4.7	2.0	2.0	6.0	2.0	3.0
			700 799	1.0	(1.1)	68.2	425.7	31.0	4.9	1.2	2.0	5.0	2.0	3.0
				94.0	(2.9)	70.4	505.6	56.5	7.9	3.7	3.5	4.2	2.8	3.0
			1200 1299	3.0	(60.0)	69.8	494.6	50.7	6.8	2.7	3.0	4.0	2.0	2.7
			1000 1099	1.0	(20.0)	70.8	421.0	56.0	5.7	2.6	3.0	4.0	2.0	3.0
			900 999	1.0	(20.0)	68.1	419.0	38.0	5.5	2.9	2.0	5.0	2.0	4.0
				5.0	(0.2)	69.7	464.8	49.2	6.3	2.7	2.8	4.2	2.0	3.0
			2100 2199	3.0	(0.1)	74.0	564.3	75.7	8.5	2.1	9.0	3.7	5.0	2.7
			2000 2099	4.0	(0.1)	73.2	523.8	70.8	8.2	2.5	9.5	3.8	5.0	2.8
			1900 1999	17.0	(0.5)	73.5	528.3	73.8	8.2	2.6	9.1	3.8	4.9	2.6
			1800 1899	39.0	(1.2)	72.8	514.5	68.1	7.8	2.5	7.5	3.6	4.6	2.6
			1700 1799	169.0	(5.1)	71.9	514.3	63.8	7.8	2.9	6.6	3.8	4.2	2.7
			1600 1699	250.0	(7.6)	71.7	512.3	63.0	7.8	3.0	6.1	3.8	4.1	2.7
			1500 1599	389.0	(11.8)	71.3	507.1	60.0	7.7	3.0	5.2	3.9	3.7	2.7
			1400 1499	804.0	(24.5)	70.9	497.8	57.3	7.6	3.1	4.3	4.0	3.3	2.8
			1300 1399	739.0	(22.5)	70.4	488.3	54.3	7.4	3.2	3.8	4.1	2.9	2.7
			1200 1299	530.0	(16.1)	69.9	483.4	51.5	7.3	3.3	3.2	4.3	2.5	2.8
			1100 1199	235.0	(7.2)	69.4	473.9	48.5	7.0	3.4	2.8	4.4	2.1	2.8
			1000 1099	52.0	(1.6)	69.6	442.9	47.0	6.5	3.0	2.7	4.5	2.2	2.9
			900 999	18.0	(0.5)	69.2	417.2	40.5	5.3	1.9	2.3	4.9	2.0	3.4
			800 899	7.0	(0.2)	69.7	328.2	38.7	4.6	1.9	2.3	5.0	2.0	3.4
			700 799	9.0	(0.3)	68.9	345.8	34.1	4.5	1.7	2.1	4.9	1.8	3.3
			600 699	13.0	(0.4)	69.2	330.9	34.5	4.5	1.6	2.6	5.0	2.0	3.8

							(kg)	(m2)	(m)	(m)				
					(%)									
			1700 1799	4.0	(1.9)	71.9	521.8	63.8	8.3	3.1	5.8	3.8	3.8	2.8
			1600 1699	6.0	(2.9)	70.9	568.1	61.3	7.9	2.9	5.7	3.5	3.8	3.0
			1500 1599	18.0	(8.6)	70.8	539.2	58.3	7.8	2.9	5.2	3.7	3.9	2.8
			1400 1499	62.0	(29.7)	70.7	538.9	57.9	7.8	2.9	4.0	4.0	3.3	2.8
			1300 1399	68.0	(32.5)	69.8	546.7	54.0	7.4	3.0	3.4	4.1	2.8	2.7
			1200 1299	44.0	(21.1)	69.5	529.0	51.0	7.3	3.1	2.8	4.3	2.2	2.8
			1100 1199	6.0	(2.9)	67.8	511.0	43.7	6.3	3.4	2.7	4.3	2.0	3.0
			1000 1099	1.0	(0.5)	67.0	661.4	48.0	9.4	5.1	3.0	4.0	2.0	3.0
				209.0	(9.1)	70.1	539.7	55.0	7.5	3.0	3.7	4.1	2.9	2.8
			1700 1799	1.0	(1.8)	71.5	533.0	60.0	8.4	2.9	6.0	3.0	4.0	3.0
			1600 1699	5.0	(8.9)	72.3	522.0	59.6	8.2	2.1	6.8	3.6	4.2	2.8
			1500 1599	7.0	(12.5)	71.3	516.4	58.9	7.6	2.6	5.1	4.0	3.7	2.7
			1400 1499	29.0	(51.8)	71.2	516.2	58.2	7.6	2.6	4.0	4.1	3.1	2.8
			1300 1399	13.0	(23.2)	70.2	502.1	52.3	7.0	2.7	3.8	4.2	3.1	2.6
			1200 1299	1.0	(1.8)	70.5	430.0	48.0	6.3	2.2	3.0	4.0	2.0	3.0
				56.0	(2.4)	71.0	512.3	56.9	7.5	2.6	4.4	4.0	3.3	2.8
			1900 1999	1.0	(4.5)	72.1	562.0	65.0	7.9	2.2	7.0	4.0	4.0	3.0
			1600 1699	1.0	(4.5)	72.6	615.0	74.0	8.5	2.6	8.0	4.0	4.0	3.0
			1500 1599	2.0	(9.1)	70.8	613.0	62.5	8.3	2.9	5.5	4.0	4.0	3.0
			1400 1499	6.0	(27.3)	70.5	565.8	59.5	7.5	2.8	4.0	4.2	2.8	2.7
			1300 1399	4.0	(18.2)	69.3	572.5	54.5	8.4	3.9	3.5	4.5	2.8	2.3
			1200 1299	8.0	(36.4)	68.4	567.3	49.9	7.5	3.8	3.1	4.3	2.8	3.0
				22.0	(1.0)	69.7	573.9	56.3	7.8	3.3	4.0	4.2	3.0	2.8
			1800 1899	1.0	(0.9)	72.9	539.0	73.0	8.8	3.4	10.0	3.0	5.0	3.0
			1700 1799	2.0	(1.8)	72.5	609.5	63.0	9.9	2.3	6.5	4.0	4.0	2.5
			1600 1699	3.0	(2.7)	72.0	587.8	60.3	9.4	2.4	6.3	3.7	4.3	3.0
			1500 1599	21.0	(18.9)	70.4	592.2	58.4	8.5	3.2	5.3	3.5	3.7	3.0
			1400 1499	39.0	(35.1)	70.4	579.8	57.1	8.6	3.2	4.5	3.8	3.3	2.8
			1300 1399	25.0	(22.5)	69.6	578.7	54.1	8.0	3.2	3.7	4.0	2.8	2.8
			1200 1299	9.0	(8.1)	69.6	561.3	52.8	7.9	3.2	3.0	4.1	2.3	2.9
			1100 1199	5.0	(4.5)	69.0	531.8	47.0	7.9	3.5	3.2	3.6	2.4	3.0
			1000 1099	5.0	(4.5)	69.5	574.7	51.6	7.8	2.9	2.6	4.0	2.0	2.6
			700 799	1.0	(0.9)	69.4	187.0	23.0	3.4	1.0	2.0	5.0	1.0	3.0
				111.0	(4.8)	70.2	574.8	55.6	8.3	3.1	4.3	3.8	3.1	2.8
			1700 1799	1.0	(3.6)	72.0	617.0	74.0	7.9	2.8	8.0	4.0	5.0	2.0
			1500 1599	1.0	(3.6)	70.9	546.0	57.0	7.4	2.2	6.0	4.0	4.0	2.0
			1300 1399	8.0	(28.6)	70.2	585.9	57.4	7.8	2.8	4.4	4.1	3.1	2.9
			1200 1299	7.0	(25.0)	70.1	527.9	51.9	7.2	2.5	3.3	4.4	2.9	2.7
			1100 1199	10.0	(35.7)	70.0	479.3	49.1	6.8	2.5	2.5	4.4	2.1	2.9
			800 899	1.0	(3.6)	70.2	274.0	35.0	3.3	0.6	2.0	4.0	2.0	3.0
				28.0	(1.2)	70.2	521.9	52.8	7.1	2.5	3.5	4.3	2.8	2.8

					(%)		(kg)	(m ²)	(m)	(m)				
			1900 1999	1.0	(0.6)	73.7	532.0	72.0	7.4	1.5	8.0	3.0	4.0	3.0
			1700 1799	6.0	(3.7)	71.4	555.0	58.7	8.4	2.5	5.8	3.5	4.0	2.5
			1600 1699	15.0	(9.1)	71.3	587.7	64.5	8.3	2.9	6.3	3.5	4.1	2.5
			1500 1599	15.0	(9.1)	70.7	560.4	56.3	8.0	2.5	5.1	3.7	3.7	2.5
			1400 1499	61.0	(37.2)	70.4	549.1	54.5	7.7	2.6	3.9	4.0	3.1	2.8
			1300 1399	40.0	(24.4)	69.5	555.6	53.2	7.5	3.1	3.3	4.2	2.8	2.7
			1200 1299	16.0	(9.8)	69.3	536.8	50.6	7.1	3.0	3.1	3.9	2.4	2.7
			1100 1199	6.0	(3.7)	69.1	437.3	40.7	6.2	2.5	2.3	3.8	2.0	2.3
			1000 1099	3.0	(1.8)	68.8	419.2	40.0	5.4	2.3	2.3	4.7	2.0	2.7
			800 899	1.0	(0.6)	69.0	315.5	27.0	4.9	1.3	2.0	5.0	2.0	3.0
				164.0	(7.1)	70.2	546.2	54.2	7.6	2.7	4.0	3.9	3.1	2.7
			1900 1999	1.0	(0.2)	71.8	617.0	68.0	9.1	3.0	8.0	3.0	5.0	2.0
			1800 1899	6.0	(1.3)	71.4	587.3	61.8	8.1	2.3	6.8	3.7	4.3	2.3
			1700 1799	23.0	(4.9)	71.9	593.6	68.7	8.1	2.7	6.4	3.9	4.1	2.5
			1600 1699	45.0	(9.7)	71.4	597.0	65.3	8.2	2.7	5.5	4.0	3.9	2.7
			1500 1599	83.0	(17.8)	71.0	601.4	62.5	8.1	2.7	5.0	4.1	3.6	2.7
			1400 1499	141.0	(30.3)	70.4	582.6	58.9	7.8	2.8	3.9	4.1	3.1	2.7
			1300 1399	74.0	(15.9)	69.9	568.1	56.0	7.6	3.0	3.6	4.2	2.8	2.7
			1200 1299	69.0	(14.8)	69.6	546.1	52.4	7.2	2.8	2.9	4.4	2.3	2.7
			1100 1199	18.0	(3.9)	68.9	559.2	49.6	7.2	3.0	2.6	4.5	2.2	2.5
			1000 1099	6.0	(1.3)	68.8	501.2	47.3	6.0	2.8	2.5	4.8	2.0	2.2
				466.0	(20.2)	70.4	578.4	58.8	7.8	2.8	4.2	4.2	3.1	2.7
			2000 2099	1.0	(1.0)	70.7	617.0	61.0	7.8	2.3	6.0	4.0	5.0	2.0
			1800 1899	3.0	(2.9)	72.8	616.3	72.0	8.7	2.2	9.0	3.3	5.0	2.3
			1700 1799	4.0	(3.9)	71.2	569.5	58.3	7.7	2.0	6.5	3.5	4.3	2.5
			1600 1699	14.0	(13.6)	70.5	560.1	57.6	7.8	2.8	5.3	3.6	3.9	2.4
			1500 1599	23.0	(22.3)	71.1	541.9	58.7	7.2	2.2	4.4	3.8	3.4	2.6
			1400 1499	23.0	(22.3)	70.3	532.3	55.3	6.9	2.5	3.6	4.1	3.1	2.7
			1300 1399	20.0	(19.4)	70.2	527.8	53.1	7.0	2.5	3.1	4.3	2.6	2.5
			1200 1299	8.0	(7.8)	70.7	525.6	55.5	7.1	2.3	2.4	4.3	2.0	2.5
			1100 1199	2.0	(1.9)	70.0	562.5	58.0	6.6	2.6	2.0	5.0	2.0	2.5
			1000 1099	2.0	(1.9)	68.2	548.0	55.5	6.0	4.0	2.0	5.0	2.0	2.5
			800 899	1.0	(1.0)	71.2	325.0	42.0	4.7	0.8	2.0	5.0	2.0	4.0
			700 799	1.0	(1.0)	68.9	364.0	37.0	4.6	1.9	2.0	4.0	2.0	5.0
			499	1.0	(1.0)	70.0	279.0	36.0	3.4	0.9	1.0	5.0	1.0	5.0
				103.0	(4.5)	70.6	536.3	56.2	7.1	2.4	4.0	4.0	3.1	2.6
			1500 1599	1.0	(10.0)	70.4	516.5	55.0	6.7	2.4	6.0	4.0	4.0	2.0
			1400 1499	5.0	(50.0)	70.4	570.5	56.8	7.7	2.7	4.0	4.4	2.8	2.4
			1300 1399	3.0	(30.0)	69.9	578.5	56.3	8.3	3.5	3.0	5.0	2.0	2.0
			1100 1199	1.0	(10.0)	71.0	382.5	51.0	6.2	2.6	2.0	5.0	2.0	2.0
				10.0	(0.4)	70.3	548.7	55.9	7.7	2.9	3.7	4.6	2.6	2.2

					(%)		(kg)	(m ²)	(m)	(m)				
			2000 2099	1.0	(0.3)	73.0	595.0	82.0	7.4	2.8	10.0	4.0	5.0	3.0
			1900 1999	1.0	(0.3)	75.6	697.0	95.0	9.4	1.9	6.0	3.0	4.0	3.0
			1800 1899	12.0	(3.3)	72.6	592.6	70.5	8.3	2.3	7.8	3.4	4.7	2.8
			1700 1799	30.0	(8.3)	71.2	587.4	64.8	8.1	3.0	6.9	3.9	4.2	2.6
			1600 1699	32.0	(8.9)	71.1	585.8	60.5	8.1	2.5	5.5	3.8	3.9	2.6
			1500 1599	59.0	(16.3)	71.0	568.0	60.3	7.8	2.6	5.1	4.0	3.6	2.6
			1400 1499	117.0	(32.4)	70.4	559.8	56.6	7.5	2.7	4.2	4.1	3.2	2.6
			1300 1399	72.0	(19.9)	70.1	539.5	54.8	7.1	2.6	3.5	4.2	2.6	2.6
			1200 1299	31.0	(8.6)	69.7	515.9	50.9	6.7	2.6	2.9	4.2	2.1	2.5
			1100 1199	2.0	(0.6)	68.2	473.0	41.5	5.0	2.2	2.0	4.5	2.0	2.0
			1000 1099	1.0	(0.3)	69.6	347.0	35.0	3.7	0.5	2.0	5.0	2.0	2.0
			900 999	2.0	(0.6)	69.3	305.0	31.0	4.2	1.1	2.5	4.0	2.0	2.0
			700 799	1.0	(0.3)	68.7	191.0	25.0	2.4	1.3	2.0	5.0	1.0	2.0
				361.0	(15.7)	70.6	556.0	57.7	7.5	2.6	4.5	4.0	3.2	2.6
			1800 1899	1.0	(4.3)	69.7	508.0	50.0	8.2	3.6	7.0	4.0	5.0	3.0
			1700 1799	3.0	(13.0)	72.4	549.3	66.7	8.4	2.7	7.3	3.3	4.7	2.7
			1600 1699	2.0	(8.7)	70.7	558.5	57.5	8.3	3.1	5.5	3.5	4.0	3.0
			1500 1599	4.0	(17.4)	70.6	544.5	59.8	7.8	3.3	4.5	4.3	3.3	2.8
			1400 1499	4.0	(17.4)	70.5	569.5	56.5	7.7	2.5	4.5	3.8	3.3	2.5
			1300 1399	6.0	(26.1)	70.8	591.5	63.5	7.6	2.7	3.8	4.5	3.0	2.5
			1200 1299	1.0	(4.3)	71.1	603.0	66.0	7.8	2.8	4.0	4.0	3.0	3.0
			1100 1199	1.0	(4.3)	69.8	431.0	40.0	5.3	1.1	3.0	5.0	2.0	2.0
			900 999	1.0	(4.3)	69.9	322.0	37.0	4.0	1.0	2.0	5.0	2.0	2.0
				23.0	(1.0)	70.8	549.3	58.9	7.6	2.7	4.7	4.1	3.4	2.6
			1500 1599	2.0	(13.3)	69.8	527.5	51.0	7.8	3.0	5.0	3.5	4.0	2.0
			1400 1499	8.0	(53.3)	69.7	540.1	53.1	6.8	2.7	3.8	4.0	3.1	2.6
			1300 1399	2.0	(13.3)	71.2	563.0	60.5	6.8	1.6	3.0	4.5	2.0	2.0
			1200 1299	3.0	(20.0)	70.1	527.0	52.0	6.7	2.1	2.7	4.7	2.0	2.7
				15.0	(0.7)	70.0	538.9	53.6	6.9	2.4	3.6	4.1	2.9	2.5
			1600 1699	1.0	(6.7)	71.3	533.5	58.0	7.9	2.4	4.0	4.0	4.0	3.0
			1500 1599	2.0	(13.3)	70.8	581.8	62.5	8.7	3.5	7.0	3.5	4.5	2.5
			1400 1499	3.0	(20.0)	70.8	565.4	61.3	7.5	2.8	5.3	4.3	3.3	2.7
			1300 1399	7.0	(46.7)	70.6	569.0	59.7	8.1	3.1	4.6	3.7	3.3	2.7
			1200 1299	2.0	(13.3)	70.2	520.8	52.0	7.2	2.5	3.5	3.5	2.5	2.5
				15.0	(0.7)	70.7	561.2	59.3	7.9	3.0	4.9	3.8	3.4	2.7
			1600 1699	1.0	(50.0)	72.3	566.1	66.0	8.0	2.0	7.0	4.0	4.0	2.0
			1300 1399	1.0	(50.0)	68.1	500.7	39.0	6.9	3.0	3.0	4.0	3.0	3.0
				2.0	(0.1)	70.2	533.4	52.5	7.5	2.5	5.0	4.0	3.5	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	9.0	(64.3)	70.8	546.9	58.0	7.7	2.7	5.1	3.8	3.6	3.0
			1300 1399	1.0	(7.1)	70.6	415.0	52.0	6.1	2.7	4.0	5.0	3.0	3.0
			1100 1199	2.0	(14.3)	70.2	326.5	39.5	5.2	1.9	2.0	4.0	2.0	3.0
			1000 1099	1.0	(7.1)	71.0	340.5	42.0	5.6	1.5	2.0	4.0	2.0	2.0
			900 999	1.0	(7.1)	69.8	322.0	35.0	4.7	1.4	2.0	4.0	2.0	3.0
				14.0	(0.6)	70.6	475.2	52.1	6.9	2.4	4.1	3.9	3.1	2.9
			900 999	1.0	(0.0)	69.9	418.6	42.0	5.8	1.7	3.0	6.0	2.0	2.0
			1800 1899	2.0	(3.4)	71.7	551.8	66.0	8.3	3.2	7.5	3.5	4.5	3.0
			1700 1799	1.0	(1.7)	74.3	560.8	74.0	8.9	1.8	10.0	4.0	5.0	3.0
			1600 1699	6.0	(10.2)	70.7	554.1	60.5	8.2	3.3	6.0	3.3	4.2	2.7
			1500 1599	17.0	(28.8)	70.7	526.8	56.4	7.1	2.4	4.2	3.8	3.2	2.4
			1400 1499	13.0	(22.0)	70.4	509.0	52.1	7.1	2.4	3.9	3.9	3.1	2.8
			1300 1399	8.0	(13.6)	70.3	537.0	54.5	7.2	2.5	3.4	4.1	2.5	2.9
			1200 1299	8.0	(13.6)	70.1	471.2	47.4	6.3	1.9	2.8	3.8	2.1	2.8
			1100 1199	2.0	(3.4)	68.8	580.0	52.5	6.7	2.9	3.0	4.0	2.0	2.5
			1000 1099	1.0	(1.7)	68.9	625.0	52.0	8.5	3.4	3.0	5.0	2.0	3.0
			900 999	1.0	(1.7)	67.5	562.4	44.0	7.6	4.0	3.0	4.0	2.0	3.0
				59.0	(2.6)	70.4	525.0	54.6	7.2	2.5	4.1	3.8	3.0	2.7
			2000 2099	1.0	(0.9)	72.5	615.6	72.0	8.0	2.2	7.0	3.0	5.0	3.0
			1900 1999	3.0	(2.8)	71.5	537.1	60.3	8.5	2.9	7.7	3.7	4.7	3.0
			1800 1899	2.0	(1.9)	70.5	546.6	58.0	8.0	3.2	7.0	4.0	4.5	3.0
			1700 1799	8.0	(7.4)	71.0	537.5	59.6	7.7	2.7	6.0	3.9	4.1	3.0
			1600 1699	8.0	(7.4)	71.1	530.5	59.0	7.7	2.7	5.8	3.8	4.1	3.0
			1500 1599	28.0	(25.9)	70.0	555.9	55.3	7.9	3.1	5.2	3.6	3.8	2.8
			1400 1499	18.0	(16.7)	69.9	536.3	52.6	7.3	2.7	4.6	4.2	3.4	2.8
			1300 1399	28.0	(25.9)	69.6	517.9	51.0	7.2	3.0	4.0	4.0	3.0	3.0
			1200 1299	8.0	(7.4)	69.1	548.1	51.5	7.2	3.2	3.0	4.3	2.0	2.8
			1100 1199	3.0	(2.8)	68.4	557.0	52.3	7.6	4.3	3.0	4.3	2.7	3.0
			1000 1099	1.0	(0.9)	68.9	471.8	45.0	4.4	1.4	2.0	5.0	2.0	2.0
				108.0	(4.7)	70.0	538.1	54.2	7.5	3.0	4.7	3.9	3.4	2.9
			1700 1799	1.0	(2.0)	68.8	626.0	59.0	8.8	4.7	6.0	4.0	4.0	3.0
			1600 1699	41.0	(83.7)	69.9	548.8	51.2	8.1	3.0	2.8	4.0	2.6	3.0
			1500 1599	5.0	(10.2)	69.5	563.9	51.6	8.3	3.4	2.4	4.6	2.4	3.0
			1400 1499	1.0	(2.0)	71.7	496.0	55.0	7.6	1.9	3.0	4.0	3.0	3.0
			1200 1299	1.0	(2.0)	66.8	580.5	44.0	7.9	4.8	4.0	4.0	3.0	3.0
				49.0	(2.1)	69.8	551.5	51.3	8.2	3.1	2.9	4.1	2.6	3.0
			1400 1499	1.0	(50.0)	72.3	548.2	68.0	7.7	2.4	3.0	4.0	2.0	3.0
			1300 1399	1.0	(50.0)	69.3	492.2	44.0	5.9	1.8	3.0	5.0	2.0	2.0

							(kg)	(m2)	(m)	(m)				
					(%)									
				2.0	(0.1)	70.8	520.2	56.0	6.8	2.1	3.0	4.5	2.0	2.5
			1400 1499	1.0	(33.3)	71.0	525.8	57.0	6.7	1.9	4.0	4.0	3.0	2.0
			1200 1299	2.0	(66.7)	69.8	468.6	48.0	7.5	3.1	3.0	4.0	3.0	3.0
				3.0	(0.1)	70.2	487.7	51.0	7.2	2.7	3.3	4.0	3.0	2.7
			1600 1699	2.0	(40.0)	70.7	650.1	68.0	8.0	3.1	6.0	3.0	4.0	3.0
			1200 1299	2.0	(40.0)	68.6	477.6	45.0	6.3	3.1	2.5	4.0	2.0	3.0
			1100 1199	1.0	(20.0)	69.8	421.0	42.0	6.6	2.4	2.0	4.0	2.0	2.0
				5.0	(0.2)	69.7	535.3	53.6	7.0	3.0	3.8	3.6	2.8	2.8
			1400 1499	1.0	(50.0)	70.3	492.4	48.0	7.2	2.1	4.0	4.0	3.0	3.0
			1200 1299	1.0	(50.0)	70.4	469.2	57.0	7.1	3.6	4.0	4.0	3.0	3.0
				2.0	(0.1)	70.3	480.8	52.5	7.2	2.9	4.0	4.0	3.0	3.0
			1800 1899	1.0	(4.0)	69.6	587.8	56.0	8.2	3.4	8.0	4.0	5.0	3.0
			1700 1799	5.0	(20.0)	70.8	593.2	65.8	7.8	3.2	7.2	3.4	4.8	3.0
			1600 1699	2.0	(8.0)	69.8	512.6	53.0	7.5	3.5	5.5	3.0	4.0	3.0
			1500 1599	3.0	(12.0)	71.3	538.3	63.7	7.3	2.8	6.0	3.7	4.0	3.0
			1400 1499	4.0	(16.0)	70.8	509.1	54.5	7.6	2.6	5.3	3.3	3.5	3.0
			1300 1399	8.0	(32.0)	69.2	492.2	48.5	6.7	3.2	3.9	4.1	3.1	2.9
			1200 1299	1.0	(4.0)	67.8	523.4	45.0	6.2	3.3	3.0	4.0	3.0	3.0
			900 999	1.0	(4.0)	65.2	625.2	49.0	6.8	5.8	3.0	3.0	2.0	3.0
				25.0	(1.1)	69.9	532.7	55.3	7.3	3.2	5.2	3.6	3.7	3.0
			1600 1699	7.0	(14.6)	70.9	535.4	57.7	7.6	2.6	5.1	3.7	3.7	3.0
			1500 1599	15.0	(31.3)	71.3	552.9	59.6	7.8	2.4	4.3	4.0	3.3	2.8
			1400 1499	17.0	(35.4)	70.3	526.9	54.0	7.5	2.8	4.1	4.1	3.1	2.6
			1300 1399	4.0	(8.3)	70.0	550.0	56.5	7.4	3.0	3.3	4.8	2.5	3.0
			1200 1299	4.0	(8.3)	69.5	487.0	47.5	6.7	2.7	2.8	4.0	2.0	2.5
			1000 1099	1.0	(2.1)	69.6	367.0	41.0	5.3	2.3	3.0	5.0	2.0	3.0
				48.0	(2.1)	70.6	531.5	55.7	7.5	2.6	4.1	4.1	3.1	2.8
			1600 1699	1.0	(3.0)	70.0	625.5	63.0	8.7	3.9	6.0	4.0	4.0	3.0
			1500 1599	3.0	(9.1)	71.0	505.1	57.0	7.0	2.3	4.7	4.0	3.7	3.0
			1400 1499	5.0	(15.2)	70.5	529.9	55.2	7.5	2.7	5.2	4.0	3.4	2.6
			1300 1399	9.0	(27.3)	69.9	525.6	53.6	7.3	3.0	3.9	4.3	2.9	2.9
			1200 1299	10.0	(30.3)	70.8	523.9	54.4	7.5	2.3	3.0	4.2	2.4	3.0
			1100 1199	2.0	(6.1)	70.4	411.3	46.0	5.9	1.9	3.0	4.5	2.5	3.0
			1000 1099	3.0	(9.1)	69.9	448.4	43.0	6.5	1.9	2.3	5.0	2.0	2.7
				33.0	(1.4)	70.4	512.9	53.2	7.2	2.5	3.8	4.3	2.8	2.9
			1700 1799	3.0	(15.8)	71.2	474.5	55.7	6.7	2.1	5.0	3.7	4.0	2.7
			1500 1599	7.0	(36.8)	71.4	522.5	62.1	7.8	3.0	5.3	3.7	3.9	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	6.0	(31.6)	70.3	516.6	55.8	7.6	3.2	3.8	3.7	3.0	2.7
			1200 1299	1.0	(5.3)	71.6	463.2	59.0	7.8	3.1	2.0	4.0	2.0	3.0
			1100 1199	2.0	(10.5)	70.4	461.4	50.5	6.5	2.3	2.5	4.0	2.0	2.0
				19.0	(0.8)	70.9	503.5	57.7	7.4	2.9	4.3	3.7	3.3	2.7
			1100 1199	1.0	(0.0)	70.7	416.3	48.0	5.5	1.5	3.0	4.0	2.0	3.0
			1700 1799	5.0	(9.4)	72.6	556.6	69.4	8.1	2.4	6.4	4.0	4.0	2.8
			1600 1699	4.0	(7.5)	71.3	548.6	61.5	7.7	2.5	5.8	3.5	4.0	2.8
			1500 1599	1.0	(1.9)	70.0	550.6	53.0	7.6	2.7	3.0	4.0	3.0	3.0
			1400 1499	11.0	(20.8)	69.8	526.0	53.5	7.6	3.3	4.6	4.0	3.5	2.9
			1300 1399	12.0	(22.6)	69.8	548.3	54.8	7.1	2.8	3.6	4.2	3.1	2.8
			1200 1299	10.0	(18.9)	69.5	499.7	47.9	6.7	2.5	3.2	4.0	2.5	2.9
			1100 1199	9.0	(17.0)	69.6	516.9	51.2	6.8	2.8	2.7	4.1	2.0	2.9
			1000 1099	1.0	(1.9)	70.8	400.8	46.0	5.5	1.3	3.0	5.0	2.0	4.0
				53.0	(2.3)	70.1	527.2	54.3	7.2	2.7	4.0	4.0	3.0	2.9
			1800 1899	1.0	(2.8)	72.4	528.0	61.0	8.6	2.2	6.0	3.0	4.0	3.0
			1600 1699	3.0	(8.3)	71.2	611.8	64.0	8.6	2.9	5.7	3.0	4.0	3.0
			1500 1599	2.0	(5.6)	70.4	585.0	59.5	7.3	2.5	5.0	3.0	3.5	2.5
			1400 1499	5.0	(13.9)	70.4	570.1	58.6	8.0	3.1	4.8	3.8	3.4	2.6
			1300 1399	8.0	(22.2)	69.7	551.8	55.9	7.5	3.5	3.9	3.5	3.0	2.5
			1200 1299	11.0	(30.6)	69.3	555.4	52.5	7.6	3.3	3.4	3.9	2.5	2.5
			1100 1199	5.0	(13.9)	68.7	572.0	55.2	7.4	4.1	2.4	3.8	2.0	2.8
			1000 1099	1.0	(2.8)	68.1	525.8	44.0	6.6	3.1	2.0	5.0	2.0	2.0
				36.0	(1.6)	69.7	563.7	55.8	7.7	3.3	3.9	3.7	2.9	2.6
			1900 1999	3.0	(13.0)	71.8	509.0	62.0	8.3	3.0	7.3	3.0	4.7	3.0
			1800 1899	1.0	(4.3)	73.8	583.0	85.0	7.0	2.2	7.0	4.0	4.0	3.0
			1700 1799	2.0	(8.7)	71.5	540.1	59.5	8.1	2.5	6.0	4.0	4.0	3.0
			1600 1699	2.0	(8.7)	70.8	500.9	58.5	7.3	3.0	6.0	3.0	4.0	2.5
			1500 1599	5.0	(21.7)	70.1	580.0	63.6	7.6	3.7	5.0	3.6	3.6	3.0
			1400 1499	6.0	(26.1)	69.8	503.4	52.3	7.1	3.1	4.0	4.0	3.2	3.0
			1300 1399	2.0	(8.7)	70.0	491.0	51.0	7.1	2.8	5.0	4.0	3.5	3.0
			1200 1299	1.0	(4.3)	71.3	577.2	64.0	7.7	2.6	3.0	4.0	2.0	3.0
			1000 1099	1.0	(4.3)	70.1	322.4	38.0	4.5	1.3	2.0	4.0	2.0	3.0
				23.0	(1.0)	70.6	521.5	58.4	7.4	3.0	5.1	3.7	3.6	3.0
			1700 1799	5.0	(10.0)	70.4	525.1	55.6	7.0	2.5	5.4	4.2	3.6	2.4
			1600 1699	3.0	(6.0)	72.8	538.6	66.3	7.7	1.7	5.3	3.7	4.0	2.3
			1500 1599	9.0	(18.0)	70.5	501.2	56.9	6.4	2.5	4.9	4.0	3.8	2.2
			1400 1499	10.0	(20.0)	70.6	487.9	54.3	6.4	2.2	3.6	3.9	2.8	2.2
			1300 1399	17.0	(34.0)	70.4	510.4	57.5	6.5	2.7	3.5	4.1	2.6	2.7
			1200 1299	5.0	(10.0)	69.1	510.6	50.2	6.8	3.2	3.2	4.4	2.2	2.8

					(%)		(kg)	(m2)	(m)	(m)				
			1100 1199	1.0	(2.0)	69.2	467.8	44.0	5.4	1.8	2.0	5.0	2.0	3.0
				50.0	(2.2)	70.5	506.6	56.1	6.6	2.5	4.0	4.1	3.0	2.5
			1700 1799	1.0	(50.0)	71.7	470.7	64.0	7.0	3.1	6.0	4.0	4.0	3.0
			1500 1599	1.0	(50.0)	70.5	433.1	48.0	5.5	1.6	5.0	4.0	4.0	3.0
				2.0	(0.1)	71.1	451.9	56.0	6.3	2.4	5.5	4.0	4.0	3.0
			1800 1899	1.0	(2.1)	70.7	616.3	71.0	8.4	4.2	9.0	4.0	5.0	3.0
			1700 1799	1.0	(2.1)	72.1	575.2	61.0	10.0	3.0	5.0	4.0	4.0	3.0
			1600 1699	2.0	(4.2)	71.3	597.7	63.5	8.9	3.1	8.5	3.5	5.0	3.0
			1500 1599	6.0	(12.5)	70.5	550.9	56.3	8.1	2.9	4.5	4.2	3.5	3.2
			1400 1499	10.0	(20.8)	70.4	569.0	56.6	7.9	2.8	4.1	4.0	3.0	2.9
			1300 1399	10.0	(20.8)	70.1	514.3	49.6	7.3	2.4	4.1	4.2	3.2	2.7
			1200 1299	15.0	(31.3)	69.9	506.6	51.9	6.8	2.7	3.4	4.4	2.6	2.7
			1100 1199	3.0	(6.3)	69.6	479.9	46.0	6.4	2.3	2.0	4.3	2.0	2.3
				48.0	(2.1)	70.2	532.6	53.6	7.5	2.7	4.1	4.2	3.1	2.8
			1900 1999	2.0	(1.9)	73.0	562.4	77.5	8.1	3.0	8.0	3.5	5.0	3.0
			1800 1899	4.0	(3.8)	72.0	587.3	66.8	8.4	2.5	6.8	3.8	4.3	2.8
			1700 1799	12.0	(11.4)	71.5	613.2	69.7	8.4	3.1	6.7	3.8	4.3	2.7
			1600 1699	7.0	(6.7)	70.4	587.9	65.7	7.5	3.5	6.1	3.7	4.3	3.0
			1500 1599	16.0	(15.2)	71.2	606.9	66.6	8.2	3.0	4.8	3.8	3.8	2.6
			1400 1499	23.0	(21.9)	70.2	588.6	61.3	7.4	3.1	4.1	4.0	3.3	2.7
			1300 1399	24.0	(22.9)	69.8	572.4	58.2	7.6	3.3	3.5	4.1	2.5	2.7
			1200 1299	17.0	(16.2)	68.9	605.1	56.1	7.6	3.5	3.1	4.3	2.4	2.9
				105.0	(4.6)	70.3	592.6	62.3	7.8	3.2	4.5	4.0	3.3	2.8
			1600 1699	2.0	(6.3)	69.7	593.5	59.5	7.9	3.7	5.5	4.0	4.0	3.0
			1500 1599	1.0	(3.1)	73.5	468.6	66.0	7.1	1.5	5.0	4.0	4.0	3.0
			1400 1499	15.0	(46.9)	70.7	557.0	60.1	7.9	3.2	4.3	3.7	3.3	2.9
			1300 1399	6.0	(18.8)	70.0	552.8	58.7	7.7	3.6	3.2	3.8	2.8	2.8
			1200 1299	6.0	(18.8)	69.6	506.3	47.0	7.0	2.6	2.8	4.3	2.2	3.0
			1100 1199	1.0	(3.1)	68.5	585.4	54.0	7.9	4.3	2.0	4.0	2.0	3.0
			500 599	1.0	(3.1)	70.7	374.5	40.0	6.6	1.8	2.0	4.0	2.0	3.0
				32.0	(1.4)	70.3	541.4	56.7	7.7	3.1	3.8	3.9	3.0	2.9
			2000 2099	3.0	(0.1)	72.1	609.2	71.7	7.7	2.4	7.7	3.7	5.0	2.7
			1900 1999	12.0	(0.5)	72.4	555.9	68.5	8.3	2.7	7.5	3.3	4.6	2.9
			1800 1899	35.0	(1.5)	72.0	582.6	67.0	8.3	2.6	7.6	3.6	4.6	2.7
			1700 1799	127.0	(5.5)	71.4	572.3	64.2	8.0	2.8	6.4	3.8	4.1	2.7
			1600 1699	215.0	(9.3)	70.9	571.1	60.1	8.1	2.8	5.2	3.8	3.7	2.7
			1500 1599	357.0	(15.5)	70.8	566.4	59.7	7.8	2.7	4.9	3.9	3.6	2.7
			1400 1499	639.0	(27.7)	70.4	555.6	56.9	7.7	2.8	4.1	4.0	3.2	2.7
			1300 1399	487.0	(21.1)	69.9	546.7	54.6	7.4	2.9	3.6	4.2	2.8	2.7

