

					(%)		(kg)	(cm2)	(cm)	(cm)				
			900 999	2.0	( 6.7)	69.3	402.5	40.0	5.0	1.7	2.0	5.0	2.0	4.0
			600 699	12.0	( 40.0)	68.8	391.9	36.3	4.3	1.4	2.0	5.6	1.8	3.4
			500 599	15.0	( 50.0)	69.6	310.8	32.5	3.8	0.7	1.7	5.5	1.2	4.1
			499	1.0	( 3.3)	70.0	218.0	30.0	3.2	0.7	1.0	7.0	1.0	5.0
				30.0	( 2.8)	69.3	346.3	34.4	4.0	1.1	1.8	5.5	1.5	3.8
			900 999	1.0	( 20.0)	69.3	438.0	42.0	6.1	2.3	2.0	5.0	2.0	3.0
			600 699	3.0	( 60.0)	68.9	411.3	37.3	5.0	1.7	2.0	5.7	1.7	4.3
			500 599	1.0	( 20.0)	69.2	417.0	38.0	4.2	0.8	2.0	6.0	2.0	5.0
				5.0	( 0.5)	69.0	417.8	38.4	5.1	1.7	2.0	5.6	1.8	4.2
			600 699	17.0	( 35.4)	69.2	363.9	37.7	4.1	1.4	1.9	5.5	1.8	4.1
			500 599	28.0	( 58.3)	69.2	314.3	33.9	3.5	1.0	1.5	5.8	1.2	4.7
			499	3.0	( 6.3)	69.8	268.0	30.0	3.2	0.4	1.3	5.7	1.3	5.0
				48.0	( 4.4)	69.2	329.0	35.0	3.7	1.1	1.6	5.7	1.4	4.5
			900 999	5.0	( 4.1)	68.8	418.1	38.8	5.0	2.0	2.2	4.0	2.2	3.0
			800 899	1.0	( 0.8)	69.7	363.0	37.0	5.0	1.4	2.0	5.0	2.0	3.0
			700 799	5.0	( 4.1)	69.6	342.8	35.4	4.7	1.4	2.0	4.2	2.2	3.2
			600 699	33.0	( 27.3)	68.2	407.0	31.5	5.0	1.6	2.1	4.8	1.9	3.1
			500 599	61.0	( 50.4)	68.5	344.5	27.4	4.3	1.1	1.9	5.1	1.9	3.4
			499	16.0	( 13.2)	69.0	325.2	28.4	4.0	0.8	1.7	5.1	1.6	3.5
				121.0	( 11.2)	68.6	362.1	29.5	4.5	1.3	1.9	4.9	1.9	3.3
			800 899	1.0	( 20.0)	68.3	363.0	25.0	5.2	1.4	2.0	3.0	2.0	3.0
			600 699	3.0	( 60.0)	66.8	412.3	23.7	5.1	2.1	2.0	4.7	2.0	3.3
			500 599	1.0	( 20.0)	69.9	295.5	29.0	4.1	0.3	1.0	5.0	1.0	4.0
				5.0	( 0.5)	67.7	379.1	25.0	4.9	1.6	1.8	4.4	1.8	3.4
			700 799	1.0	( 16.7)	69.0	438.0	39.0	5.0	1.5	3.0	5.0	2.0	4.0
			600 699	2.0	( 33.3)	67.8	397.8	27.5	4.7	1.4	2.0	5.0	2.0	3.5
			500 599	3.0	( 50.0)	68.7	343.3	28.7	4.4	1.2	1.7	5.3	1.7	5.7
				6.0	( 0.6)	68.5	377.3	30.0	4.6	1.3	2.0	5.2	1.8	4.7
			700 799	1.0	( 3.6)	69.9	427.0	42.0	5.6	1.5	2.0	6.0	2.0	5.0
			600 699	12.0	( 42.9)	69.3	422.7	42.2	4.8	1.6	2.0	5.6	2.0	4.9
			500 599	12.0	( 42.9)	68.5	350.4	31.3	3.9	1.2	2.0	6.0	1.9	4.5
			499	3.0	( 10.7)	69.8	421.8	44.7	5.2	1.7	2.0	5.3	1.7	6.0
				28.0	( 2.6)	69.0	391.8	37.8	4.5	1.4	2.0	5.8	1.9	4.9
			700 799	3.0	( 3.2)	69.5	360.2	37.7	4.3	1.3	2.0	5.3	2.0	4.0
			600 699	42.0	( 45.2)	68.9	401.9	36.5	4.4	1.3	2.0	5.5	1.9	4.4

							(kg)	(m2)	(m)	(m)					
					(%)										
			500	599	47.0	( 50.5)	69.1	347.1	33.4	3.8	0.9	1.6	5.7	1.4	4.4
				499	1.0	( 1.1)	70.1	374.0	41.0	3.8	0.5	1.0	6.0	1.0	4.0
					93.0	( 8.6)	69.0	372.6	35.0	4.1	1.1	1.8	5.6	1.6	4.4
			900	999	1.0	( 0.4)	69.5	365.0	41.0	4.6	1.9	2.0	5.0	2.0	2.0
			800	899	1.0	( 0.4)	69.1	447.5	42.0	5.7	2.2	2.0	6.0	2.0	4.0
			700	799	7.0	( 3.1)	69.2	441.2	42.4	5.2	1.9	2.0	5.0	2.0	4.1
			600	699	112.0	( 49.8)	68.9	405.7	37.6	4.5	1.4	2.0	5.4	1.9	4.5
			500	599	100.0	( 44.4)	69.2	316.1	31.4	3.6	0.8	1.9	5.8	1.5	5.0
				499	4.0	( 1.8)	68.7	301.5	29.3	3.1	0.9	1.8	6.3	1.3	6.0
					225.0	( 20.8)	69.0	365.2	34.9	4.1	1.1	2.0	5.6	1.7	4.7
			900	999	6.0	( 8.8)	70.0	416.9	44.5	5.3	1.6	2.0	4.8	2.0	3.2
			800	899	1.0	( 1.5)	70.2	374.0	46.0	4.7	1.9	2.0	4.0	2.0	4.0
			700	799	2.0	( 2.9)	68.8	353.8	33.0	4.2	1.4	2.0	4.5	2.0	4.0
			600	699	31.0	( 45.6)	68.9	417.7	38.7	4.7	1.5	2.1	5.4	2.0	4.5
			500	599	28.0	( 41.2)	69.3	314.9	32.1	3.6	0.7	2.0	5.9	1.6	5.0
					68.0	( 6.3)	69.2	372.8	36.4	4.3	1.2	2.0	5.5	1.8	4.6
			800	899	1.0	( 4.5)	71.4	400.5	56.0	5.1	1.8	2.0	5.0	2.0	4.0
			600	699	12.0	( 54.5)	69.0	413.8	40.1	4.9	1.9	2.2	5.3	2.0	4.6
			500	599	7.0	( 31.8)	69.0	333.9	30.4	3.7	0.7	2.0	6.0	1.7	5.4
				499	2.0	( 9.1)	68.8	260.0	22.5	3.2	0.5	2.0	6.0	1.0	4.5
					22.0	( 2.0)	69.1	373.8	36.1	4.4	1.4	2.1	5.6	1.8	4.8
			900	999	2.0	( 1.8)	69.5	325.5	34.0	4.8	1.6	2.0	4.5	2.0	3.0
			800	899	1.0	( 0.9)	67.0	619.0	42.0	6.7	2.8	4.0	5.0	3.0	4.0
			700	799	5.0	( 4.4)	69.0	424.2	40.6	4.8	1.7	2.0	4.4	2.0	3.8
			600	699	56.0	( 49.1)	68.7	398.9	36.8	4.3	1.5	2.0	5.1	2.0	3.6
			500	599	49.0	( 43.0)	69.3	306.4	32.2	3.4	0.8	1.8	5.8	1.2	4.5
				499	1.0	( 0.9)	70.1	277.0	30.0	3.7	0.2	1.0	6.0	1.0	6.0
					114.0	( 10.5)	69.0	359.9	34.9	4.0	1.2	1.9	5.3	1.6	4.0
			600	699	5.0	( 71.4)	68.8	347.1	33.0	4.0	1.4	2.0	5.0	2.0	4.2
			500	599	2.0	( 28.6)	69.5	311.0	32.5	3.2	0.5	2.0	6.0	2.0	5.5
					7.0	( 0.6)	69.0	336.8	32.9	3.8	1.1	2.0	5.3	2.0	4.6
			900	999	1.0	( 6.3)	68.8	393.0	37.0	3.9	1.2	3.0	5.0	2.0	3.0
			800	899	1.0	( 6.3)	69.1	340.0	36.0	4.2	1.7	2.0	3.0	2.0	2.0
			600	699	10.0	( 62.5)	69.0	408.4	40.2	4.3	1.5	1.9	5.3	1.8	3.2
			500	599	3.0	( 18.8)	69.6	300.7	31.7	3.8	0.7	2.0	6.7	1.0	5.0
				499	1.0	( 6.3)	69.8	176.0	27.0	2.6	0.7	1.0	6.0	1.0	3.0
					16.0	( 1.5)	69.2	368.4	37.3	4.1	1.3	1.9	5.4	1.6	3.4

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			600 699	4.0	( 57.1)	69.4	448.4	45.3	5.4	2.0	2.0	5.0	2.0	3.8
			500 599	2.0	( 28.6)	69.2	308.0	34.0	3.4	1.1	2.0	5.5	2.0	4.5
			499	1.0	( 14.3)	68.9	282.0	26.0	3.0	0.4	2.0	6.0	1.0	5.0
				7.0	( 0.6)	69.3	384.5	39.3	4.5	1.6	2.0	5.3	1.9	4.1
			600 699	1.0	( 50.0)	69.1	384.0	38.0	4.3	1.4	2.0	5.0	2.0	3.0
			500 599	1.0	( 50.0)	69.3	365.0	36.0	3.5	0.6	2.0	6.0	1.0	3.0
				2.0	( 0.2)	69.2	374.5	37.0	3.9	1.0	2.0	5.5	1.5	3.0
			600 699	2.0	( 40.0)	68.4	392.5	33.5	4.0	1.1	2.0	5.5	2.0	3.5
			500 599	3.0	( 60.0)	69.3	410.2	41.7	4.4	1.4	1.3	6.0	1.0	4.7
				5.0	( 0.5)	68.9	403.1	38.4	4.2	1.3	1.6	5.8	1.4	4.2
			800 899	1.0	( 1.7)	69.7	376.0	45.0	5.3	2.6	2.0	5.0	2.0	2.0
			600 699	36.0	( 61.0)	69.0	394.0	37.0	4.2	1.2	2.1	5.2	1.9	4.0
			500 599	22.0	( 37.3)	69.0	319.2	32.1	3.5	1.0	1.9	5.2	1.3	4.4
				59.0	( 5.5)	69.0	365.8	35.3	4.0	1.2	2.0	5.2	1.7	4.1
			700 799	2.0	( 5.1)	68.8	436.5	38.5	5.5	1.9	2.5	5.0	2.0	3.5
			600 699	21.0	( 53.8)	68.5	435.0	39.2	4.5	1.6	2.2	5.4	2.0	3.5
			500 599	14.0	( 35.9)	69.1	341.1	34.1	3.6	1.0	1.9	6.2	1.2	4.1
			499	2.0	( 5.1)	69.5	237.0	28.0	3.0	0.5	2.0	6.5	1.0	6.0
				39.0	( 3.6)	68.8	391.2	36.7	4.1	1.3	2.1	5.7	1.6	3.8
			600 699	5.0	( 83.3)	68.6	387.4	35.4	4.2	1.5	2.0	6.2	2.0	3.8
			500 599	1.0	( 16.7)	68.6	332.0	28.0	3.3	0.5	2.0	6.0	2.0	3.0
				6.0	( 0.6)	68.6	378.2	34.2	4.1	1.3	2.0	6.2	2.0	3.7
			800 899	3.0	( 14.3)	70.0	402.6	47.7	5.7	2.5	2.0	5.0	2.0	3.0
			700 799	2.0	( 9.5)	71.0	426.4	51.0	5.1	1.2	2.0	6.0	2.0	3.0
			600 699	3.0	( 14.3)	70.6	348.9	43.7	4.9	1.4	1.7	4.7	1.7	3.3
			500 599	7.0	( 33.3)	70.0	399.3	42.7	5.0	1.4	1.1	5.4	1.1	3.9
			499	6.0	( 28.6)	70.7	370.2	43.5	4.9	1.1	1.0	5.7	1.0	4.0
				21.0	( 1.9)	70.4	386.8	44.6	5.1	1.5	1.4	5.4	1.4	3.6
			800 899	2.0	( 40.0)	69.8	296.1	34.0	4.6	1.6	2.0	5.0	2.0	3.0
			600 699	2.0	( 40.0)	69.4	403.0	37.5	4.7	1.1	2.0	5.5	2.0	5.0
			499	1.0	( 20.0)	68.4	190.8	17.0	3.0	0.9	1.0	6.0	1.0	3.0
				5.0	( 0.5)	69.3	317.8	32.0	4.3	1.2	1.8	5.4	1.8	3.8
			1000 1099	6.0	( 31.6)	69.0	452.8	42.8	6.0	2.5	2.2	4.0	2.2	2.8
			700 799	2.0	( 10.5)	67.3	478.0	35.5	4.5	1.9	2.0	5.5	2.0	4.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			600 699	11.0	( 57.9)	68.3	423.2	35.1	4.8	1.7	2.1	5.5	1.9	4.3
				19.0	( 1.8)	68.4	438.3	37.6	5.2	2.0	2.1	5.0	2.0	3.8
			1000 1099	14.0	( 56.0)	68.5	407.3	37.9	5.7	2.8	2.3	4.1	2.0	2.4
			600 699	3.0	( 12.0)	68.7	460.9	43.0	4.4	1.5	2.0	5.3	2.0	3.3
			500 599	7.0	( 28.0)	68.8	405.9	37.1	4.1	1.2	1.7	6.0	1.6	3.4
			499	1.0	( 4.0)	68.8	301.5	32.0	3.0	1.1	2.0	6.0	1.0	3.0
				25.0	( 2.3)	68.6	409.1	38.1	5.0	2.1	2.1	4.8	1.8	2.8
			600 699	1.0	( 50.0)	68.4	386.2	37.0	4.3	1.9	2.0	6.0	2.0	4.0
			499	1.0	( 50.0)	69.4	317.6	32.0	3.9	0.8	2.0	6.0	1.0	6.0
				2.0	( 0.2)	68.9	351.9	34.5	4.1	1.4	2.0	6.0	1.5	5.0
			800 899	1.0	( 1.6)	69.2	509.8	49.0	4.7	1.4	2.0	5.0	2.0	4.0
			700 799	5.0	( 8.2)	69.0	401.6	41.6	4.1	1.6	2.2	5.0	2.0	3.2
			600 699	12.0	( 19.7)	68.8	427.9	41.9	4.1	1.6	2.1	5.4	1.8	3.2
			500 599	42.0	( 68.9)	68.6	372.5	35.9	3.4	1.1	1.7	5.9	1.4	4.2
			499	1.0	( 1.6)	68.0	360.9	33.0	3.1	1.3	1.0	6.0	1.0	7.0
				61.0	( 5.6)	68.7	387.8	37.7	3.6	1.3	1.8	5.7	1.5	3.9
			600 699	1.0	( 25.0)	68.5	465.8	42.0	4.4	1.7	2.0	5.0	2.0	3.0
			500 599	2.0	( 50.0)	68.4	368.8	35.5	3.6	1.6	1.5	6.0	1.5	3.5
			499	1.0	( 25.0)	67.6	436.1	36.0	4.0	1.8	2.0	6.0	2.0	3.0
				4.0	( 0.4)	68.2	409.9	37.3	3.9	1.6	1.8	5.8	1.8	3.3
			600 699	4.0	( 66.7)	69.0	405.1	37.5	4.3	1.1	2.0	5.5	2.0	4.8
			500 599	2.0	( 33.3)	68.7	377.3	33.0	4.0	1.0	2.0	6.0	1.5	4.0
				6.0	( 0.6)	68.9	395.9	36.0	4.2	1.1	2.0	5.7	1.8	4.5
			1000 1099	3.0	( 33.3)	70.2	533.7	56.3	6.3	2.2	3.3	4.7	2.7	3.7
			900 999	4.0	( 44.4)	68.7	515.5	47.8	5.7	2.5	2.3	5.0	2.0	3.3
			800 899	2.0	( 22.2)	68.0	423.4	36.5	4.7	2.2	2.0	5.5	2.0	3.0
				9.0	( 0.8)	69.0	501.1	48.1	5.6	2.3	2.6	5.0	2.2	3.3
			600 699	5.0	( 41.7)	68.8	398.7	38.2	3.9	1.2	2.0	5.0	2.0	3.0
			500 599	6.0	( 50.0)	68.8	406.9	40.3	4.2	1.7	2.0	5.5	2.0	3.5
			499	1.0	( 8.3)	69.1	499.0	44.0	5.8	1.8	3.0	5.0	2.0	6.0
				12.0	( 1.1)	68.8	411.1	39.8	4.2	1.5	2.1	5.3	2.0	3.5
			500 599	11.0	( 91.7)	67.9	549.4	44.8	6.3	2.9	2.3	5.6	2.0	3.6
			499	1.0	( 8.3)	68.9	298.8	25.0	3.4	0.3	2.0	6.0	1.0	4.0



					(%)		(kg)	(m <sup>2</sup> )	(m)	(m)				
			1000 1099	1.0	( 4.8)	70.1	433.0	48.0	5.6	2.1	2.0	5.0	2.0	3.0
			900 999	20.0	( 95.2)	69.0	429.4	40.1	5.4	2.1	2.0	4.3	1.9	2.7
				21.0	( 13.1)	69.0	429.6	40.5	5.4	2.1	2.0	4.3	2.0	2.7
			900 999	1.0	( 0.6)	69.7	381.5	36.0	4.9	1.0	2.0	5.0	2.0	2.0
			1000 1099	1.0	( 0.6)	68.8	486.5	43.0	6.2	2.5	5.0	4.0	3.0	2.0
			900 999	1.0	( 0.6)	69.8	378.0	41.0	5.2	1.8	3.0	4.0	2.0	2.0
			800 899	1.0	( 0.6)	70.7	338.0	42.0	4.6	1.1	2.0	5.0	2.0	3.0
			900 999	1.0	( 50.0)	67.7	367.0	29.0	3.2	1.1	2.0	4.0	2.0	2.0
			800 899	1.0	( 50.0)	68.6	314.0	30.0	3.2	1.0	2.0	4.0	2.0	2.0
				2.0	( 1.3)	68.2	340.5	29.5	3.2	1.1	2.0	4.0	2.0	2.0
			1000 1099	12.0	( 26.7)	68.6	474.7	42.7	5.3	2.1	2.3	4.2	2.2	2.6
			900 999	32.0	( 71.1)	68.5	456.5	40.8	5.1	2.1	2.0	4.6	2.0	2.5
			800 899	1.0	( 2.2)	71.1	375.0	47.0	5.6	1.6	2.0	5.0	2.0	4.0
				45.0	( 28.1)	68.6	459.5	41.5	5.2	2.1	2.1	4.5	2.0	2.6
			1000 1099	3.0	( 50.0)	66.8	523.7	38.3	5.9	3.3	2.0	5.0	2.0	3.0
			700 799	1.0	( 16.7)	70.8	340.0	45.0	4.4	1.3	2.0	5.0	2.0	2.0
			500 599	2.0	( 33.3)	69.2	261.5	25.0	3.9	0.8	1.5	5.5	1.0	3.5
				6.0	( 3.8)	68.3	405.7	35.0	5.0	2.1	1.8	5.2	1.7	3.0
			900 999	2.0	( 28.6)	71.0	399.0	48.5	5.2	1.3	2.0	4.5	2.0	3.5
			800 899	2.0	( 28.6)	69.7	354.5	36.5	4.1	0.9	2.0	4.0	2.0	2.5
			700 799	2.0	( 28.6)	69.2	290.5	28.5	3.8	0.8	2.0	4.5	2.0	3.0
			500 599	1.0	( 14.3)	69.6	282.0	33.0	3.6	1.0	2.0	5.0	2.0	4.0
				7.0	( 4.4)	69.9	338.6	37.1	4.3	1.0	2.0	4.4	2.0	3.1
			800 899	22.0	( 13.8)	69.3	472.8	47.3	6.2	2.7	2.0	4.1	2.0	2.9
			1100 1199	1.0	( 50.0)	69.8	485.0	46.0	6.9	2.3	3.0	4.0	3.0	2.0
			1000 1099	1.0	( 50.0)	66.3	480.2	36.0	5.3	3.6	2.0	4.0	2.0	2.0
				2.0	( 1.3)	68.0	482.6	41.0	6.1	3.0	2.5	4.0	2.5	2.0
			1000 1099	12.0	( 92.3)	68.9	429.7	39.2	5.7	2.2	2.1	4.0	2.0	2.7
			800 899	1.0	( 7.7)	66.7	319.4	23.0	3.8	2.4	2.0	4.0	2.0	2.0
				13.0	( 8.1)	68.7	421.2	37.9	5.5	2.2	2.1	4.0	2.0	2.6
			1100 1199	10.0	( 31.3)	69.4	418.6	41.0	5.6	2.0	2.0	4.1	2.0	2.4
			1000 1099	22.0	( 68.8)	68.5	439.6	40.1	5.7	2.7	2.1	3.8	2.0	2.6

