

							(kg)	(m ²)	(m)	(m)				
			2800 2899	1.0	(0.2)	78.1	527.0	86.0	8.8	1.9	11.0	3.0	5.0	2.0
			2700 2799	6.0	(1.4)	77.3	469.2	81.7	8.3	2.8	11.2	3.8	5.0	2.8
			2600 2699	17.0	(3.9)	76.9	496.9	79.4	8.9	2.8	10.6	3.4	5.0	2.8
			2500 2599	24.0	(5.4)	77.0	515.1	81.6	8.9	2.7	10.7	3.4	5.0	2.8
			2400 2499	45.0	(10.2)	76.5	496.6	75.3	8.8	2.6	10.0	3.6	5.0	2.9
			2300 2399	65.0	(14.7)	75.6	488.2	69.8	8.6	2.8	9.2	3.6	4.9	2.9
			2200 2299	70.0	(15.9)	75.0	486.5	66.4	8.4	2.9	7.8	3.7	4.5	2.9
			2100 2199	54.0	(12.2)	74.4	468.3	61.2	8.3	2.9	6.6	3.9	4.2	2.8
			2000 2099	29.0	(6.6)	74.4	437.5	58.9	7.7	2.6	5.3	4.0	3.7	2.8
			1900 1999	19.0	(4.3)	73.0	450.2	53.3	7.4	3.0	5.2	4.0	3.6	2.8
			1800 1899	8.0	(1.8)	73.8	467.6	59.5	7.8	3.0	5.1	4.1	3.4	2.9
			1700 1799	1.0	(0.2)	70.9	470.0	48.0	7.7	4.5	3.0	5.0	2.0	3.0
			1600 1699	4.0	(0.9)	72.4	418.1	49.3	7.1	3.3	4.3	4.3	3.0	3.3
			1500 1599	2.0	(0.5)	74.5	402.0	58.0	6.6	1.9	7.0	4.0	4.0	5.0
			1400 1499	9.0	(2.0)	72.4	406.5	46.8	6.9	2.8	5.4	4.0	3.3	3.6
			1300 1399	13.0	(2.9)	72.5	405.8	46.8	6.5	2.6	4.0	4.5	2.8	4.0
			1200 1299	25.0	(5.7)	71.7	358.3	39.2	5.4	2.1	3.2	4.8	2.3	4.5
			1100 1199	29.0	(6.6)	71.9	323.8	37.6	5.0	1.9	3.2	5.2	2.1	5.1
			1000 1099	12.0	(2.7)	71.9	294.6	35.8	4.5	1.6	3.6	5.0	2.2	5.6
			999	8.0	(1.8)	71.9	280.6	33.8	4.0	1.2	2.4	4.9	1.8	5.5
				441.0	(7.4)	74.6	450.3	61.5	7.7	2.6	7.1	4.0	4.0	3.3
			2800 2899	2.0	(2.0)	76.5	422.0	74.0	7.5	2.5	11.0	4.0	5.0	3.0
			2700 2799	1.0	(1.0)	76.7	370.0	64.0	7.0	1.2	11.0	4.0	5.0	3.0
			2600 2699	6.0	(6.1)	77.3	430.5	75.2	7.9	2.0	10.5	3.7	5.0	3.0
			2500 2599	3.0	(3.0)	76.7	471.0	72.7	8.1	1.8	10.3	3.7	5.0	3.0
			2400 2499	7.0	(7.1)	76.3	448.3	67.9	8.4	2.2	9.3	3.9	5.0	3.0
			2300 2399	9.0	(9.1)	75.8	444.8	65.8	8.4	2.5	7.6	3.7	4.6	3.0
			2200 2299	12.0	(12.1)	74.7	465.1	64.9	8.0	3.0	7.8	4.2	4.6	3.1
			2100 2199	4.0	(4.0)	74.2	430.0	60.8	7.3	2.9	7.0	4.3	4.5	2.8
			2000 2099	2.0	(2.0)	73.9	399.5	53.5	6.8	2.2	6.5	3.5	4.0	2.5
			1900 1999	2.0	(2.0)	72.5	490.5	59.0	8.4	4.6	4.5	4.5	3.0	3.0
			1800 1899	4.0	(4.0)	73.5	348.8	46.8	6.5	2.1	4.0	4.3	3.0	3.0
			1600 1699	2.0	(2.0)	73.8	375.0	51.5	6.9	2.4	7.5	3.5	4.0	3.5
			1400 1499	1.0	(1.0)	72.9	370.0	45.0	7.0	2.6	4.0	5.0	3.0	3.0
			1300 1399	18.0	(18.2)	72.5	377.3	46.2	5.9	2.3	4.0	4.4	2.6	3.2
			1200 1299	17.0	(17.2)	71.9	362.9	41.5	5.8	2.5	3.8	4.6	2.4	4.1
			1100 1199	9.0	(9.1)	71.6	317.4	37.7	5.3	2.5	3.6	5.1	2.3	4.9
				99.0	(1.7)	73.9	401.7	54.6	6.9	2.5	6.1	4.2	3.6	3.4
			3000	1.0	(0.4)	75.2	462.0	67.0	8.8	3.4	12.0	3.0	5.0	3.0
			2900 2999	3.0	(1.1)	76.0	422.0	70.7	7.5	2.6	10.3	3.7	5.0	3.0
			2800 2899	4.0	(1.5)	75.5	429.8	64.3	8.2	2.6	8.5	3.8	4.8	3.0
			2700 2799	7.0	(2.5)	75.5	437.0	68.4	8.0	3.0	9.3	4.0	5.0	3.0
			2600 2699	9.0	(3.3)	75.2	409.9	66.1	7.3	2.8	9.0	3.8	4.9	2.8
			2500 2599	13.0	(4.7)	75.0	430.5	67.1	7.7	3.2	8.6	3.6	4.8	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2400 2499	22.0	(8.0)	75.3	435.4	67.2	7.9	2.9	8.7	3.7	4.8	2.8
			2300 2399	16.0	(5.8)	75.1	428.0	63.4	8.1	2.9	7.9	3.9	4.8	2.8
			2200 2299	13.0	(4.7)	73.6	432.1	58.0	7.6	3.3	7.1	3.8	4.4	2.9
			2100 2199	13.0	(4.7)	73.2	406.5	51.5	7.2	2.9	6.2	4.2	3.9	2.8
			2000 2099	5.0	(1.8)	72.9	404.2	49.6	7.5	3.2	6.2	3.6	4.2	3.0
			1900 1999	2.0	(0.7)	73.8	445.5	58.5	8.2	3.5	8.5	3.5	5.0	3.0
			1700 1799	2.0	(0.7)	72.6	408.0	50.0	6.8	3.0	4.0	4.0	2.5	3.0
			1600 1699	6.0	(2.2)	72.9	382.5	48.5	6.2	2.4	7.5	4.2	4.2	3.8
			1500 1599	2.0	(0.7)	72.6	391.0	45.0	6.0	1.9	5.5	4.5	3.5	3.5
			1400 1499	6.0	(2.2)	72.8	379.5	49.8	6.2	2.7	7.3	4.3	3.8	5.0
			1300 1399	18.0	(6.5)	72.1	384.2	44.3	5.9	2.5	4.1	4.7	2.7	3.9
			1200 1299	44.0	(16.0)	71.6	332.8	39.5	5.2	2.4	3.3	4.6	2.3	3.9
			1100 1199	66.0	(24.0)	71.7	292.9	35.6	4.5	1.9	2.7	4.7	2.0	4.7
			1000 1099	21.0	(7.6)	70.8	262.2	29.0	3.9	1.9	3.0	4.8	2.0	5.9
			999	2.0	(0.7)	71.8	205.0	27.0	3.1	0.8	2.0	5.5	1.0	6.0
				275.0	(4.6)	72.9	360.0	47.6	6.0	2.5	5.3	4.3	3.2	3.9
			3000	7.0	(2.0)	76.4	457.2	74.6	7.9	2.6	11.4	3.1	5.0	3.0
			2900 2999	7.0	(2.0)	76.7	455.0	73.7	8.5	2.5	11.1	3.4	5.0	3.0
			2800 2899	9.0	(2.5)	76.6	447.6	73.9	8.1	2.5	10.7	3.2	4.9	2.9
			2700 2799	13.0	(3.6)	77.3	438.6	76.6	8.1	2.3	11.0	3.2	5.0	2.9
			2600 2699	25.0	(7.0)	75.8	464.2	70.8	8.3	2.8	10.2	3.3	5.0	3.0
			2500 2599	27.0	(7.6)	75.3	469.3	69.1	8.1	2.9	8.9	3.4	5.0	3.0
			2400 2499	21.0	(5.9)	75.8	484.5	71.9	8.8	3.1	9.1	3.6	5.0	2.9
			2300 2399	17.0	(4.8)	74.4	458.2	62.8	8.1	3.2	8.3	4.1	4.8	3.1
			2200 2299	18.0	(5.0)	74.8	452.9	64.3	8.0	3.0	6.9	4.0	4.5	3.0
			2100 2199	15.0	(4.2)	74.4	468.0	62.9	8.3	3.2	6.6	3.5	4.1	2.9
			2000 2099	14.0	(3.9)	74.1	446.1	58.6	8.1	3.0	6.4	3.5	4.2	2.9
			1900 1999	6.0	(1.7)	72.6	455.7	51.7	7.9	3.5	5.3	3.5	3.8	3.0
			1800 1899	8.0	(2.2)	73.9	399.4	52.3	7.6	2.6	5.1	3.4	3.4	3.0
			1700 1799	8.0	(2.2)	73.5	443.6	53.0	7.7	2.7	6.3	3.5	4.0	3.1
			1600 1699	2.0	(0.6)	73.0	356.8	46.0	6.6	2.6	6.0	4.0	3.5	3.0
			1500 1599	8.0	(2.2)	73.4	413.0	51.6	7.3	2.7	5.1	3.5	3.8	3.0
			1400 1499	17.0	(4.8)	73.2	440.8	48.9	7.6	2.3	5.4	3.8	3.6	3.2
			1300 1399	27.0	(7.6)	72.1	416.4	42.3	7.1	2.6	4.0	3.8	3.0	3.5
			1200 1299	34.0	(9.5)	72.0	374.6	39.7	6.4	2.4	3.6	4.1	2.8	3.6
			1100 1199	29.0	(8.1)	71.3	359.8	36.6	6.0	2.7	3.3	4.3	2.4	3.8
			1000 1099	25.0	(7.0)	71.3	319.9	33.0	5.3	2.2	3.3	4.4	2.5	4.4
			999	20.0	(5.6)	71.9	286.7	32.3	4.9	1.6	2.8	4.5	2.1	4.7
				357.0	(6.0)	73.7	417.1	54.2	7.3	2.6	6.4	3.8	3.8	3.3
			3000	1.0	(4.2)	77.7	455.0	83.0	9.4	3.5	12.0	3.0	5.0	3.0
			2900 2999	2.0	(8.3)	75.8	435.5	69.0	8.0	2.8	11.0	3.5	5.0	3.0
			2800 2899	1.0	(4.2)	78.9	508.0	93.0	8.7	2.3	11.0	3.0	5.0	3.0
			2700 2799	1.0	(4.2)	75.4	411.0	69.0	7.5	3.1	9.0	3.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	2.0	(8.3)	74.3	483.0	66.0	7.3	2.7	8.0	3.5	5.0	3.0
			2400 2499	3.0	(12.5)	77.3	508.0	86.3	8.0	2.6	9.3	3.7	5.0	3.0
			2300 2399	2.0	(8.3)	73.1	461.0	58.5	7.7	3.6	8.0	4.5	5.0	3.0
			2200 2299	1.0	(4.2)	72.3	496.0	60.0	7.1	3.9	8.0	4.0	5.0	3.0
			2100 2199	1.0	(4.2)	72.7	398.0	52.0	5.9	2.7	7.0	4.0	5.0	3.0
			2000 2099	1.0	(4.2)	74.2	299.0	51.0	5.0	1.6	7.0	4.0	4.0	3.0
			1600 1699	1.0	(4.2)	74.0	419.0	59.0	6.4	2.3	8.0	3.0	4.0	4.0
			1300 1399	4.0	(16.7)	73.0	365.0	46.8	6.0	2.1	5.3	4.8	3.0	4.3
			1200 1299	3.0	(12.5)	71.9	380.7	41.0	5.7	2.1	4.7	4.7	2.7	3.3
			1100 1199	1.0	(4.2)	70.4	361.0	34.0	5.2	2.6	5.0	6.0	3.0	7.0
				24.0	(0.4)	74.2	426.3	60.7	6.9	2.6	7.7	4.0	4.2	3.5
			3000	51.0	(10.4)	76.5	453.3	73.8	8.1	2.4	10.3	3.6	5.0	2.9
			2900 2999	26.0	(5.3)	76.7	468.1	76.5	8.2	2.6	9.8	3.7	5.0	3.0
			2800 2899	51.0	(10.4)	76.2	466.1	74.0	8.2	2.8	10.2	3.5	4.8	2.9
			2700 2799	61.0	(12.4)	75.7	463.0	71.9	8.0	2.8	10.0	3.5	5.0	3.0
			2600 2699	103.0	(20.9)	75.3	480.9	71.8	8.0	3.1	9.6	3.5	4.9	3.0
			2500 2599	106.0	(21.5)	74.5	469.9	64.8	7.9	3.1	8.2	3.5	4.7	3.0
			2400 2499	36.0	(7.3)	73.9	446.4	59.9	7.6	3.0	7.1	3.8	4.4	2.9
			2300 2399	10.0	(2.0)	73.0	509.2	60.8	8.0	3.7	6.7	4.0	4.3	3.0
			2200 2299	5.0	(1.0)	74.0	467.0	57.0	8.3	2.8	6.8	3.8	4.4	3.0
			2100 2199	8.0	(1.6)	73.1	460.8	55.1	7.5	3.1	5.5	4.4	3.9	3.1
			2000 2099	4.0	(0.8)	73.2	499.3	64.3	7.8	4.0	6.3	4.3	4.0	2.8
			1900 1999	1.0	(0.2)	73.7	454.0	59.0	6.8	2.5	4.0	4.0	3.0	3.0
			1800 1899	2.0	(0.4)	73.5	407.5	51.5	7.5	2.8	4.5	5.0	3.0	3.0
			1700 1799	4.0	(0.8)	73.3	399.5	55.0	6.1	2.5	4.8	4.5	3.3	3.0
			1600 1699	2.0	(0.4)	72.0	383.5	48.0	5.5	2.8	4.0	4.0	3.0	3.5
			1500 1599	2.0	(0.4)	73.1	415.0	50.0	6.4	2.1	4.0	4.5	3.0	3.0
			1300 1399	3.0	(0.6)	72.9	418.7	51.7	6.8	2.8	3.0	4.3	2.0	3.3
			1200 1299	11.0	(2.2)	71.2	346.9	37.4	5.5	2.6	3.0	4.1	2.4	3.5
			1100 1199	2.0	(0.4)	72.2	303.5	36.0	5.0	1.6	2.5	4.5	2.0	5.0
			999	4.0	(0.8)	71.9	243.8	31.8	3.5	1.0	2.0	4.8	2.0	5.0
				492.0	(8.3)	75.1	461.3	67.6	7.8	2.9	8.7	3.6	4.7	3.0
			2900 2999	3.0	(1.4)	77.7	486.5	82.7	9.0	2.7	11.0	3.3	5.0	3.0
			2800 2899	3.0	(1.4)	75.2	434.2	69.0	8.0	3.5	9.7	3.3	5.0	3.0
			2700 2799	9.0	(4.1)	75.4	443.7	67.9	7.4	2.5	9.1	4.0	5.0	3.0
			2600 2699	1.0	(0.5)	76.8	553.0	79.0	8.9	2.1	10.0	4.0	5.0	2.0
			2500 2599	5.0	(2.3)	75.3	460.6	69.8	7.5	2.6	10.8	3.6	5.0	3.0
			2400 2499	8.0	(3.6)	75.9	459.1	71.1	8.0	2.7	9.5	3.8	4.9	3.0
			2300 2399	21.0	(9.5)	75.0	463.6	67.8	7.7	2.8	9.5	4.0	4.9	3.0
			2200 2299	19.0	(8.6)	75.1	453.5	68.2	7.8	3.0	8.3	4.1	4.7	2.9
			2100 2199	28.0	(12.7)	75.0	455.2	66.1	7.8	2.8	7.3	3.9	4.4	2.9
			2000 2099	26.0	(11.8)	73.9	453.9	60.5	7.8	3.2	6.9	4.0	4.4	2.9
			1900 1999	12.0	(5.4)	74.0	447.1	59.9	7.5	2.9	6.5	4.0	4.0	2.8
			1800 1899	6.0	(2.7)	73.0	435.6	57.8	6.9	3.5	4.7	4.5	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	4.0	(1.8)	74.6	468.1	59.3	8.0	2.3	6.8	3.3	3.8	2.8
			1600 1699	1.0	(0.5)	76.8	441.5	70.0	7.5	1.4	7.0	4.0	4.0	3.0
			1400 1499	2.0	(0.9)	74.0	473.0	61.5	7.8	3.0	6.5	3.5	4.0	3.5
			1300 1399	14.0	(6.3)	73.6	425.3	52.9	7.2	2.4	5.1	3.9	3.3	3.4
			1200 1299	19.0	(8.6)	72.5	404.2	46.1	6.3	2.3	3.9	4.0	2.9	3.6
			1100 1199	22.0	(10.0)	71.5	345.7	38.3	5.4	2.4	3.5	4.6	2.4	4.5
			1000 1099	14.0	(6.3)	71.8	299.2	35.1	4.8	1.8	2.5	4.9	1.9	5.4
			999	4.0	(1.8)	71.8	295.6	33.0	4.4	1.2	2.3	4.8	1.5	5.0
				221.0	(3.7)	74.0	425.5	57.8	7.1	2.7	6.5	4.1	3.9	3.4
			3000	1.0	(0.5)	78.7	585.0	90.0	9.8	1.9	12.0	3.0	5.0	3.0
			2900 2999	1.0	(0.5)	78.0	471.0	95.0	9.0	4.3	12.0	4.0	5.0	3.0
			2800 2899	2.0	(1.1)	76.8	477.0	79.5	9.1	3.4	11.5	3.5	5.0	3.0
			2700 2799	7.0	(3.8)	77.4	456.4	81.1	8.3	2.6	10.7	3.4	5.0	3.0
			2600 2699	10.0	(5.5)	76.3	451.1	73.6	8.4	3.0	10.2	3.3	5.0	2.7
			2500 2599	16.0	(8.8)	76.0	452.3	72.8	8.3	3.0	9.6	3.5	5.0	2.9
			2400 2499	22.0	(12.1)	75.6	455.8	68.7	8.1	2.7	9.5	3.6	5.0	2.9
			2300 2399	26.0	(14.3)	74.8	458.0	64.5	8.0	2.9	8.2	3.9	4.7	2.8
			2200 2299	24.0	(13.2)	74.9	473.7	66.2	8.1	2.9	7.3	3.7	4.5	2.8
			2100 2199	28.0	(15.4)	74.4	439.9	59.7	7.8	2.8	5.9	3.8	4.0	2.8
			2000 2099	16.0	(8.8)	74.0	410.2	54.4	7.4	2.6	5.6	3.5	3.7	2.8
			1900 1999	5.0	(2.7)	73.9	392.0	54.2	7.0	2.6	5.8	4.0	3.8	3.0
			1800 1899	1.0	(0.5)	73.3	544.0	68.0	7.2	3.3	4.0	3.0	3.0	3.0
			1700 1799	1.0	(0.5)	71.8	408.0	46.0	8.3	4.5	3.0	4.0	2.0	2.0
			1600 1699	2.0	(1.1)	72.3	516.8	58.0	7.9	3.9	5.5	4.5	3.5	2.5
			1400 1499	1.0	(0.5)	76.1	374.0	68.0	6.7	2.2	6.0	4.0	3.0	3.0
			1300 1399	4.0	(2.2)	72.2	343.5	41.8	5.3	2.1	3.5	5.0	2.3	3.5
			1200 1299	4.0	(2.2)	72.3	361.8	42.5	6.0	2.3	3.3	4.8	2.3	4.5
			1100 1199	6.0	(3.3)	72.3	296.6	37.7	5.1	1.9	2.8	4.3	2.0	4.2
			1000 1099	1.0	(0.5)	71.7	300.0	34.0	5.0	1.9	2.0	4.0	2.0	4.0
			999	4.0	(2.2)	71.7	329.0	37.0	5.2	2.1	3.8	4.5	2.0	6.8
				182.0	(3.1)	74.8	437.8	62.9	7.7	2.8	7.4	3.8	4.2	3.0
			2900 2999	2.0	(1.3)	75.4	433.5	66.0	7.8	2.7	12.0	4.0	5.0	3.0
			2800 2899	1.0	(0.6)	76.2	413.0	67.0	8.2	2.5	12.0	3.0	5.0	3.0
			2700 2799	3.0	(1.9)	76.9	481.0	78.7	8.4	2.6	11.7	3.3	5.0	3.0
			2600 2699	3.0	(1.9)	77.2	477.0	86.7	8.0	3.2	11.3	3.3	5.0	3.0
			2500 2599	6.0	(3.8)	77.0	532.2	81.3	9.2	2.8	9.7	4.0	5.0	2.8
			2400 2499	7.0	(4.5)	75.5	504.3	70.6	8.5	2.7	9.4	4.0	5.0	2.9
			2300 2399	7.0	(4.5)	75.9	466.1	69.3	8.5	2.6	7.7	3.9	4.9	2.7
			2200 2299	14.0	(8.9)	74.4	490.0	66.0	8.1	3.2	7.5	3.8	4.5	2.9
			2100 2199	15.0	(9.6)	74.6	473.7	65.1	8.0	3.0	6.3	4.1	4.1	2.7
			2000 2099	9.0	(5.7)	73.0	461.7	55.3	7.6	3.1	5.4	4.4	3.8	2.8
			1900 1999	2.0	(1.3)	73.2	511.5	56.5	8.3	3.1	4.5	4.5	3.5	3.0
			1800 1899	1.0	(0.6)	71.8	387.0	44.0	6.9	3.4	4.0	4.0	3.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	1.0	(0.6)	72.6	431.0	49.0	7.4	3.1	3.0	4.0	2.0	2.0
			1600 1699	1.0	(0.6)	72.6	385.0	46.0	6.7	2.7	6.0	4.0	4.0	2.0
			1400 1499	3.0	(1.9)	72.8	389.0	50.3	6.4	2.9	6.0	4.7	3.3	2.7
			1300 1399	14.0	(8.9)	72.1	383.2	42.9	6.3	2.5	4.5	4.7	2.7	3.7
			1200 1299	35.0	(22.3)	72.0	363.1	41.4	5.4	2.1	3.6	4.8	2.3	4.1
			1100 1199	26.0	(16.6)	71.5	305.2	34.8	4.6	1.9	2.5	4.9	2.0	4.3
			1000 1099	7.0	(4.5)	70.8	306.1	32.9	4.8	2.5	2.6	4.9	2.0	5.1
				157.0	(2.6)	73.2	406.4	51.9	6.6	2.5	5.4	4.4	3.3	3.5
			3000	1.0	(0.5)	77.3	527.0	83.0	10.4	3.7	12.0	3.0	5.0	3.0
			2900 2999	3.0	(1.4)	75.1	443.7	66.0	8.3	3.2	10.0	3.0	5.0	3.0
			2800 2899	1.0	(0.5)	73.6	397.0	55.0	7.6	3.5	10.0	3.0	5.0	3.0
			2700 2799	1.0	(0.5)	80.4	473.0	99.0	8.0	1.5	8.0	3.0	5.0	3.0
			2600 2699	8.0	(3.8)	75.9	440.6	70.6	8.3	3.0	9.8	3.4	4.9	2.9
			2500 2599	7.0	(3.4)	76.2	445.3	70.7	8.2	2.6	9.6	3.6	5.0	2.9
			2400 2499	15.0	(7.2)	76.0	458.3	71.3	7.9	2.5	10.0	3.3	5.0	2.8
			2300 2399	32.0	(15.4)	75.7	445.7	67.4	8.0	2.6	8.7	3.6	4.9	2.8
			2200 2299	36.0	(17.3)	75.2	441.0	65.1	7.7	2.6	7.9	3.7	4.6	2.8
			2100 2199	30.0	(14.4)	74.9	446.3	63.3	7.7	2.6	6.7	3.7	4.3	2.9
			2000 2099	13.0	(6.3)	74.4	419.0	59.7	7.1	2.5	6.1	3.7	4.1	2.9
			1900 1999	7.0	(3.4)	72.9	441.6	53.9	7.5	3.3	4.9	4.0	3.4	2.6
			1800 1899	6.0	(2.9)	73.0	372.3	47.3	6.7	2.6	4.5	3.7	3.3	2.7
			1700 1799	3.0	(1.4)	72.8	423.3	48.7	7.7	3.1	4.3	4.7	3.0	2.7
			1600 1699	1.0	(0.5)	74.8	457.0	56.0	7.5	1.3	4.0	4.0	3.0	3.0
			1400 1499	2.0	(1.0)	72.1	355.5	40.5	6.3	2.6	6.0	4.0	3.5	3.0
			1300 1399	1.0	(0.5)	72.7	410.0	45.0	6.4	1.9	4.0	5.0	2.0	3.0
			1200 1299	7.0	(3.4)	71.9	315.1	36.1	5.1	1.9	3.6	4.6	2.4	4.0
			1100 1199	17.0	(8.2)	71.8	278.5	33.2	4.3	1.5	2.4	5.3	1.9	3.8
			1000 1099	7.0	(3.4)	71.5	245.6	29.7	3.8	1.4	2.4	5.0	1.7	4.3
			999	10.0	(4.8)	71.1	279.9	28.4	4.2	1.4	2.2	5.5	1.7	5.2
				208.0	(3.5)	74.4	407.9	57.9	7.1	2.4	6.7	3.9	4.0	3.1
			2600 2699	1.0	(4.3)	77.8	530.1	85.0	9.0	2.3	11.0	3.0	5.0	3.0
			2500 2599	2.0	(8.7)	76.5	472.1	75.0	8.8	2.9	10.0	3.5	5.0	3.0
			2400 2499	3.0	(13.0)	73.7	498.8	61.7	8.3	3.5	9.0	3.3	5.0	3.0
			2300 2399	3.0	(13.0)	75.4	519.3	71.3	8.7	2.9	9.0	3.7	4.7	3.0
			2100 2199	1.0	(4.3)	71.7	497.0	60.0	6.6	4.1	7.0	4.0	4.0	3.0
			2000 2099	1.0	(4.3)	73.6	505.0	58.0	8.9	3.3	8.0	5.0	5.0	3.0
			1700 1799	1.0	(4.3)	71.1	444.5	46.0	7.6	4.3	4.0	4.0	3.0	2.0
			1600 1699	1.0	(4.3)	72.0	403.5	44.0	6.3	2.5	5.0	4.0	4.0	3.0
			1500 1599	1.0	(4.3)	73.4	339.5	55.0	5.2	2.7	6.0	4.0	3.0	2.0
			1300 1399	2.0	(8.7)	74.2	372.3	51.0	6.7	1.9	4.0	4.5	2.5	2.5
			1200 1299	2.0	(8.7)	71.2	332.0	32.0	5.4	2.0	2.5	4.5	2.0	3.0
			1100 1199	3.0	(13.0)	71.2	287.5	31.0	4.9	2.1	3.3	4.3	2.0	3.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	1.0	(4.3)	71.0	290.5	31.0	4.3	1.8	3.0	4.0	2.0	5.0
			999	1.0	(4.3)	71.4	219.5	23.0	3.2	0.5	4.0	5.0	2.0	6.0
				23.0	(0.4)	73.3	413.0	52.6	6.9	2.6	6.3	4.0	3.6	3.2
			2700 2799	3.0	(3.4)	78.4	485.0	83.0	8.6	1.6	12.0	3.0	5.0	2.0
			2600 2699	1.0	(1.1)	77.2	476.0	78.0	8.8	2.7	12.0	3.0	5.0	2.0
			2500 2599	5.0	(5.7)	76.2	450.8	73.6	8.1	2.8	10.6	3.2	5.0	3.0
			2400 2499	8.0	(9.2)	76.1	480.3	73.1	8.6	2.9	10.3	3.1	5.0	2.8
			2300 2399	12.0	(13.8)	75.1	466.6	67.7	7.8	2.7	9.2	3.8	4.9	2.6
			2200 2299	20.0	(23.0)	75.1	440.3	63.5	7.9	2.6	8.3	4.0	4.8	2.6
			2100 2199	13.0	(14.9)	74.8	426.4	62.2	7.6	2.8	6.0	4.1	3.8	2.7
			2000 2099	4.0	(4.6)	73.6	413.5	57.0	7.2	3.1	7.0	4.5	4.0	2.8
			1900 1999	1.0	(1.1)	77.1	656.0	91.0	10.3	3.2	3.0	4.0	3.0	3.0
			1400 1499	3.0	(3.4)	72.4	410.0	46.3	6.4	2.4	5.0	4.7	3.0	2.3
			1300 1399	2.0	(2.3)	72.5	409.5	45.5	6.5	2.3	3.5	4.0	3.0	2.5
			1200 1299	10.0	(11.5)	71.7	364.1	38.1	5.9	2.3	3.8	4.4	2.5	3.4
			1100 1199	3.0	(3.4)	71.3	305.7	37.3	4.7	2.5	3.0	5.0	2.3	4.7
			1000 1099	2.0	(2.3)	72.0	233.0	34.0	3.6	1.4	2.5	4.0	2.0	4.0
				87.0	(1.5)	74.5	429.4	60.7	7.4	2.6	7.4	3.9	4.1	2.8
			2500 2599	1.0	(12.5)	73.1	485.0	59.0	8.7	4.1	8.0	3.0	5.0	3.0
			2400 2499	4.0	(50.0)	74.6	520.0	70.3	8.5	3.4	8.3	3.8	5.0	3.0
			2300 2399	1.0	(12.5)	76.4	406.0	67.0	7.3	1.7	7.0	2.0	5.0	2.0
			2200 2299	1.0	(12.5)	75.6	519.0	75.0	8.0	2.7	7.0	4.0	4.0	3.0
			1400 1499	1.0	(12.5)	73.7	367.5	47.0	7.0	2.1	3.0	3.0	3.0	3.0
				8.0	(0.1)	74.7	482.2	66.1	8.1	3.0	7.3	3.4	4.6	2.9
			3000	1.0	(4.8)	75.7	565.0	81.0	7.7	2.5	8.0	4.0	5.0	3.0
			2600 2699	3.0	(14.3)	75.1	460.7	66.0	7.9	2.8	9.3	3.3	5.0	2.7
			2500 2599	2.0	(9.5)	75.5	499.5	72.5	8.1	2.8	8.5	4.0	5.0	3.0
			2300 2399	3.0	(14.3)	75.7	464.3	67.3	8.9	2.9	9.0	3.3	5.0	3.0
			2200 2299	1.0	(4.8)	74.5	514.0	70.0	8.5	3.6	6.0	4.0	4.0	3.0
			2100 2199	4.0	(19.0)	73.5	441.8	56.3	7.7	3.2	6.5	3.3	4.5	2.8
			2000 2099	2.0	(9.5)	73.5	431.0	56.0	7.2	2.9	4.0	4.5	3.0	3.0
			1900 1999	1.0	(4.8)	73.8	371.0	54.0	5.3	1.7	5.0	4.0	3.0	2.0
			1800 1899	1.0	(4.8)	73.7	416.0	47.0	7.5	1.8	5.0	3.0	4.0	3.0
			1500 1599	1.0	(4.8)	72.7	371.0	48.0	5.9	2.5	4.0	4.0	3.0	3.0
			1300 1399	1.0	(4.8)	72.2	432.0	42.0	6.5	1.8	3.0	4.0	2.0	3.0
			1200 1299	1.0	(4.8)	71.7	333.0	39.0	5.2	2.3	4.0	5.0	3.0	3.0
				21.0	(0.4)	74.2	447.9	60.1	7.5	2.7	6.7	3.7	4.2	2.9
			2500 2599	1.0	(12.5)	76.3	520.0	77.0	9.3	3.2	11.0	4.0	5.0	3.0
			2400 2499	1.0	(12.5)	74.9	516.0	68.0	9.6	3.7	12.0	3.0	5.0	3.0
			2300 2399	3.0	(37.5)	74.5	485.7	63.7	9.2	3.6	10.0	3.7	5.0	3.0
			2100 2199	1.0	(12.5)	74.8	425.2	70.0	7.9	4.1	8.0	4.0	5.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(12.5)	73.0	399.0	54.0	5.7	2.5	7.0	4.0	4.0	3.0
			1100 1199	1.0	(12.5)	73.0	250.0	35.0	3.7	0.3	2.0	5.0	2.0	4.0
				8.0	(0.1)	74.5	445.9	61.9	8.0	3.1	8.8	3.9	4.5	3.3
			2600 2699	1.0	(33.3)	78.9	472.0	88.0	8.8	2.1	10.0	3.0	5.0	3.0
			2500 2599	1.0	(33.3)	76.8	513.5	76.0	9.1	2.4	8.0	4.0	5.0	3.0
			2400 2499	1.0	(33.3)	75.6	460.0	68.0	8.4	2.7	7.0	3.0	5.0	3.0
				3.0	(0.1)	77.1	481.8	77.3	8.8	2.4	8.3	3.3	5.0	3.0
			3000	2.0	(66.7)	76.3	486.5	78.0	8.0	2.7	11.5	3.5	5.0	3.0
			2500 2599	1.0	(33.3)	76.4	449.0	76.0	6.7	2.0	8.0	5.0	5.0	3.0
				3.0	(0.1)	76.4	474.0	77.3	7.6	2.5	10.3	4.0	5.0	3.0
			2500 2599	1.0	(6.3)	75.9	475.0	60.0	9.0	1.6	11.0	4.0	5.0	3.0
			2300 2399	4.0	(25.0)	76.4	476.6	73.8	8.7	2.8	9.8	3.3	4.8	2.5
			2200 2299	5.0	(31.3)	74.5	449.7	59.0	7.7	2.3	8.4	3.8	4.8	2.8
			2100 2199	2.0	(12.5)	75.6	416.3	64.5	7.7	2.4	6.5	4.0	4.0	2.0
			2000 2099	4.0	(25.0)	73.6	387.5	49.3	7.4	2.5	5.3	3.8	3.8	2.8
				16.0	(0.3)	75.0	438.3	61.0	7.9	2.5	7.9	3.7	4.4	2.6
			3000	7.0	(11.7)	77.2	494.6	80.9	8.3	2.3	11.1	3.7	5.0	2.0
			2900 2999	1.0	(1.7)	76.9	507.7	81.0	7.8	2.1	10.0	4.0	5.0	2.0
			2700 2799	1.0	(1.7)	76.1	523.3	80.0	8.7	3.2	11.0	4.0	5.0	3.0
			2600 2699	3.0	(5.0)	75.3	444.8	64.7	9.0	3.3	10.7	3.7	5.0	3.0
			2500 2599	12.0	(20.0)	75.0	467.9	66.3	8.0	2.8	9.8	3.5	4.9	2.8
			2400 2499	5.0	(8.3)	74.2	449.7	59.6	8.0	3.0	8.2	3.4	4.8	3.0
			2300 2399	9.0	(15.0)	73.4	476.9	60.0	8.4	3.9	7.2	3.8	4.4	2.8
			2200 2299	4.0	(6.7)	74.2	450.7	63.5	7.9	3.5	6.8	4.0	4.0	2.8
			2100 2199	6.0	(10.0)	72.8	438.3	51.5	7.8	3.4	5.8	4.0	3.8	3.0
			2000 2099	4.0	(6.7)	72.8	392.2	45.5	6.9	2.6	3.8	4.0	3.0	2.8
			1800 1899	1.0	(1.7)	71.4	474.8	51.0	7.7	4.3	3.0	2.0	2.0	3.0
			1700 1799	1.0	(1.7)	72.8	352.0	46.0	6.9	3.1	4.0	4.0	3.0	2.0
			1300 1399	3.0	(5.0)	71.7	364.7	41.7	5.5	2.5	4.7	4.3	3.3	3.3
			1100 1199	2.0	(3.3)	72.7	275.0	39.5	4.6	1.6	3.0	4.0	2.0	4.0
			1000 1099	1.0	(1.7)	72.5	382.5	38.0	5.9	1.1	3.0	4.0	2.0	6.0
				60.0	(1.0)	74.2	447.3	60.6	7.8	3.0	7.7	3.8	4.3	2.8
			3000	53.0	(34.2)	75.8	426.9	65.7	8.5	2.7	9.7	3.6	5.0	3.0
			2900 2999	21.0	(13.5)	74.9	440.4	65.0	8.2	3.3	8.9	3.7	4.8	2.9
			2800 2899	17.0	(11.0)	74.5	421.0	59.2	7.8	2.8	7.8	3.8	4.7	2.9
			2700 2799	11.0	(7.1)	74.3	448.6	61.7	8.0	3.1	7.2	3.9	4.4	2.9
			2600 2699	15.0	(9.7)	74.3	415.7	59.3	7.3	2.7	6.5	4.5	4.0	2.9
			2500 2599	7.0	(4.5)	74.1	439.6	56.6	8.2	3.0	6.3	4.1	4.1	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2400 2499	3.0	(1.9)	73.9	382.5	51.7	7.6	2.7	5.0	4.3	3.7	3.0
			2300 2399	1.0	(0.6)	74.1	506.4	57.0	8.8	2.5	4.0	5.0	3.0	2.0
			2200 2299	3.0	(1.9)	74.0	420.7	58.3	7.0	2.7	5.0	4.7	3.3	2.7
			2100 2199	1.0	(0.6)	71.8	453.6	52.0	6.9	3.7	5.0	5.0	3.0	3.0
			2000 2099	2.0	(1.3)	71.8	377.9	44.5	6.3	3.0	4.5	5.0	2.5	3.0
			1400 1499	3.0	(1.9)	72.7	393.0	47.7	6.2	2.4	5.0	4.7	3.3	3.0
			1300 1399	6.0	(3.9)	72.3	395.1	43.5	6.8	2.5	4.2	4.8	2.5	3.8
			1200 1299	8.0	(5.2)	71.7	349.8	39.8	5.5	2.5	3.9	4.8	2.3	4.1
			1100 1199	3.0	(1.9)	71.6	323.6	36.3	5.0	2.1	2.3	4.7	2.0	4.3
			1000 1099	1.0	(0.6)	73.1	323.2	41.0	5.3	1.2	2.0	6.0	2.0	3.0
				155.0	(2.6)	74.5	419.6	59.5	7.8	2.8	7.6	4.0	4.3	3.1
			3000	1.0	(1.7)	81.4	476.0	101.0	9.1	1.4	12.0	3.0	5.0	3.0
			2700 2799	4.0	(6.9)	75.5	498.4	72.0	8.2	2.8	11.0	3.0	5.0	2.8
			2600 2699	9.0	(15.5)	76.2	505.6	76.9	8.5	2.8	10.1	3.3	5.0	2.7
			2500 2599	12.0	(20.7)	75.7	467.3	70.5	7.9	2.6	10.1	3.7	4.9	2.6
			2400 2499	9.0	(15.5)	75.5	515.4	75.6	8.6	3.4	10.0	3.4	5.0	3.0
			2300 2399	14.0	(24.1)	75.3	455.9	68.6	7.6	2.7	8.6	3.6	4.7	2.6
			2200 2299	2.0	(3.4)	73.5	508.5	58.5	8.7	3.4	7.0	2.5	4.0	3.0
			2100 2199	4.0	(6.9)	73.7	440.6	57.5	7.5	3.0	4.8	4.0	3.3	3.0
			1100 1199	1.0	(1.7)	71.4	263.0	36.0	4.3	2.5	4.0	5.0	2.0	4.0
			1000 1099	1.0	(1.7)	71.8	258.0	35.0	4.1	1.8	2.0	6.0	1.0	5.0
			999	1.0	(1.7)	71.9	174.0	25.0	2.6	0.3	2.0	6.0	1.0	4.0
				58.0	(1.0)	75.3	467.6	69.1	7.9	2.8	8.9	3.6	4.6	2.8
			2700 2799	2.0	(3.4)	75.6	481.6	70.0	8.4	2.8	10.0	4.0	5.0	2.5
			2600 2699	2.0	(3.4)	74.6	430.5	69.5	6.8	3.4	9.0	4.5	5.0	3.0
			2500 2599	3.0	(5.2)	75.1	451.3	69.3	7.4	2.9	10.7	3.0	5.0	2.7
			2400 2499	6.0	(10.3)	75.1	474.0	67.7	8.6	3.2	8.8	3.7	5.0	3.0
			2300 2399	10.0	(17.2)	74.3	465.6	63.0	8.2	3.3	7.6	3.6	4.4	3.0
			2200 2299	16.0	(27.6)	73.6	481.6	59.4	8.4	3.4	7.7	3.6	4.4	2.8
			2100 2199	9.0	(15.5)	73.0	460.9	56.9	8.0	3.8	6.7	4.1	4.2	2.8
			2000 2099	1.0	(1.7)	73.9	393.8	53.0	7.9	3.1	5.0	5.0	3.0	3.0
			1900 1999	2.0	(3.4)	74.1	414.0	57.5	7.2	2.7	3.5	4.0	2.5	3.0
			1700 1799	1.0	(1.7)	72.6	361.2	52.0	6.4	3.7	3.0	4.0	3.0	3.0
			1600 1699	1.0	(1.7)	71.9	507.0	55.0	7.1	3.4	7.0	4.0	4.0	4.0
			1400 1499	1.0	(1.7)	72.0	456.1	55.0	6.3	3.4	6.0	5.0	4.0	4.0
			1300 1399	2.0	(3.4)	72.4	404.5	44.0	6.7	2.4	4.0	5.0	2.5	4.0
			1100 1199	2.0	(3.4)	70.4	312.0	38.0	4.2	3.1	3.0	5.0	2.5	4.0
				58.0	(1.0)	73.8	457.1	60.0	7.8	3.3	7.3	3.9	4.2	3.0
			3000	199.0	(61.2)	75.9	484.9	73.3	8.4	2.8	9.9	3.8	5.0	2.9
			2900 2999	8.0	(2.5)	75.3	490.9	70.5	8.2	2.9	7.0	4.1	4.1	2.9
			2800 2899	11.0	(3.4)	74.3	471.1	63.2	8.1	3.2	7.8	4.3	4.5	2.7
			2700 2799	9.0	(2.8)	74.3	488.2	67.0	8.2	3.6	8.7	3.7	4.8	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	12.0	(3.7)	74.7	489.4	66.8	8.4	3.2	9.7	3.8	4.9	2.8
			2500 2599	35.0	(10.8)	74.6	468.8	65.9	8.0	3.1	9.4	3.9	4.9	2.6
			2400 2499	6.0	(1.8)	74.7	514.0	65.8	8.9	3.1	9.0	3.7	5.0	2.8
			2300 2399	13.0	(4.0)	73.4	459.5	57.2	7.8	3.2	6.6	4.1	4.0	2.9
			2200 2299	10.0	(3.1)	74.7	437.6	60.6	7.3	2.3	6.6	4.0	4.0	2.6
			2100 2199	3.0	(0.9)	74.2	457.0	60.3	8.2	3.2	7.7	4.3	4.7	3.0
			2000 2099	1.0	(0.3)	71.3	524.0	54.0	8.6	4.9	7.0	4.0	4.0	3.0
			1900 1999	2.0	(0.6)	72.3	460.9	48.5	7.5	3.0	5.0	4.5	3.0	3.0
			1800 1899	1.0	(0.3)	71.8	433.8	41.0	6.6	2.0	3.0	4.0	2.0	2.0
			1700 1799	1.0	(0.3)	73.0	342.5	46.0	6.5	2.6	7.0	4.0	4.0	5.0
			1500 1599	3.0	(0.9)	72.4	456.9	47.0	7.6	2.7	5.3	3.7	3.3	3.0
			1400 1499	2.0	(0.6)	74.5	461.5	62.5	8.2	3.0	4.0	4.5	2.5	3.0
			1300 1399	3.0	(0.9)	71.9	461.0	44.3	8.3	3.5	4.7	4.7	3.0	3.0
			1200 1299	3.0	(0.9)	72.1	498.5	47.0	7.8	2.7	2.3	4.3	2.0	2.7
			1000 1099	1.0	(0.3)	70.2	254.4	25.0	4.0	2.1	2.0	4.0	2.0	2.0
			999	2.0	(0.6)	71.1	273.9	27.0	5.0	1.9	2.0	3.5	1.5	4.0
				325.0	(5.5)	75.2	477.8	68.7	8.2	2.9	9.1	3.9	4.7	2.9
			3000	23.0	(54.8)	75.1	442.2	65.1	7.8	2.7	9.8	4.0	4.9	3.0
			2900 2999	3.0	(7.1)	74.7	487.0	67.0	8.3	3.2	8.7	4.3	5.0	3.0
			2800 2899	9.0	(21.4)	73.9	408.7	52.9	7.5	2.6	7.0	3.8	4.2	2.9
			2700 2799	3.0	(7.1)	74.8	374.7	62.7	6.6	2.7	6.7	4.0	4.7	3.0
			2600 2699	1.0	(2.4)	75.1	510.0	68.0	9.3	3.4	5.0	4.0	4.0	3.0
			2400 2499	1.0	(2.4)	74.3	496.3	75.0	8.3	4.7	7.0	4.0	4.0	3.0
			2300 2399	1.0	(2.4)	73.9	403.0	57.0	7.4	3.1	3.0	5.0	3.0	3.0
			2100 2199	1.0	(2.4)	70.9	464.0	49.0	7.2	4.3	3.0	5.0	3.0	3.0
				42.0	(0.7)	74.6	435.9	62.2	7.7	2.8	8.4	4.0	4.6	3.0
			3000	1.0	(3.7)	77.1	562.6	89.0	8.7	2.9	11.0	4.0	5.0	3.0
			2900 2999	1.0	(3.7)	74.6	514.2	68.0	8.6	3.2	10.0	4.0	5.0	2.0
			2800 2899	1.0	(3.7)	74.5	521.1	69.0	8.4	3.3	9.0	4.0	5.0	3.0
			2700 2799	1.0	(3.7)	77.0	490.0	75.0	9.0	2.3	10.0	4.0	5.0	2.0
			2600 2699	3.0	(11.1)	75.1	388.5	58.3	7.4	2.2	11.0	3.7	5.0	2.7
			2500 2599	8.0	(29.6)	75.1	471.0	68.9	8.0	3.0	9.8	3.6	4.9	2.9
			2400 2499	6.0	(22.2)	74.5	499.3	68.0	8.4	3.4	8.3	3.7	4.5	2.7
			2300 2399	3.0	(11.1)	74.3	489.3	61.7	8.6	3.0	6.7	3.7	4.0	3.0
			2200 2299	2.0	(7.4)	73.7	458.4	50.0	8.8	2.7	6.0	4.5	4.0	3.0
			999	1.0	(3.7)	71.5	261.8	28.0	3.5	0.7	3.0	4.0	1.0	7.0
				27.0	(0.5)	74.8	469.0	64.7	8.1	2.9	8.7	3.8	4.5	2.9
			2900 2999	1.0	(12.5)	79.4	337.4	88.0	6.5	1.7	12.0	3.0	5.0	3.0
			2400 2499	2.0	(25.0)	74.6	474.6	67.0	8.3	3.4	8.5	4.0	5.0	3.0
			1200 1299	4.0	(50.0)	72.7	356.6	42.3	6.4	2.2	3.3	5.5	2.3	3.5
			1100 1199	1.0	(12.5)	74.4	328.0	44.0	6.1	0.7	2.0	6.0	2.0	4.0
				8.0	(0.1)	74.2	380.1	54.4	6.8	2.2	5.5	4.9	3.3	3.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	72.0	(38.7)	74.9	396.7	62.6	7.1	2.7	9.1	3.8	4.8	2.9
			2900 2999	11.0	(5.9)	74.8	430.4	62.4	7.7	2.8	8.4	4.2	4.6	2.8
			2800 2899	8.0	(4.3)	76.0	423.4	71.5	7.7	2.8	10.0	3.4	4.8	2.6
			2700 2799	6.0	(3.2)	75.1	438.0	66.3	7.8	3.0	10.0	3.3	4.8	2.8
			2600 2699	10.0	(5.4)	74.7	415.6	62.5	7.5	3.0	7.6	3.8	4.6	2.5
			2500 2599	18.0	(9.7)	75.2	448.6	67.6	7.6	2.7	7.7	3.8	4.5	2.7
			2400 2499	14.0	(7.5)	74.4	456.2	61.3	8.2	3.0	7.9	3.5	4.6	2.7
			2300 2399	21.0	(11.3)	74.6	443.7	62.9	7.9	3.0	6.9	4.0	4.1	2.7
			2200 2299	7.0	(3.8)	73.1	443.4	57.7	7.6	3.8	6.7	3.4	4.0	3.3
			2100 2199	14.0	(7.5)	73.1	485.5	56.2	8.3	3.5	5.9	4.1	4.1	2.6
			2000 2099	1.0	(0.5)	71.5	479.1	50.0	8.5	4.6	5.0	4.0	4.0	3.0
			1900 1999	1.0	(0.5)	72.2	224.6	36.0	4.3	2.1	4.0	3.0	3.0	3.0
			1400 1499	1.0	(0.5)	74.7	320.0	48.0	6.7	1.6	4.0	5.0	2.0	4.0
			1100 1199	2.0	(1.1)	70.7	293.5	37.5	4.8	3.5	3.0	5.0	2.0	4.5
				186.0	(3.1)	74.6	423.4	62.3	7.5	2.9	8.1	3.8	4.5	2.8
			2800 2899	1.0	(1.8)	77.2	476.2	92.0	7.5	3.6	10.0	4.0	5.0	3.0
			2700 2799	2.0	(3.6)	75.5	438.1	70.0	7.0	2.5	10.0	3.0	5.0	3.0
			2600 2699	6.0	(10.9)	75.4	460.0	69.0	7.8	2.6	9.5	3.7	5.0	2.8
			2500 2599	3.0	(5.5)	76.9	481.6	79.7	8.2	2.5	8.7	3.0	5.0	2.7
			2400 2499	11.0	(20.0)	75.6	424.1	66.3	7.4	2.3	8.0	3.8	4.7	2.7
			2300 2399	10.0	(18.2)	74.5	451.4	63.1	7.5	2.8	7.0	3.6	4.4	3.0
			2200 2299	11.0	(20.0)	74.3	441.5	59.7	7.8	2.9	6.5	4.0	4.1	2.9
			2100 2199	2.0	(3.6)	73.0	450.8	63.0	7.5	4.4	6.0	4.0	4.0	2.5
			2000 2099	1.0	(1.8)	70.2	404.8	35.0	7.4	4.0	4.0	4.0	3.0	3.0
			1800 1899	2.0	(3.6)	73.5	510.4	59.5	8.7	3.4	5.0	4.5	3.5	3.5
			1700 1799	1.0	(1.8)	72.0	356.7	45.0	5.7	2.9	3.0	4.0	3.0	2.0
			1300 1399	2.0	(3.6)	74.0	422.4	54.0	6.9	1.9	3.5	4.5	2.5	4.0
			1200 1299	1.0	(1.8)	71.2	447.4	46.0	6.1	3.0	3.0	5.0	2.0	4.0
			1000 1099	2.0	(3.6)	70.5	363.5	37.5	5.5	3.1	4.0	5.0	3.0	5.0
				55.0	(0.9)	74.5	441.7	62.8	7.5	2.8	7.1	3.9	4.3	3.0
			2800 2899	1.0	(50.0)	76.7	587.0	79.0	10.8	3.0	10.0	4.0	5.0	3.0
			1400 1499	1.0	(50.0)	73.0	342.0	45.0	6.6	2.7	3.0	5.0	2.0	3.0
				2.0	(0.0)	74.8	464.5	62.0	8.7	2.9	6.5	4.5	3.5	3.0
			3000	32.0	(39.0)	76.0	453.2	73.1	8.2	3.0	10.8	3.8	4.9	2.9
			2900 2999	13.0	(15.9)	75.7	459.3	71.8	8.1	3.1	10.5	3.8	5.0	2.8
			2800 2899	8.0	(9.8)	75.2	451.4	65.4	8.0	2.7	10.3	4.0	5.0	2.6
			2700 2799	9.0	(11.0)	75.2	443.4	63.9	8.0	2.6	9.3	4.1	5.0	3.0
			2600 2699	8.0	(9.8)	74.2	423.9	60.9	7.5	3.1	8.4	4.3	4.9	2.9
			2500 2599	2.0	(2.4)	74.8	438.4	66.5	7.9	3.4	11.0	3.5	5.0	3.0
			2400 2499	4.0	(4.9)	75.6	407.6	69.0	7.1	2.8	9.8	3.8	5.0	2.8
			2300 2399	4.0	(4.9)	75.1	435.1	62.8	7.5	2.3	8.0	4.3	4.5	3.0
			2200 2299	1.0	(1.2)	77.0	503.4	83.0	9.7	3.8	7.0	4.0	4.0	3.0
			2100 2199	1.0	(1.2)	72.4	376.0	40.0	8.2	3.3	5.0	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				82.0	(1.4)	75.5	446.3	68.8	8.0	2.9	10.0	3.9	4.9	2.9
			3000	4.0	(2.3)	75.8	473.4	72.8	8.4	3.0	9.8	4.0	5.0	3.0
			2900 2999	3.0	(1.7)	75.4	446.8	68.3	7.7	2.7	10.0	3.3	5.0	3.0
			2800 2899	7.0	(4.0)	77.2	470.9	79.6	8.0	2.2	9.9	3.7	4.9	2.7
			2700 2799	5.0	(2.8)	75.8	491.5	78.0	8.4	3.6	10.2	3.8	5.0	3.0
			2600 2699	8.0	(4.5)	75.5	465.5	72.3	8.0	3.1	10.1	3.5	5.0	2.9
			2500 2599	7.0	(4.0)	76.0	442.0	70.3	7.9	2.5	8.4	3.6	4.7	3.0
			2400 2499	19.0	(10.7)	75.2	440.4	67.2	7.6	2.8	8.3	4.0	4.6	2.9
			2300 2399	12.0	(6.8)	75.0	458.1	66.5	8.2	3.1	7.4	4.0	4.4	3.0
			2200 2299	10.0	(5.6)	75.3	481.9	68.7	8.1	2.8	7.9	3.9	4.7	2.9
			2100 2199	5.0	(2.8)	74.6	425.6	64.0	7.0	2.8	6.6	3.8	4.0	3.0
			2000 2099	2.0	(1.1)	74.7	447.6	72.0	7.4	3.8	7.0	4.0	4.0	3.0
			1900 1999	5.0	(2.8)	74.2	420.5	57.6	7.6	2.8	4.2	4.2	3.0	3.0
			1800 1899	2.0	(1.1)	74.8	408.1	65.0	6.5	2.5	6.5	4.5	3.5	3.5
			1700 1799	3.0	(1.7)	74.3	449.6	60.0	7.1	2.3	7.0	4.7	4.0	3.3
			1600 1699	10.0	(5.6)	73.5	432.0	56.0	6.7	2.5	5.0	4.6	3.3	3.7
			1500 1599	11.0	(6.2)	72.5	442.3	51.4	6.3	2.5	4.9	4.3	3.1	3.9
			1400 1499	9.0	(5.1)	72.6	423.6	49.4	6.2	2.3	4.2	4.4	2.8	3.7
			1300 1399	16.0	(9.0)	72.2	392.8	45.4	5.9	2.4	3.5	4.6	2.4	3.6
			1200 1299	27.0	(15.3)	71.9	386.8	44.0	5.6	2.3	3.0	4.5	2.2	3.4
			1100 1199	8.0	(4.5)	71.2	345.8	39.8	4.8	2.5	2.6	4.8	2.1	3.3
			1000 1099	4.0	(2.3)	71.3	381.1	42.8	5.2	2.6	2.8	4.8	2.3	4.3
				177.0	(3.0)	73.8	428.2	58.2	6.9	2.6	6.0	4.2	3.6	3.3
			2800 2899	1.0	(2.6)	76.1	387.0	69.0	6.5	2.0	9.0	3.0	5.0	2.0
			2600 2699	3.0	(7.7)	75.9	445.8	71.3	7.5	2.4	10.3	3.7	5.0	3.0
			2500 2599	8.0	(20.5)	75.2	441.6	66.4	7.6	2.6	9.5	3.6	5.0	2.6
			2400 2499	9.0	(23.1)	74.6	442.1	64.9	7.2	2.7	9.1	3.6	4.9	2.3
			2300 2399	6.0	(15.4)	74.9	433.8	64.5	7.6	2.8	7.5	3.5	4.7	2.5
			2200 2299	8.0	(20.5)	74.2	462.7	62.5	7.8	3.0	6.3	4.1	4.3	3.0
			2100 2199	3.0	(7.7)	74.7	420.8	62.3	6.8	2.3	6.3	4.0	4.0	2.3
			1900 1999	1.0	(2.6)	74.2	401.4	53.0	7.4	2.2	5.0	4.0	3.0	3.0
				39.0	(0.7)	74.8	441.1	64.7	7.4	2.7	8.1	3.7	4.6	2.6
			3000	2.0	(3.2)	75.8	477.8	72.5	7.2	2.1	9.5	3.5	5.0	2.5
			2800 2899	3.0	(4.8)	77.9	498.5	87.7	8.6	2.6	11.3	3.7	5.0	3.0
			2700 2799	3.0	(4.8)	75.7	427.8	69.0	7.6	2.6	10.7	3.3	5.0	2.7
			2600 2699	2.0	(3.2)	74.9	456.4	69.5	8.2	3.6	11.0	3.5	5.0	3.0
			2500 2599	4.0	(6.5)	76.3	415.8	68.8	7.9	2.4	9.5	3.8	5.0	3.0
			2400 2499	14.0	(22.6)	74.8	451.3	66.2	7.8	3.0	8.0	3.5	4.8	2.6
			2300 2399	4.0	(6.5)	75.1	441.3	65.0	8.0	2.9	7.8	3.5	4.8	3.0
			2200 2299	16.0	(25.8)	74.0	471.6	62.3	8.0	3.3	6.6	3.6	4.4	2.9
			2100 2199	6.0	(9.7)	72.9	490.8	59.2	8.2	3.9	6.8	4.2	4.2	3.0
			2000 2099	3.0	(4.8)	72.1	523.1	56.7	8.2	4.1	5.3	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	2.0	(3.2)	74.0	494.4	65.0	7.8	3.1	4.0	4.5	3.0	2.5
			1800 1899	1.0	(1.6)	73.7	396.2	62.0	5.9	3.1	4.0	4.0	3.0	3.0
			1400 1499	1.0	(1.6)	74.3	419.4	62.0	7.1	3.0	7.0	4.0	4.0	3.0
			1200 1299	1.0	(1.6)	72.5	357.6	46.0	5.7	2.5	3.0	4.0	3.0	3.0
				62.0	(1.0)	74.5	461.6	65.1	7.9	3.1	7.6	3.7	4.5	2.9
			2700 2799	1.0	(5.6)	78.9	531.4	92.0	9.4	2.3	10.0	4.0	5.0	3.0
			2600 2699	1.0	(5.6)	78.4	559.0	90.0	10.4	2.9	11.0	4.0	5.0	3.0
			2500 2599	1.0	(5.6)	76.2	501.0	73.0	8.6	2.4	11.0	4.0	5.0	3.0
			2300 2399	2.0	(11.1)	75.2	478.9	65.5	8.2	2.5	7.5	4.0	5.0	3.0
			2200 2299	2.0	(11.1)	75.0	465.0	68.5	8.6	3.5	7.5	4.0	5.0	2.5
			2100 2199	2.0	(11.1)	74.3	342.0	51.0	6.3	1.9	7.5	3.5	4.5	2.0
			2000 2099	1.0	(5.6)	73.9	313.8	51.0	4.6	1.4	9.0	4.0	5.0	3.0
			1900 1999	1.0	(5.6)	72.0	534.6	53.0	8.6	3.7	3.0	4.0	3.0	3.0
			1800 1899	1.0	(5.6)	71.7	387.1	40.0	7.1	3.1	4.0	4.0	3.0	2.0
			1700 1799	1.0	(5.6)	74.0	321.8	53.0	5.1	1.8	6.0	4.0	4.0	3.0
			1500 1599	1.0	(5.6)	71.9	289.0	42.0	4.4	2.6	6.0	4.0	4.0	3.0
			1200 1299	3.0	(16.7)	71.6	394.9	45.7	5.5	2.7	3.7	3.7	2.3	4.3
			1100 1199	1.0	(5.6)	72.9	421.3	49.0	6.0	1.8	3.0	5.0	2.0	4.0
				18.0	(0.3)	74.1	423.1	58.3	7.0	2.5	6.6	3.9	4.0	3.1
			2900 2999	2.0	(2.2)	76.2	443.7	72.0	8.0	2.8	11.0	3.0	5.0	3.0
			2800 2899	7.0	(7.5)	76.4	442.0	76.3	7.8	2.9	10.0	3.3	4.9	2.9
			2700 2799	4.0	(4.3)	76.8	456.8	78.0	7.7	2.4	10.8	3.0	5.0	2.5
			2600 2699	7.0	(7.5)	75.4	425.3	69.1	7.5	3.0	10.0	3.4	5.0	2.6
			2500 2599	8.0	(8.6)	76.0	433.6	71.3	7.7	2.6	9.9	3.1	5.0	2.6
			2400 2499	13.0	(14.0)	75.4	469.9	71.1	8.1	3.0	8.5	3.4	4.8	2.8
			2300 2399	20.0	(21.5)	74.7	442.4	64.7	7.6	3.0	7.6	3.9	4.4	2.7
			2200 2299	8.0	(8.6)	74.5	485.7	67.9	8.2	3.5	7.3	3.9	4.1	2.9
			2100 2199	10.0	(10.8)	73.9	443.5	61.6	7.5	3.3	6.4	3.9	4.1	2.8
			2000 2099	5.0	(5.4)	73.4	409.8	55.6	6.7	2.8	5.6	4.2	3.6	2.6
			1900 1999	2.0	(2.2)	74.2	414.2	56.5	8.3	3.3	4.5	4.5	3.0	2.5
			1500 1599	1.0	(1.1)	74.2	238.5	47.0	4.5	1.5	4.0	4.0	3.0	2.0
			1200 1299	2.0	(2.2)	70.8	363.6	38.0	6.3	3.5	5.0	5.0	3.0	3.0
			999	4.0	(4.3)	72.4	313.2	40.3	5.2	2.0	2.8	5.3	2.0	3.3
				93.0	(1.6)	74.8	436.9	65.5	7.5	3.0	7.8	3.7	4.4	2.7
			3000	1.0	(2.6)	76.4	423.2	71.0	7.0	1.8	12.0	3.0	5.0	2.0
			2900 2999	1.0	(2.6)	77.6	428.8	83.0	7.6	2.6	12.0	3.0	5.0	2.0
			2800 2899	2.0	(5.3)	77.1	438.1	79.5	8.0	2.8	11.0	3.0	5.0	2.0
			2700 2799	4.0	(10.5)	76.8	418.5	75.5	7.8	2.6	10.5	3.0	5.0	2.8
			2600 2699	6.0	(15.8)	76.0	454.0	73.0	7.9	2.9	9.3	3.7	5.0	2.7
			2500 2599	7.0	(18.4)	75.4	428.7	67.6	7.4	2.7	8.9	3.4	5.0	2.4
			2400 2499	6.0	(15.8)	74.8	472.6	67.3	8.2	3.3	9.2	3.7	5.0	2.8
			2300 2399	3.0	(7.9)	75.8	433.7	67.0	8.2	2.7	7.3	3.7	4.7	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	4.0	(10.5)	74.9	417.1	60.5	7.6	2.5	6.8	4.0	4.0	2.8
			2100 2199	1.0	(2.6)	73.4	448.8	61.0	7.1	3.4	6.0	5.0	4.0	3.0
			1900 1999	1.0	(2.6)	74.2	476.8	72.0	6.3	3.1	7.0	4.0	4.0	4.0
			1800 1899	1.0	(2.6)	74.7	414.1	62.0	7.1	2.5	7.0	4.0	4.0	2.0
			1300 1399	1.0	(2.6)	71.0	363.0	40.0	5.5	3.1	4.0	5.0	3.0	2.0
				38.0	(0.6)	75.5	437.8	68.6	7.7	2.8	8.8	3.6	4.7	2.6
			2700 2799	2.0	(20.0)	75.7	436.1	73.5	7.5	3.0	11.0	3.0	5.0	3.0
			2500 2599	1.0	(10.0)	75.3	461.6	67.0	7.5	2.4	9.0	3.0	5.0	3.0
			2400 2499	1.0	(10.0)	77.2	440.8	75.0	7.2	1.4	9.0	3.0	5.0	2.0
			2300 2399	2.0	(20.0)	75.5	445.9	67.5	7.5	2.5	8.0	3.5	5.0	2.5
			2100 2199	2.0	(20.0)	72.7	409.8	52.0	6.7	3.2	5.5	4.5	3.5	3.0
			1900 1999	1.0	(10.0)	73.4	418.1	51.0	7.8	2.9	4.0	5.0	3.0	3.0
			1400 1499	1.0	(10.0)	73.6	536.2	63.0	7.7	2.7	4.0	5.0	3.0	5.0
				10.0	(0.2)	74.7	444.0	64.2	7.3	2.7	7.5	3.8	4.3	3.0
			2500 2599	2.0	(33.3)	75.0	484.6	74.0	8.4	3.9	9.0	3.5	5.0	3.0
			2400 2499	1.0	(16.7)	75.4	450.0	64.0	8.5	2.6	9.0	3.0	5.0	3.0
			2300 2399	2.0	(33.3)	75.3	468.1	69.5	8.4	3.1	9.5	4.0	5.0	3.0
			2200 2299	1.0	(16.7)	75.7	521.0	72.0	10.3	3.8	8.0	4.0	5.0	3.0
				6.0	(0.1)	75.3	479.4	70.5	8.7	3.4	9.0	3.7	5.0	3.0
			2600 2699	1.0	(0.7)	76.3	544.0	76.0	8.7	2.2	8.0	4.0	5.0	3.0
			2500 2599	5.0	(3.4)	76.3	450.7	74.2	7.8	2.6	9.6	3.6	4.8	2.8
			2400 2499	7.0	(4.7)	76.6	464.9	75.9	8.0	2.4	9.6	3.6	5.0	2.7
			2300 2399	5.0	(3.4)	76.3	456.6	72.6	7.7	2.2	8.8	3.8	4.8	2.8
			2200 2299	9.0	(6.1)	75.0	444.4	64.8	7.6	2.6	7.7	3.9	4.6	2.7
			2100 2199	11.0	(7.4)	73.8	452.1	59.7	7.5	3.0	5.8	3.7	4.0	2.8
			2000 2099	9.0	(6.1)	74.1	402.4	57.3	6.9	2.6	5.2	4.1	3.7	2.6
			1900 1999	6.0	(4.1)	73.3	420.8	60.8	6.6	3.4	4.3	4.5	2.8	3.2
			1800 1899	2.0	(1.4)	74.9	402.6	66.5	6.3	2.5	9.0	3.5	5.0	3.5
			1600 1699	1.0	(0.7)	72.1	493.5	55.0	7.0	3.3	5.0	3.0	4.0	3.0
			1500 1599	7.0	(4.7)	72.4	419.6	50.9	6.1	2.7	4.7	4.0	3.3	3.4
			1400 1499	12.0	(8.1)	72.4	372.6	47.7	5.4	2.4	3.7	4.3	2.5	3.3
			1300 1399	9.0	(6.1)	72.3	363.8	44.9	5.2	2.0	3.1	4.2	2.3	3.3
			1200 1299	18.0	(12.2)	71.7	355.5	40.7	5.2	2.2	2.8	4.5	2.2	3.4
			1100 1199	21.0	(14.2)	71.1	342.3	37.0	4.6	2.2	2.7	4.6	2.0	3.7
			1000 1099	20.0	(13.5)	71.3	288.1	34.8	3.8	1.7	2.1	5.0	1.9	4.5
			999	5.0	(3.4)	71.0	287.9	33.6	4.1	2.1	2.0	4.8	2.0	4.8
				148.0	(2.5)	72.8	379.9	49.7	5.8	2.3	4.5	4.3	3.0	3.4
			3000	3.0	(1.3)	79.1	482.4	91.0	8.4	1.9	11.3	3.0	5.0	2.7
			2900 2999	3.0	(1.3)	78.7	467.0	92.7	7.7	2.3	11.7	3.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	2.0	(0.9)	76.1	452.4	76.5	8.3	3.5	11.0	3.0	5.0	3.0
			2700 2799	16.0	(6.9)	76.7	469.4	79.4	8.3	3.0	10.6	3.5	5.0	2.8
			2600 2699	25.0	(10.7)	76.8	480.3	78.6	8.2	2.6	10.1	3.6	5.0	2.8
			2500 2599	32.0	(13.7)	75.0	482.3	69.6	8.1	3.2	9.0	3.7	5.0	2.9
			2400 2499	47.0	(20.2)	75.1	457.7	68.4	7.8	3.0	8.3	3.7	4.7	2.9
			2300 2399	32.0	(13.7)	74.4	465.3	66.8	7.7	3.3	7.6	4.1	4.5	2.9
			2200 2299	18.0	(7.7)	74.7	468.2	66.8	7.8	3.1	6.6	4.0	4.1	2.9
			2100 2199	18.0	(7.7)	73.6	463.6	60.3	7.6	3.3	5.6	3.9	3.8	3.0
			2000 2099	10.0	(4.3)	73.7	447.5	58.1	7.4	2.9	4.7	4.5	3.3	2.9
			1900 1999	6.0	(2.6)	74.1	447.9	63.7	7.5	3.3	4.3	4.5	3.2	3.3
			1800 1899	2.0	(0.9)	72.1	467.2	50.5	7.1	3.1	4.0	5.5	2.5	2.5
			1700 1799	2.0	(0.9)	72.5	439.4	46.5	7.4	2.5	6.0	4.0	3.5	3.5
			1600 1699	1.0	(0.4)	76.2	475.7	73.0	7.4	1.9	5.0	5.0	3.0	5.0
			1500 1599	3.0	(1.3)	72.0	408.7	47.7	5.4	2.3	3.7	4.3	2.7	3.0
			1400 1499	1.0	(0.4)	72.6	412.8	49.0	6.1	2.3	4.0	5.0	3.0	3.0
			1300 1399	5.0	(2.1)	72.1	378.5	42.8	5.3	1.9	2.2	4.2	2.0	3.0
			1200 1299	7.0	(3.0)	72.1	368.5	42.7	5.0	1.8	2.7	4.6	2.0	3.6
				233.0	(3.9)	74.9	461.1	67.6	7.7	3.0	7.7	3.9	4.4	2.9
			2800 2899	1.0	(0.3)	74.4	464.3	59.0	9.1	3.2	8.0	3.0	5.0	3.0
			2700 2799	3.0	(0.9)	76.3	474.0	69.3	9.1	2.5	10.0	4.0	5.0	3.0
			2600 2699	3.0	(0.9)	76.7	467.2	69.7	9.5	2.6	10.7	3.3	5.0	3.0
			2500 2599	2.0	(0.6)	75.0	405.4	66.5	7.3	3.0	10.5	3.5	5.0	3.0
			2400 2499	13.0	(3.9)	75.2	458.1	69.1	8.1	3.1	9.2	3.5	4.8	3.0
			2300 2399	28.0	(8.4)	75.7	429.3	67.8	7.9	2.7	8.5	4.0	4.9	2.8
			2200 2299	59.0	(17.7)	74.9	451.2	63.3	8.0	2.7	7.4	3.8	4.4	2.8
			2100 2199	75.0	(22.5)	74.2	430.9	58.8	7.6	2.8	6.3	4.0	4.1	2.9
			2000 2099	55.0	(16.5)	73.5	423.2	54.1	7.4	2.9	5.2	4.0	3.6	2.8
			1900 1999	33.0	(9.9)	73.3	418.7	52.1	7.4	2.9	4.7	4.2	3.3	3.0
			1800 1899	24.0	(7.2)	72.8	425.2	51.4	7.3	3.1	4.0	4.4	3.0	3.0
			1700 1799	5.0	(1.5)	73.8	395.4	54.0	6.9	2.6	3.6	4.4	2.4	2.8
			1600 1699	4.0	(1.2)	71.5	436.8	44.0	7.4	3.5	3.3	4.3	2.5	3.0
			1500 1599	3.0	(0.9)	73.6	407.0	55.0	6.0	2.1	5.0	4.0	3.3	3.0
			1400 1499	1.0	(0.3)	71.5	416.6	43.0	5.4	2.1	4.0	4.0	3.0	5.0
			1300 1399	5.0	(1.5)	73.3	407.0	51.0	6.5	2.2	4.0	4.2	2.8	3.6
			1200 1299	8.0	(2.4)	71.5	370.8	41.0	5.5	2.6	3.4	4.8	2.3	3.6
			1100 1199	5.0	(1.5)	71.8	334.3	38.8	5.3	2.3	2.6	4.8	2.0	4.0
			1000 1099	3.0	(0.9)	71.1	274.6	32.3	3.7	1.6	2.3	5.3	2.0	4.7
			999	4.0	(1.2)	70.9	251.3	29.0	3.5	1.6	2.5	5.0	1.8	5.8
				334.0	(5.6)	74.0	425.7	57.3	7.5	2.8	6.1	4.0	3.8	3.0
			2900 2999	1.0	(1.1)	78.7	506.9	91.0	9.0	2.6	12.0	4.0	5.0	3.0
			2800 2899	1.0	(1.1)	77.7	457.8	84.0	8.0	2.5	12.0	3.0	5.0	2.0
			2700 2799	3.0	(3.2)	77.5	444.5	78.7	7.7	1.9	10.3	3.3	5.0	2.3
			2600 2699	8.0	(8.6)	76.0	492.8	74.1	8.6	3.0	10.5	3.6	5.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	10.0	(10.8)	76.4	462.1	74.8	7.8	2.4	9.5	3.4	4.9	2.6
			2400 2499	11.0	(11.8)	75.0	435.7	66.7	7.4	2.8	8.9	3.7	4.8	2.7
			2300 2399	17.0	(18.3)	74.9	473.3	65.7	8.0	2.8	7.8	3.7	4.6	2.9
			2200 2299	11.0	(11.8)	74.5	455.6	64.2	7.6	3.0	7.3	4.2	4.3	2.6
			2100 2199	6.0	(6.5)	72.9	426.7	53.3	7.1	3.2	6.0	4.2	3.7	2.8
			2000 2099	8.0	(8.6)	73.8	468.9	56.0	8.5	3.0	5.5	4.1	3.9	3.0
			1800 1899	2.0	(2.2)	73.0	423.4	59.5	6.4	3.4	6.5	4.5	3.5	2.5
			1700 1799	1.0	(1.1)	74.7	406.9	65.0	6.0	2.3	8.0	4.0	4.0	3.0
			1600 1699	2.0	(2.2)	73.3	478.8	57.5	6.8	2.5	5.5	4.0	3.0	2.5
			1500 1599	5.0	(5.4)	72.7	440.7	53.8	6.4	2.7	4.8	4.2	3.2	3.2
			1400 1499	2.0	(2.2)	73.6	472.2	56.5	7.5	2.5	4.0	5.0	2.5	3.0
			1300 1399	3.0	(3.2)	70.9	380.2	41.0	5.9	3.4	3.3	4.7	2.3	5.0
			1200 1299	1.0	(1.1)	72.8	523.2	63.0	6.6	2.9	2.0	5.0	2.0	3.0
			1100 1199	1.0	(1.1)	70.6	458.9	45.0	6.1	3.3	2.0	5.0	2.0	6.0
				93.0	(1.6)	74.6	457.0	64.4	7.6	2.8	7.5	3.9	4.2	2.9
			1600 1699	1.0	(4.2)	71.7	443.1	43.0	6.4	2.2	2.0	4.0	2.0	3.0
			1500 1599	1.0	(4.2)	70.6	377.7	43.0	5.9	4.0	4.0	5.0	3.0	3.0
			1400 1499	3.0	(12.5)	71.5	401.4	45.0	5.7	2.7	4.3	4.7	3.0	3.7
			1300 1399	4.0	(16.7)	71.7	395.1	46.0	5.5	2.8	3.8	5.0	2.8	4.8
			1200 1299	5.0	(20.8)	71.0	331.8	36.0	4.4	2.1	2.6	5.0	2.2	3.6
			1100 1199	5.0	(20.8)	71.5	334.4	38.6	4.7	2.0	2.6	4.8	2.2	3.8
			1000 1099	2.0	(8.3)	71.5	343.8	41.5	4.7	2.4	3.0	5.0	2.0	5.5
			999	3.0	(12.5)	70.7	314.3	35.3	4.4	2.5	2.0	5.7	1.7	4.7
				24.0	(0.4)	71.3	357.0	40.3	5.0	2.4	3.0	5.0	2.3	4.1
			3000	1.0	(0.2)	77.2	550.5	92.0	9.0	3.5	12.0	4.0	5.0	3.0
			2800 2899	5.0	(0.9)	77.2	464.6	80.6	8.7	3.0	11.4	4.0	5.0	3.0
			2700 2799	11.0	(2.0)	75.8	454.7	70.1	8.5	2.9	10.7	3.5	5.0	2.7
			2600 2699	28.0	(5.0)	75.8	458.5	70.9	8.3	2.9	10.2	3.5	5.0	2.7
			2500 2599	27.0	(4.8)	75.6	458.8	70.1	8.1	2.9	9.3	3.5	5.0	2.8
			2400 2499	23.0	(4.1)	75.5	445.6	67.5	8.1	2.8	8.4	3.7	4.8	2.7
			2300 2399	36.0	(6.4)	74.7	450.7	63.3	8.1	3.0	7.6	3.7	4.7	2.9
			2200 2299	41.0	(7.3)	74.5	443.0	61.8	8.0	3.0	6.6	3.9	4.2	2.7
			2100 2199	16.0	(2.8)	73.8	439.6	58.2	7.8	3.2	5.9	3.8	4.1	2.8
			2000 2099	19.0	(3.4)	73.1	423.9	54.1	7.7	3.5	4.7	3.9	3.4	2.9
			1900 1999	20.0	(3.6)	74.3	444.9	60.4	7.6	2.7	5.3	4.0	3.6	3.0
			1800 1899	9.0	(1.6)	73.9	457.1	60.1	7.6	3.0	5.7	4.2	3.6	2.8
			1700 1799	13.0	(2.3)	73.5	455.2	58.5	7.3	2.9	5.5	4.2	3.6	3.2
			1600 1699	16.0	(2.8)	73.2	435.7	54.9	6.7	2.6	5.3	4.3	3.4	3.3
			1500 1599	40.0	(7.1)	72.6	429.5	51.3	6.3	2.5	4.5	4.3	3.1	3.2
			1400 1499	29.0	(5.2)	72.6	419.7	50.7	6.0	2.3	3.4	4.4	2.3	3.4
			1300 1399	44.0	(7.8)	72.0	383.0	44.8	5.3	2.2	3.2	4.4	2.2	3.5
			1200 1299	53.0	(9.4)	71.8	373.7	43.5	5.4	2.4	2.8	4.7	2.1	3.5
			1100 1199	33.0	(5.9)	71.6	345.6	39.2	4.9	2.0	2.5	4.8	2.0	3.5
			1000 1099	19.0	(3.4)	71.8	388.4	44.6	6.0	2.8	3.7	4.5	2.8	3.5

					(%)		(kg)	(m ²)	(m)	(m)				
			999	80.0	(14.2)	72.4	394.1	45.3	6.3	2.4	4.5	4.8	2.7	3.6
				563.0	(9.5)	73.3	417.5	54.0	6.8	2.7	5.4	4.2	3.3	3.2
			3000	4.0	(1.0)	80.4	494.6	103.5	9.0	2.6	12.0	3.3	5.0	3.0
			2900 2999	3.0	(0.7)	78.3	503.7	93.3	8.5	2.8	10.0	4.0	5.0	3.0
			2800 2899	5.0	(1.2)	78.4	455.5	89.8	8.4	2.8	10.6	3.4	5.0	2.8
			2700 2799	10.0	(2.4)	77.0	451.6	74.9	8.3	2.3	10.2	3.4	5.0	2.8
			2600 2699	32.0	(7.7)	76.7	470.2	77.3	8.4	2.8	9.8	3.5	5.0	3.0
			2500 2599	41.0	(9.9)	76.3	473.2	75.3	8.2	2.7	9.0	3.8	4.9	2.9
			2400 2499	47.0	(11.3)	75.7	469.9	71.1	8.1	2.8	8.2	3.7	4.8	2.8
			2300 2399	39.0	(9.4)	75.1	472.5	67.2	8.0	2.8	7.7	3.9	4.5	2.9
			2200 2299	50.0	(12.0)	74.5	470.5	66.5	7.9	3.3	7.2	3.9	4.2	2.9
			2100 2199	50.0	(12.0)	73.9	474.5	61.8	7.8	3.1	6.4	4.1	4.0	2.9
			2000 2099	27.0	(6.5)	73.9	476.4	62.5	7.7	3.1	5.0	4.1	3.4	3.0
			1900 1999	5.0	(1.2)	74.0	524.8	67.6	8.3	3.5	4.2	4.2	3.2	3.0
			1800 1899	8.0	(1.9)	72.8	473.7	59.3	7.0	3.4	4.5	4.5	3.0	3.0
			1700 1799	11.0	(2.7)	74.0	481.1	64.2	6.5	2.4	6.5	4.1	4.0	3.8
			1600 1699	23.0	(5.5)	73.2	456.0	57.6	6.4	2.5	4.5	4.3	3.0	3.3
			1500 1599	17.0	(4.1)	72.8	465.5	55.8	6.5	2.7	3.7	4.3	2.5	3.1
			1400 1499	7.0	(1.7)	71.7	446.9	49.3	6.4	3.0	3.9	4.6	2.4	4.4
			1300 1399	10.0	(2.4)	72.1	397.5	47.1	5.5	2.4	3.8	4.1	2.5	4.0
			1200 1299	10.0	(2.4)	72.0	366.7	42.5	5.1	1.9	3.4	4.7	2.3	3.3
			1100 1199	13.0	(3.1)	71.2	312.4	34.3	4.4	1.9	2.6	4.8	2.1	4.3
			1000 1099	3.0	(0.7)	72.0	283.7	38.3	3.7	1.4	2.0	5.7	2.0	3.7
				415.0	(7.0)	74.6	460.6	65.3	7.5	2.8	6.9	4.0	4.0	3.1
			3000	5.0	(50.0)	75.0	450.7	65.6	7.5	2.6	9.6	3.6	5.0	2.6
			2800 2899	1.0	(10.0)	77.2	409.5	76.0	7.3	2.0	9.0	4.0	5.0	3.0
			2300 2399	1.0	(10.0)	73.5	323.5	47.0	5.6	1.9	4.0	4.0	3.0	3.0
			1600 1699	1.0	(10.0)	74.4	417.0	61.0	7.2	2.8	7.0	3.0	4.0	3.0
			1100 1199	1.0	(10.0)	72.8	285.0	38.0	5.0	1.5	2.0	4.0	2.0	4.0
			1000 1099	1.0	(10.0)	70.8	184.0	18.0	3.1	0.8	2.0	4.0	2.0	4.0
				10.0	(0.2)	74.4	387.3	56.8	6.6	2.2	7.2	3.7	4.1	3.0
			3000	473.0	(8.0)	75.9	457.2	71.1	8.1	2.7	10.0	3.7	4.9	2.9
			2900 2999	119.0	(2.0)	76.0	457.1	72.2	8.1	2.8	9.7	3.7	4.9	2.9
			2800 2899	166.0	(2.8)	75.9	452.1	71.3	8.1	2.8	9.7	3.6	4.8	2.8
			2700 2799	222.0	(3.7)	76.0	457.2	72.5	8.1	2.8	10.0	3.5	4.9	2.9
			2600 2699	381.0	(6.4)	75.7	466.1	71.9	8.1	2.9	9.7	3.6	4.9	2.9
			2500 2599	478.0	(8.0)	75.4	466.8	69.5	8.0	2.9	9.0	3.6	4.9	2.8
			2400 2499	481.0	(8.1)	75.4	463.1	68.7	8.1	2.9	8.7	3.6	4.8	2.8
			2300 2399	526.0	(8.8)	75.0	460.3	65.8	8.1	2.9	8.1	3.8	4.6	2.9
			2200 2299	532.0	(8.9)	74.7	461.3	64.2	8.0	3.0	7.3	3.9	4.4	2.8
			2100 2199	463.0	(7.8)	74.1	450.5	60.2	7.8	3.0	6.3	3.9	4.1	2.8

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2900 2999	2.0	(0.4)	79.1	606.6	96.5	10.1	2.3	12.0	3.5	5.0	2.5
			2800 2899	6.0	(1.1)	79.7	580.8	99.3	9.8	2.1	11.7	3.3	5.0	2.7
			2700 2799	6.0	(1.1)	79.3	570.5	95.0	9.6	1.9	11.7	3.5	5.0	3.0
			2600 2699	15.0	(2.9)	76.9	544.4	79.1	8.9	2.2	11.1	3.5	5.0	2.5
			2500 2599	16.0	(3.1)	76.9	529.3	78.6	9.0	2.3	10.4	3.4	5.0	2.8
			2400 2499	57.0	(10.9)	76.0	525.8	73.1	8.5	2.2	10.1	3.5	5.0	2.5
			2300 2399	109.0	(20.8)	75.9	531.7	73.6	8.6	2.4	9.4	3.6	4.9	2.6
			2200 2299	139.0	(26.6)	74.9	529.0	67.1	8.4	2.5	7.7	3.7	4.6	2.7
			2100 2199	103.0	(19.7)	74.2	509.1	61.0	8.0	2.4	6.2	3.9	4.0	2.7
			2000 2099	36.0	(6.9)	73.6	503.2	57.8	7.9	2.6	5.7	4.1	3.7	2.7
			1900 1999	20.0	(3.8)	73.4	494.2	56.6	7.8	2.7	4.5	4.0	3.3	2.5
			1800 1899	4.0	(0.8)	72.7	472.8	53.3	7.0	2.7	3.5	4.0	3.0	2.5
			1700 1799	2.0	(0.4)	73.0	500.4	54.0	7.1	2.1	3.5	5.0	3.0	3.0
			1600 1699	2.0	(0.4)	73.3	400.1	48.0	6.0	1.4	3.0	4.0	2.0	2.5
			1500 1599	2.0	(0.4)	72.4	391.5	44.5	6.3	2.3	3.0	4.0	2.5	3.0
			1400 1499	1.0	(0.2)	71.9	406.0	42.0	5.1	1.5	2.0	4.0	2.0	2.0
			1300 1399	1.0	(0.2)	72.3	317.0	39.0	4.4	1.2	2.0	4.0	2.0	2.0
			1200 1299	1.0	(0.2)	73.8	298.0	44.0	4.2	0.4	3.0	4.0	2.0	4.0
			999	1.0	(0.2)	71.8	187.0	25.0	3.4	0.9	2.0	4.0	2.0	3.0
				523.0	(7.6)	75.1	520.7	67.8	8.3	2.4	7.9	3.7	4.5	2.6
			3000	2.0	(1.9)	79.8	622.0	97.0	10.7	1.8	12.0	3.0	5.0	3.0
			2900 2999	1.0	(1.0)	79.9	487.0	97.0	8.8	2.1	12.0	3.0	5.0	3.0
			2800 2899	2.0	(1.9)	80.8	653.0	108.5	10.6	1.9	12.0	3.0	5.0	3.0
			2700 2799	1.0	(1.0)	74.9	565.0	75.0	9.0	3.6	10.0	3.0	5.0	3.0
			2600 2699	3.0	(2.9)	75.3	586.0	75.7	8.9	2.9	10.3	3.7	5.0	3.0
			2500 2599	6.0	(5.7)	77.3	614.5	91.5	9.2	2.8	11.3	3.5	5.0	3.0
			2400 2499	8.0	(7.6)	76.2	535.9	75.9	9.1	2.8	11.0	3.4	5.0	2.9
			2300 2399	24.0	(22.9)	75.7	535.9	71.8	8.3	2.1	9.3	3.6	4.9	2.8
			2200 2299	29.0	(27.6)	74.6	519.4	64.0	8.2	2.4	7.3	3.9	4.6	2.9
			2100 2199	9.0	(8.6)	73.7	508.1	57.1	8.2	2.6	6.7	4.0	4.3	2.9
			2000 2099	12.0	(11.4)	74.0	461.0	56.1	7.4	2.1	4.8	4.1	3.4	2.8
			1900 1999	6.0	(5.7)	73.2	468.3	52.8	7.2	2.2	4.0	4.5	3.0	3.0
			1700 1799	2.0	(1.9)	71.8	428.5	45.5	6.7	2.9	3.5	3.5	3.0	2.5
				105.0	(1.5)	75.1	524.1	68.0	8.3	2.4	8.0	3.8	4.5	2.9
			3000	2.0	(1.1)	80.0	615.0	104.5	10.2	2.2	12.0	3.0	5.0	3.0
			2900 2999	2.0	(1.1)	76.4	543.5	80.5	9.1	3.0	11.5	4.0	5.0	2.5
			2800 2899	7.0	(4.0)	75.5	542.7	72.7	8.4	2.5	9.0	3.7	4.9	3.0
			2700 2799	8.0	(4.6)	76.1	540.1	78.8	8.6	2.8	9.8	3.5	4.9	2.8
			2600 2699	9.0	(5.2)	76.4	555.7	81.9	8.7	2.7	10.6	3.3	5.0	2.7
			2500 2599	17.0	(9.8)	76.2	523.9	74.9	8.4	2.3	9.2	3.9	4.8	2.8
			2400 2499	24.0	(13.8)	75.6	527.3	70.9	8.7	2.5	9.6	3.8	4.9	2.7
			2300 2399	41.0	(23.6)	75.6	520.0	72.6	8.6	2.7	9.0	3.7	4.9	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2200 2299	33.0	(19.0)	75.0	494.0	67.0	7.9	2.5	7.3	4.1	4.4	2.8
			2100 2199	16.0	(9.2)	73.4	493.6	57.8	7.7	2.7	5.9	4.1	4.0	2.8
			2000 2099	10.0	(5.7)	74.1	502.4	61.8	7.5	2.3	5.0	4.2	3.4	2.8
			1900 1999	1.0	(0.6)	72.4	499.0	53.0	7.9	3.2	3.0	5.0	2.0	3.0
			1700 1799	1.0	(0.6)	70.8	600.0	58.0	7.7	4.2	3.0	4.0	2.0	3.0
			1400 1499	2.0	(1.1)	73.2	311.5	42.5	4.8	1.3	2.5	4.5	2.0	2.0
			1300 1399	1.0	(0.6)	72.6	377.0	41.0	5.3	1.1	2.0	5.0	2.0	2.0
				174.0	(2.5)	75.3	515.2	70.0	8.3	2.5	8.3	3.9	4.5	2.8
			3000	13.0	(1.7)	80.3	617.1	105.6	10.3	2.2	12.0	3.1	5.0	3.0
			2900 2999	16.0	(2.1)	79.1	584.4	95.5	9.8	2.3	11.8	3.0	5.0	3.0
			2800 2899	20.0	(2.6)	78.5	583.9	93.3	9.6	2.4	11.7	3.1	5.0	3.0
			2700 2799	40.0	(5.2)	77.6	576.5	85.8	9.4	2.3	11.4	3.2	5.0	2.9
			2600 2699	63.0	(8.1)	76.9	568.3	82.2	9.3	2.5	11.0	3.1	5.0	2.9
			2500 2599	148.0	(19.1)	76.0	543.9	74.6	9.0	2.6	9.9	3.3	5.0	2.9
			2400 2499	169.0	(21.8)	75.6	546.7	73.1	8.8	2.7	9.3	3.3	5.0	2.9
			2300 2399	88.0	(11.4)	74.8	547.3	68.7	8.7	2.7	8.4	3.7	4.8	2.9
			2200 2299	61.0	(7.9)	74.4	529.9	65.2	8.5	2.8	6.8	3.7	4.3	2.9
			2100 2199	86.0	(11.1)	74.1	522.0	61.8	8.5	2.8	6.6	3.5	4.3	2.9
			2000 2099	40.0	(5.2)	73.4	532.7	59.2	8.6	3.1	6.2	3.4	4.1	3.0
			1900 1999	13.0	(1.7)	73.6	513.5	58.5	8.1	2.7	4.9	3.5	3.4	2.9
			1800 1899	8.0	(1.0)	74.2	506.2	58.6	8.2	2.2	5.6	3.4	3.6	2.9
			1700 1799	3.0	(0.4)	73.3	489.7	54.7	8.0	2.7	5.0	3.3	3.3	3.0
			1600 1699	3.0	(0.4)	72.7	531.3	55.3	8.5	3.3	3.0	2.7	2.7	3.0
			1500 1599	1.0	(0.1)	73.3	348.5	44.0	6.5	2.0	4.0	3.0	3.0	2.0
			1300 1399	1.0	(0.1)	73.3	383.5	47.0	5.5	1.2	2.0	5.0	2.0	3.0
			1100 1199	1.0	(0.1)	73.3	269.5	40.0	5.3	1.7	3.0	3.0	2.0	2.0
				774.0	(11.3)	75.6	545.6	72.6	8.9	2.7	8.9	3.4	4.7	2.9
			2700 2799	1.0	(8.3)	80.0	604.0	96.0	10.4	1.4	12.0	4.0	5.0	3.0
			2600 2699	2.0	(16.7)	76.8	509.5	77.0	8.7	2.2	11.5	3.0	5.0	3.0
			2400 2499	1.0	(8.3)	76.3	509.0	81.0	7.3	2.4	9.0	3.0	5.0	3.0
			2300 2399	4.0	(33.3)	74.8	527.3	69.0	7.8	2.5	7.3	3.5	4.3	2.5
			2200 2299	3.0	(25.0)	74.0	594.7	68.0	8.5	2.8	8.3	3.3	4.7	2.3
			2100 2199	1.0	(8.3)	74.0	502.0	62.0	7.7	2.6	8.0	3.0	5.0	3.0
				12.0	(0.2)	75.4	543.9	72.8	8.3	2.4	8.8	3.3	4.7	2.7
			3000	2.0	(1.5)	80.1	556.0	93.5	9.9	1.3	11.5	3.5	5.0	3.0
			2900 2999	2.0	(1.5)	80.7	541.0	103.5	8.8	1.4	12.0	3.0	5.0	3.0
			2800 2899	5.0	(3.8)	78.4	523.6	89.2	8.3	1.7	11.6	3.2	5.0	2.6
			2700 2799	5.0	(3.8)	76.0	522.6	72.0	8.6	2.2	11.4	3.0	5.0	3.0
			2600 2699	37.0	(28.5)	75.8	529.4	72.7	8.5	2.4	9.9	3.5	4.9	2.7
			2500 2599	39.0	(30.0)	74.9	519.2	67.0	8.2	2.5	9.2	3.5	4.9	2.9
			2400 2499	19.0	(14.6)	74.7	482.4	62.8	7.6	2.1	7.6	3.4	4.5	2.8
			2300 2399	5.0	(3.8)	74.4	524.2	66.0	8.1	2.7	6.8	4.4	4.2	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	2.0	(1.5)	72.9	491.5	54.0	7.5	2.6	5.5	4.0	3.5	3.0
			2100 2199	5.0	(3.8)	73.8	502.8	59.8	7.7	2.5	4.8	3.6	3.4	3.0
			2000 2099	7.0	(5.4)	73.5	531.9	59.6	7.9	2.5	3.9	4.1	3.0	2.7
			1900 1999	2.0	(1.5)	73.1	477.0	54.0	7.3	2.5	5.0	4.0	3.0	3.0
				130.0	(1.9)	75.3	517.1	68.9	8.2	2.3	8.7	3.5	4.6	2.8
			2800 2899	2.0	(1.0)	77.1	575.0	86.5	8.9	2.6	11.0	3.0	5.0	2.0
			2700 2799	2.0	(1.0)	80.4	539.0	96.0	9.8	1.4	11.5	3.5	5.0	3.0
			2600 2699	6.0	(2.9)	77.4	560.3	82.5	9.9	2.6	10.7	3.2	5.0	2.7
			2500 2599	6.0	(2.9)	76.9	530.5	78.8	9.0	2.4	10.8	3.2	5.0	2.5
			2400 2499	12.0	(5.8)	76.2	526.0	76.6	8.6	2.5	9.9	3.3	5.0	2.5
			2300 2399	26.0	(12.5)	75.7	536.6	71.6	8.7	2.3	9.7	3.7	5.0	2.8
			2200 2299	44.0	(21.2)	75.4	520.6	69.4	8.4	2.4	8.7	3.7	4.8	2.7
			2100 2199	67.0	(32.2)	74.3	508.9	62.7	8.2	2.6	7.2	4.1	4.3	2.7
			2000 2099	22.0	(10.6)	73.8	488.3	58.2	7.5	2.4	6.7	3.9	4.0	2.8
			1900 1999	11.0	(5.3)	73.1	490.5	54.8	7.7	2.7	4.8	4.1	3.3	2.7
			1800 1899	6.0	(2.9)	73.8	440.7	53.3	7.4	2.1	5.2	3.8	3.3	2.7
			1700 1799	2.0	(1.0)	70.5	448.5	40.5	6.8	3.4	4.5	3.5	3.5	3.0
			1600 1699	2.0	(1.0)	73.3	541.0	58.5	8.1	2.6	6.5	3.5	4.0	3.0
				208.0	(3.0)	74.9	513.5	66.2	8.3	2.5	8.0	3.8	4.5	2.7
			3000	7.0	(1.2)	79.4	603.3	96.6	9.7	1.7	12.0	3.1	5.0	2.9
			2900 2999	6.0	(1.0)	79.9	578.7	102.5	9.8	2.4	12.0	3.3	5.0	2.8
			2800 2899	5.0	(0.8)	79.0	566.6	93.2	9.3	1.8	11.8	3.4	5.0	2.8
			2700 2799	13.0	(2.1)	78.3	565.2	88.3	9.2	1.9	11.5	3.6	5.0	2.8
			2600 2699	27.0	(4.5)	78.0	553.5	86.7	9.2	2.1	11.2	3.4	5.0	2.8
			2500 2599	29.0	(4.8)	77.6	563.1	84.8	9.1	2.1	11.0	3.5	5.0	2.9
			2400 2499	70.0	(11.6)	76.3	543.4	75.7	8.9	2.3	10.2	3.6	5.0	2.8
			2300 2399	156.0	(25.8)	75.3	529.0	68.8	8.6	2.4	9.0	3.7	4.9	2.8
			2200 2299	147.0	(24.3)	74.7	517.4	64.8	8.3	2.5	7.7	3.9	4.5	2.8
			2100 2199	90.0	(14.9)	74.0	493.4	59.3	7.8	2.5	6.7	3.9	4.2	2.8
			2000 2099	34.0	(5.6)	73.3	495.8	54.6	7.9	2.5	5.5	4.1	3.8	2.9
			1900 1999	12.0	(2.0)	73.5	472.6	55.8	8.1	2.9	5.2	4.3	3.7	2.9
			1800 1899	7.0	(1.2)	72.0	460.0	45.4	7.2	2.6	4.1	4.0	3.0	2.9
			1700 1799	1.0	(0.2)	72.9	280.0	37.0	3.9	0.5	6.0	4.0	4.0	3.0
			999	1.0	(0.2)	71.9	171.0	28.0	2.9	1.0	2.0	4.0	1.0	4.0
				605.0	(8.8)	75.3	522.9	68.6	8.5	2.4	8.5	3.8	4.6	2.8
			3000	1.0	(0.2)	84.5	638.0	130.0	11.5	1.6	12.0	3.0	5.0	3.0
			2900 2999	2.0	(0.5)	80.0	585.5	100.5	9.5	1.8	12.0	4.0	5.0	2.5
			2800 2899	10.0	(2.4)	79.9	568.5	99.7	9.5	1.8	11.7	3.5	5.0	2.8
			2700 2799	14.0	(3.3)	78.1	578.8	89.6	9.5	2.3	11.5	3.6	5.0	2.9
			2600 2699	13.0	(3.1)	77.4	535.0	81.5	9.2	2.3	10.8	3.6	5.0	2.8
			2500 2599	22.0	(5.3)	76.9	565.8	80.7	9.1	2.2	10.0	3.7	5.0	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2400 2499	56.0	(13.4)	76.4	547.1	77.0	8.9	2.3	9.7	3.7	5.0	2.8
			2300 2399	109.0	(26.0)	75.0	544.1	69.6	8.6	2.6	8.6	3.8	4.8	2.8
			2200 2299	91.0	(21.7)	74.7	538.1	67.2	8.4	2.7	7.2	4.0	4.4	2.9
			2100 2199	51.0	(12.2)	73.8	523.6	62.2	8.1	2.9	6.3	4.2	4.0	2.8
			2000 2099	24.0	(5.7)	72.9	499.0	54.1	7.8	2.8	5.2	4.0	3.5	2.8
			1900 1999	18.0	(4.3)	73.7	498.8	56.9	7.9	2.3	4.6	4.3	3.2	2.9
			1800 1899	4.0	(1.0)	72.4	513.8	54.0	7.6	3.0	3.3	4.3	2.5	2.8
			1700 1799	1.0	(0.2)	71.7	516.0	45.0	8.3	3.0	3.0	4.0	2.0	2.0
			1600 1699	1.0	(0.2)	71.8	397.0	40.0	5.3	1.5	3.0	4.0	2.0	2.0
			1200 1299	1.0	(0.2)	72.7	301.0	38.0	3.8	0.5	3.0	5.0	2.0	2.0
			1100 1199	1.0	(0.2)	75.7	527.0	72.0	8.6	2.5	10.0	4.0	5.0	2.0
				419.0	(6.1)	75.2	537.9	70.0	8.5	2.6	8.0	3.9	4.5	2.8
			3000	1.0	(0.2)	82.5	538.0	120.0	8.2	1.4	12.0	3.0	5.0	2.0
			2800 2899	5.0	(0.9)	80.4	565.4	103.8	8.8	1.5	11.8	3.6	5.0	2.6
			2700 2799	15.0	(2.8)	79.9	545.1	96.6	9.1	1.5	11.8	3.1	5.0	2.3
			2600 2699	25.0	(4.6)	77.7	529.8	83.2	8.7	1.9	11.0	3.3	5.0	2.7
			2500 2599	53.0	(9.9)	76.6	509.6	76.0	8.1	2.0	10.2	3.5	5.0	2.6
			2400 2499	57.0	(10.6)	76.8	523.6	76.7	8.6	2.0	9.9	3.5	4.9	2.6
			2300 2399	120.0	(22.3)	75.8	518.7	71.9	8.2	2.1	9.1	3.7	4.8	2.6
			2200 2299	129.0	(24.0)	75.1	497.6	66.2	8.0	2.2	7.7	3.8	4.6	2.7
			2100 2199	60.0	(11.2)	74.5	500.4	62.6	7.8	2.3	6.7	3.9	4.2	2.8
			2000 2099	33.0	(6.1)	74.3	473.2	59.9	7.4	2.1	5.2	3.9	3.4	2.5
			1900 1999	20.0	(3.7)	73.9	461.2	56.6	7.4	2.3	4.8	4.0	3.3	2.8
			1800 1899	12.0	(2.2)	73.3	478.2	54.1	7.0	2.1	3.8	4.3	2.8	2.7
			1700 1799	5.0	(0.9)	73.9	442.0	57.2	7.0	2.4	4.0	4.0	3.0	3.0
			1600 1699	2.0	(0.4)	71.7	382.0	40.0	5.9	2.4	4.5	4.0	3.0	3.0
			999	1.0	(0.2)	72.1	604.0	56.0	5.7	0.9	2.0	6.0	2.0	5.0
				538.0	(7.8)	75.7	506.1	70.0	8.1	2.1	8.3	3.7	4.5	2.7
			2800 2899	2.0	(0.9)	79.2	558.1	96.5	8.6	1.8	12.0	3.0	5.0	3.0
			2700 2799	2.0	(0.9)	78.5	577.5	94.0	8.8	2.0	11.5	3.5	5.0	2.5
			2600 2699	4.0	(1.8)	77.7	537.0	87.5	8.0	1.9	11.3	3.0	5.0	2.5
			2500 2599	5.0	(2.3)	77.8	588.1	88.0	8.9	1.8	11.8	3.2	5.0	2.8
			2400 2499	9.0	(4.1)	76.3	542.4	75.6	8.5	2.0	9.7	3.2	5.0	2.9
			2300 2399	33.0	(14.9)	75.3	575.3	73.0	8.6	2.4	9.2	3.6	4.8	2.8
			2200 2299	87.0	(39.4)	75.1	567.6	70.0	8.6	2.2	8.1	3.7	4.7	2.9
			2100 2199	40.0	(18.1)	74.5	552.9	65.3	8.2	2.2	6.5	4.0	4.0	2.9
			2000 2099	24.0	(10.9)	74.0	548.9	62.2	8.1	2.4	5.4	4.1	3.6	2.8
			1900 1999	6.0	(2.7)	73.3	535.5	57.3	8.0	2.5	4.3	4.2	3.2	2.8
			1800 1899	5.0	(2.3)	73.5	510.2	57.0	7.3	1.9	3.4	4.4	2.6	3.2
			1700 1799	3.0	(1.4)	72.6	543.7	51.7	8.5	2.7	4.0	4.3	3.0	3.0
			999	1.0	(0.5)	71.6	171.0	23.0	2.4	0.3	2.0	6.0	1.0	5.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				221.0	(3.2)	75.0	558.6	69.1	8.4	2.2	7.7	3.8	4.4	2.9
			2800 2899	1.0	(0.6)	77.5	567.0	88.0	9.3	2.7	10.0	4.0	5.0	2.0
			2700 2799	3.0	(1.7)	79.4	520.7	95.7	8.8	2.0	12.0	3.3	5.0	2.3
			2600 2699	8.0	(4.7)	77.5	529.4	82.0	8.8	2.1	10.6	3.8	5.0	2.4
			2500 2599	8.0	(4.7)	77.0	527.1	78.0	8.6	2.0	10.8	3.8	5.0	2.5
			2400 2499	24.0	(14.0)	76.0	537.5	73.9	8.5	2.2	10.1	3.6	5.0	2.5
			2300 2399	40.0	(23.3)	75.6	515.4	70.8	8.2	2.3	9.2	3.7	4.8	2.6
			2200 2299	49.0	(28.5)	74.9	513.3	66.4	8.0	2.4	7.8	4.0	4.5	2.6
			2100 2199	23.0	(13.4)	74.0	515.3	62.3	7.8	2.6	6.4	4.0	4.0	2.7
			2000 2099	10.0	(5.8)	74.3	488.2	62.1	7.4	2.3	5.6	4.2	3.6	2.9
			1900 1999	3.0	(1.7)	71.5	485.0	48.3	7.6	3.6	5.7	4.3	3.3	2.3
			1800 1899	1.0	(0.6)	71.8	389.0	43.0	7.2	3.5	6.0	4.0	4.0	2.0
			1200 1299	1.0	(0.6)	71.2	200.0	31.0	3.8	2.6	4.0	5.0	2.0	2.0
			1000 1099	1.0	(0.6)	71.6	224.0	31.0	3.0	1.1	2.0	5.0	1.0	2.0
				172.0	(2.5)	75.2	513.1	68.7	8.1	2.3	8.4	3.9	4.5	2.6
			3000	1.0	(2.2)	78.1	597.0	90.0	8.7	1.5	12.0	3.0	5.0	2.0
			2800 2899	1.0	(2.2)	77.0	610.0	84.0	9.0	1.9	10.0	3.0	5.0	2.0
			2700 2799	2.0	(4.4)	77.7	533.0	81.5	9.1	1.9	10.5	4.0	5.0	2.5
			2600 2699	3.0	(6.7)	77.5	579.3	92.3	8.5	2.6	10.7	3.0	5.0	2.7
			2500 2599	4.0	(8.9)	77.8	553.0	88.8	8.9	2.4	9.5	3.5	5.0	2.8
			2400 2499	12.0	(26.7)	75.9	568.3	75.6	8.6	2.2	9.0	3.8	4.9	2.8
			2300 2399	13.0	(28.9)	75.0	561.9	70.8	8.9	2.9	7.7	3.7	4.6	2.5
			2200 2299	4.0	(8.9)	74.0	529.3	63.5	8.8	3.2	6.8	3.8	4.5	2.5
			2100 2199	3.0	(6.7)	73.8	492.3	58.7	7.6	2.4	6.7	4.0	4.0	2.3
			2000 2099	1.0	(2.2)	76.1	536.0	75.0	8.0	1.9	5.0	4.0	3.0	3.0
			1900 1999	1.0	(2.2)	73.7	399.0	54.0	6.7	2.5	3.0	5.0	3.0	2.0
				45.0	(0.7)	75.7	552.8	74.6	8.6	2.5	8.4	3.7	4.7	2.6
			3000	2.0	(3.7)	73.8	527.0	61.0	8.7	3.0	9.0	4.0	5.0	3.0
			2900 2999	6.0	(11.1)	74.8	532.2	69.3	8.4	2.8	9.7	3.5	5.0	2.7
			2800 2899	6.0	(11.1)	75.8	539.3	75.3	8.2	2.4	10.0	4.0	5.0	2.5
			2700 2799	3.0	(5.6)	79.4	568.3	99.0	9.4	2.3	10.7	3.3	5.0	2.7
			2600 2699	2.0	(3.7)	76.5	532.0	73.0	9.1	1.9	10.0	4.0	5.0	3.0
			2500 2599	10.0	(18.5)	75.8	511.2	71.4	8.5	2.5	8.6	4.0	4.6	2.6
			2400 2499	3.0	(5.6)	76.6	517.0	77.0	8.8	2.4	10.7	4.0	5.0	3.0
			2300 2399	9.0	(16.7)	75.0	546.0	68.0	9.1	2.8	8.2	4.3	4.7	2.8
			2200 2299	10.0	(18.5)	74.7	524.5	65.7	8.6	2.8	7.0	4.4	4.3	2.7
			2000 2099	1.0	(1.9)	74.4	539.0	66.0	9.2	3.4	4.0	5.0	3.0	3.0
			1900 1999	2.0	(3.7)	74.0	453.5	53.5	7.5	1.9	4.0	4.0	3.0	2.0
				54.0	(0.8)	75.4	528.1	70.7	8.6	2.6	8.6	4.1	4.6	2.7

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			2700 2799	3.0	(16.7)	75.4	569.0	75.7	8.9	3.0	12.0	3.0	5.0	2.7
			2600 2699	4.0	(22.2)	76.1	520.8	75.0	8.2	2.3	10.8	3.3	5.0	3.0
			2500 2599	5.0	(27.8)	76.0	544.9	74.2	8.7	2.3	10.4	3.4	5.0	3.0
			2400 2499	1.0	(5.6)	74.2	442.0	56.0	7.1	1.9	8.0	3.0	5.0	3.0
			2300 2399	1.0	(5.6)	72.7	449.0	50.0	6.1	1.8	6.0	4.0	4.0	3.0
			2200 2299	4.0	(22.2)	75.0	463.1	65.3	6.8	1.9	6.3	3.8	4.0	2.8
				18.0	(0.3)	75.4	514.3	70.3	8.0	2.3	9.4	3.4	4.7	2.9
			3000	1.0	(16.7)	80.5	508.0	98.0	8.8	1.3	12.0	4.0	5.0	2.0
			2900 2999	3.0	(50.0)	77.0	572.7	84.3	9.3	2.7	11.0	3.7	5.0	3.0
			2800 2899	1.0	(16.7)	78.1	520.0	83.0	8.6	1.4	11.0	4.0	5.0	2.0
			2700 2799	1.0	(16.7)	73.1	501.0	54.0	6.9	1.9	6.0	4.0	4.0	3.0
				6.0	(0.1)	77.1	541.2	81.3	8.7	2.1	10.3	3.8	4.8	2.7
			3000	1.0	(4.8)	80.0	690.5	112.0	10.3	2.5	12.0	3.0	5.0	3.0
			2800 2899	1.0	(4.8)	77.7	558.0	80.0	10.5	2.5	12.0	3.0	5.0	3.0
			2700 2799	1.0	(4.8)	78.3	545.0	87.0	9.4	2.1	11.0	3.0	5.0	3.0
			2600 2699	1.0	(4.8)	75.2	427.0	55.0	7.0	0.7	9.0	3.0	5.0	3.0
			2500 2599	2.0	(9.5)	77.2	461.5	72.5	8.3	1.5	11.0	4.0	5.0	2.0
			2400 2499	1.0	(4.8)	74.6	474.0	58.0	8.7	2.5	9.0	4.0	5.0	3.0
			2300 2399	5.0	(23.8)	74.9	525.7	62.2	8.8	2.1	9.0	3.8	5.0	2.2
			2200 2299	3.0	(14.3)	74.8	548.3	72.0	8.0	2.8	9.3	3.3	5.0	2.3
			2100 2199	6.0	(28.6)	73.6	488.5	53.5	7.7	2.0	6.5	3.5	4.3	2.5
				21.0	(0.3)	75.3	515.3	66.0	8.4	2.1	8.9	3.5	4.8	2.5
			3000	1.0	(0.9)	76.7	567.6	76.0	10.2	2.5	12.0	4.0	5.0	2.0
			2800 2899	4.0	(3.4)	78.5	532.4	87.8	9.0	1.9	11.8	3.0	5.0	3.0
			2700 2799	5.0	(4.3)	77.8	514.4	82.8	9.1	2.2	11.2	3.6	5.0	2.4
			2600 2699	21.0	(18.1)	75.8	527.4	71.9	8.7	2.4	10.6	3.6	5.0	2.7
			2500 2599	9.0	(7.8)	75.3	505.2	65.9	8.7	2.4	9.7	3.8	5.0	2.8
			2400 2499	15.0	(12.9)	75.0	517.0	68.3	8.4	2.7	8.9	3.8	5.0	2.8
			2300 2399	29.0	(25.0)	74.3	541.4	66.4	8.4	2.8	8.1	3.8	4.8	2.8
			2200 2299	15.0	(12.9)	73.9	531.0	61.8	8.5	2.8	6.7	3.8	4.3	2.7
			2100 2199	5.0	(4.3)	73.7	498.4	56.4	7.8	2.3	5.4	4.6	3.4	2.8
			2000 2099	8.0	(6.9)	72.2	537.1	54.5	8.4	3.4	5.4	4.0	3.6	2.9
			1900 1999	3.0	(2.6)	71.6	488.6	48.0	7.8	3.6	5.0	4.3	3.7	3.0
			1600 1699	1.0	(0.9)	73.2	412.0	51.0	6.6	2.3	3.0	4.0	2.0	3.0
				116.0	(1.7)	74.8	525.7	66.7	8.5	2.7	8.5	3.8	4.6	2.8
			3000	195.0	(49.6)	76.0	492.7	69.6	8.9	2.5	10.0	3.5	5.0	2.8
			2900 2999	41.0	(10.4)	75.1	500.4	66.1	8.6	2.6	8.8	3.7	4.8	2.9
			2800 2899	41.0	(10.4)	75.3	503.8	67.4	8.7	2.6	8.7	3.5	4.8	2.9
			2700 2799	51.0	(13.0)	74.4	481.1	59.8	8.4	2.7	6.8	3.6	4.3	2.7
			2600 2699	23.0	(5.9)	74.8	499.6	63.4	8.3	2.4	6.7	3.8	4.3	2.8
			2500 2599	25.0	(6.4)	73.8	503.6	57.8	8.6	2.8	6.4	4.1	4.0	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2400 2499	7.0	(1.8)	73.1	445.2	52.9	7.5	2.8	5.4	4.1	3.4	2.4
			2300 2399	2.0	(0.5)	72.6	539.2	53.5	8.4	3.0	5.0	4.0	3.0	2.0
			2200 2299	2.0	(0.5)	71.8	442.6	44.0	7.0	2.7	5.0	4.0	3.5	2.5
			2000 2099	4.0	(1.0)	73.1	452.1	49.8	7.5	2.3	3.3	4.5	2.0	3.0
			1900 1999	1.0	(0.3)	73.9	502.1	64.0	8.8	3.9	4.0	4.0	2.0	3.0
			1500 1599	1.0	(0.3)	72.3	334.8	34.0	5.3	1.0	3.0	5.0	2.0	2.0
				393.0	(5.7)	75.3	492.6	65.8	8.7	2.5	8.7	3.6	4.7	2.8
			2600 2699	1.0	(6.3)	77.0	490.3	73.0	7.6	1.0	12.0	3.0	5.0	3.0
			2500 2599	3.0	(18.8)	77.3	527.3	86.3	8.1	2.4	11.7	3.3	5.0	2.3
			2400 2499	3.0	(18.8)	74.3	515.7	65.0	8.4	3.1	10.7	3.7	5.0	2.7
			2300 2399	3.0	(18.8)	75.5	503.0	69.0	8.2	2.3	10.0	3.7	5.0	3.0
			2200 2299	3.0	(18.8)	74.4	472.0	58.0	7.5	1.8	7.7	4.0	4.7	2.7
			2100 2199	2.0	(12.5)	73.0	590.0	62.0	9.1	3.6	6.5	4.0	4.0	3.0
			2000 2099	1.0	(6.3)	72.7	483.9	47.0	8.1	2.4	5.0	3.0	4.0	2.0
				16.0	(0.2)	75.0	513.0	67.4	8.2	2.5	9.4	3.6	4.8	2.7
			2800 2899	1.0	(1.1)	78.4	495.2	85.0	8.8	2.0	12.0	3.0	5.0	3.0
			2600 2699	5.0	(5.6)	76.4	506.9	73.4	8.6	2.1	11.6	3.2	5.0	2.2
			2500 2599	16.0	(17.8)	75.8	541.5	74.3	8.9	2.6	11.1	3.2	5.0	2.8
			2400 2499	28.0	(31.1)	74.9	520.6	67.9	8.5	2.7	10.2	3.5	5.0	2.6
			2300 2399	23.0	(25.6)	74.7	500.6	66.5	8.1	2.7	8.2	3.6	4.5	2.7
			2200 2299	7.0	(7.8)	74.8	505.3	64.9	8.0	2.3	7.6	3.6	4.3	2.4
			2100 2199	5.0	(5.6)	73.6	508.5	57.8	7.9	2.5	6.4	3.0	4.0	2.8
			2000 2099	3.0	(3.3)	73.0	516.5	57.7	7.8	2.9	5.3	3.7	4.0	2.7
			1900 1999	1.0	(1.1)	72.7	618.2	60.0	9.3	3.4	7.0	3.0	5.0	3.0
			1800 1899	1.0	(1.1)	72.6	379.0	46.0	5.2	1.7	7.0	4.0	4.0	2.0
				90.0	(1.3)	75.0	515.7	67.7	8.3	2.6	9.3	3.4	4.7	2.6
			2300 2399	1.0	(12.5)	74.6	575.3	73.0	8.6	3.2	7.0	3.0	5.0	3.0
			2200 2299	4.0	(50.0)	73.7	541.9	63.0	8.2	2.9	6.8	3.8	4.3	2.3
			2100 2199	2.0	(25.0)	74.8	485.6	61.5	8.3	2.3	5.0	4.0	3.5	2.5
			1700 1799	1.0	(12.5)	71.0	555.3	48.0	8.4	3.7	4.0	4.0	3.0	3.0
				8.0	(0.1)	73.8	533.7	62.0	8.3	2.9	6.0	3.8	4.0	2.5
			3000	1.0	(4.5)	73.4	485.5	58.0	8.0	3.2	3.0	4.0	3.0	3.0
			2900 2999	1.0	(4.5)	76.3	496.5	74.0	8.5	2.5	10.0	4.0	5.0	3.0
			2800 2899	5.0	(22.7)	74.8	579.3	69.6	9.5	3.0	8.8	4.0	4.8	3.0
			2700 2799	5.0	(22.7)	73.9	513.2	60.4	8.6	3.0	6.0	4.0	4.0	3.0
			2600 2699	3.0	(13.6)	73.7	520.2	59.3	8.1	2.6	5.7	4.0	4.0	2.7
			2500 2599	1.0	(4.5)	74.8	505.5	65.0	7.9	2.3	5.0	4.0	4.0	3.0
			2400 2499	1.0	(4.5)	72.8	583.5	52.0	8.9	2.3	5.0	4.0	4.0	3.0
			2300 2399	1.0	(4.5)	73.5	498.5	58.0	7.6	2.5	3.0	4.0	3.0	3.0
			2100 2199	1.0	(4.5)	74.9	502.0	65.0	7.2	1.7	5.0	4.0	4.0	3.0
			2000 2099	1.0	(4.5)	74.3	457.0	55.0	7.7	1.8	5.0	4.0	4.0	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1900 1999	1.0	(4.5)	73.5	335.0	51.0	5.8	2.4	5.0	5.0	3.0	2.0
			1800 1899	1.0	(4.5)	73.6	314.0	45.0	5.4	1.5	4.0	5.0	3.0	2.0
				22.0	(0.3)	74.2	509.1	61.4	8.3	2.6	6.2	4.1	4.0	2.9
			2900 2999	1.0	(2.6)	76.5	605.4	79.0	8.9	1.7	12.0	4.0	5.0	3.0
			2800 2899	4.0	(10.5)	75.4	568.4	77.0	8.3	2.8	11.0	3.8	5.0	2.8
			2700 2799	4.0	(10.5)	76.9	523.2	78.8	8.3	1.9	10.5	3.3	5.0	2.8
			2600 2699	4.0	(10.5)	76.3	569.8	76.3	9.0	2.1	8.8	3.8	5.0	2.5
			2500 2599	8.0	(21.1)	75.4	538.2	70.5	8.3	2.2	9.0	4.0	5.0	2.6
			2400 2499	9.0	(23.7)	73.9	535.0	63.2	8.1	2.7	8.8	3.9	4.8	2.4
			2300 2399	3.0	(7.9)	72.8	510.4	56.3	8.0	3.2	6.0	4.3	4.0	2.7
			2200 2299	3.0	(7.9)	75.1	569.1	66.0	9.3	2.2	6.7	4.0	4.0	2.3
			2100 2199	2.0	(5.3)	74.2	525.8	62.0	7.8	2.2	5.5	4.0	4.0	2.5
				38.0	(0.6)	75.0	543.7	69.2	8.4	2.4	8.8	3.9	4.7	2.6
			2500 2599	1.0	(11.1)	75.1	594.0	76.0	8.7	2.9	10.0	4.0	5.0	3.0
			2300 2399	1.0	(11.1)	74.0	610.0	70.0	9.7	3.7	9.0	4.0	5.0	3.0
			2200 2299	3.0	(33.3)	74.1	553.7	68.3	9.1	3.7	8.3	3.3	5.0	3.0
			2100 2199	2.0	(22.2)	74.7	475.1	61.0	7.6	1.9	7.0	4.5	4.0	2.5
			2000 2099	1.0	(11.1)	75.8	466.2	69.0	7.6	2.0	6.0	5.0	4.0	3.0
			1900 1999	1.0	(11.1)	72.5	518.0	53.0	8.4	3.3	6.0	4.0	4.0	3.0
				9.0	(0.1)	74.3	533.3	66.1	8.5	3.0	7.8	4.0	4.6	2.9
			3000	119.0	(41.0)	74.9	443.4	63.7	7.4	2.4	9.6	3.6	4.9	2.6
			2900 2999	32.0	(11.0)	75.0	424.6	63.9	6.8	2.1	8.3	3.8	4.7	2.5
			2800 2899	49.0	(16.9)	74.4	436.5	59.8	7.2	2.4	7.7	3.9	4.5	2.6
			2700 2799	33.0	(11.4)	74.3	435.2	59.1	7.3	2.5	7.2	3.9	4.2	2.7
			2600 2699	12.0	(4.1)	75.9	461.9	69.8	7.6	2.0	7.9	3.9	4.2	2.4
			2500 2599	12.0	(4.1)	75.3	505.3	70.0	8.2	2.6	8.8	3.8	4.6	2.8
			2400 2499	6.0	(2.1)	75.8	547.9	76.2	8.3	2.5	8.7	3.8	4.7	2.7
			2300 2399	14.0	(4.8)	74.1	494.2	61.9	7.7	2.6	7.4	3.6	4.5	2.7
			2200 2299	4.0	(1.4)	75.0	484.4	60.5	8.8	2.4	7.8	3.8	4.3	2.8
			2100 2199	3.0	(1.0)	73.6	549.7	61.3	8.2	2.6	6.0	3.0	4.0	3.0
			2000 2099											

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			3000	1.0	(8.3)	74.9	521.2	67.0	9.1	3.1	12.0	3.0	5.0	3.0
			2700 2799	1.0	(8.3)	73.7	513.6	61.0	9.2	3.7	9.0	4.0	5.0	3.0
			2600 2699	2.0	(16.7)	75.5	553.5	77.5	9.4	3.8	11.0	3.5	5.0	3.0
			2500 2599	2.0	(16.7)	74.7	544.2	71.5	8.6	3.3	10.5	4.0	5.0	3.0
			2400 2499	1.0	(8.3)	72.3	492.6	57.0	7.7	3.8	7.0	4.0	4.0	3.0
			2300 2399	4.0	(33.3)	74.7	502.1	65.3	8.4	2.8	7.5	3.8	4.5	3.0
			2100 2199	1.0	(8.3)	74.5	582.0	73.0	8.2	2.9	7.0	4.0	4.0	3.0
				12.0	(0.2)	74.5	526.1	68.1	8.7	3.2	9.0	3.8	4.7	3.0
			3000	1.0	(5.6)	76.4	456.6	68.0	8.1	1.7	10.0	4.0	5.0	2.0
			2800 2899	1.0	(5.6)	81.0	561.0	111.0	9.5	2.4	12.0	3.0	5.0	3.0
			2700 2799	1.0	(5.6)	74.6	578.7	68.0	9.0	2.8	12.0	3.0	5.0	3.0
			2600 2699	1.0	(5.6)	77.1	475.0	75.0	8.4	1.9	12.0	3.0	5.0	3.0
			2500 2599	1.0	(5.6)	72.0	383.2	51.0	5.7	3.4	7.0	3.0	4.0	3.0
			2400 2499	2.0	(11.1)	75.8	539.0	74.0	8.3	2.3	10.0	4.0	5.0	3.0
			2300 2399	7.0	(38.9)	76.2	525.0	76.3	8.7	2.6	9.1	3.9	4.7	3.0
			2200 2299	3.0	(16.7)	75.3	583.7	78.7	8.1	2.8	9.3	4.0	4.7	3.0
			2100 2199	1.0	(5.6)	74.9	428.0	66.0	7.0	2.7	6.0	4.0	4.0	3.0
				18.0	(0.3)	76.0	521.5	75.4	8.3	2.6	9.5	3.7	4.7	2.9
			2900 2999	1.0	(3.0)	78.3	519.0	88.0	9.3	2.5	12.0	4.0	5.0	3.0
			2600 2699	3.0	(9.1)	76.3	546.0	79.3	9.1	2.9	10.7	3.7	5.0	2.7
			2500 2599	2.0	(6.1)	77.0	528.0	82.0	9.4	3.0	11.0	3.0	5.0	3.0
			2400 2499	6.0	(18.2)	75.4	533.3	71.7	8.7	2.8	10.0	3.8	5.0	2.7
			2300 2399	5.0	(15.2)	76.3	480.0	74.0	7.9	2.1	8.6	3.6	4.8	3.0
			2200 2299	8.0	(24.2)	75.4	467.5	67.3	7.5	2.1	7.8	3.9	4.6	2.8
			2100 2199	6.0	(18.2)	75.5	442.9	65.5	7.2	1.8	6.0	3.7	3.8	2.8
			2000 2099	1.0	(3.0)	71.7	362.0	41.0	5.5	2.4	8.0	4.0	4.0	4.0
			1900 1999	1.0	(3.0)	75.0	356.8	57.0	6.2	1.6	5.0	4.0	4.0	3.0
				33.0	(0.5)	75.7	482.7	70.3	7.9	2.3	8.5	3.7	4.6	2.8
			2800 2899	1.0	(3.0)	75.7	555.4	83.0	9.6	4.3	12.0	3.0	5.0	3.0
			2700 2799	2.0	(6.1)	75.7	530.1	69.5	8.4	1.9	11.5	4.0	5.0	2.5
			2600 2699	3.0	(9.1)	76.6	531.7	74.3	9.2	2.2	11.3	3.3	5.0	3.0
			2500 2599	4.0	(12.1)	75.7	542.4	70.0	8.6	1.9	10.5	3.8	5.0	2.8
			2400 2499	4.0	(12.1)	74.7	511.9	66.8	8.4	2.9	9.0	3.5	5.0	2.8
			2300 2399	7.0	(21.2)	73.1	499.2	58.6	8.0	3.3	7.9	3.4	4.9	3.0
			2200 2299	6.0	(18.2)	74.4	482.3	61.3	7.9	2.5	6.5	3.7	4.0	3.2
			2100 2199	5.0	(15.2)	73.3	489.7	53.2	7.9	2.5	5.6	3.8	4.0	3.0
			2000 2099	1.0	(3.0)	76.7	479.0	69.0	8.1	1.2	6.0	4.0	4.0	3.0
				33.0	(0.5)	74.5	507.4	63.8	8.3	2.6	8.3	3.6	4.6	2.9

					(%)		(kg)	(m2)	(m)	(m)				
			3000	2.0	(2.7)	74.0	529.8	65.5	7.9	2.8	7.5	4.0	4.5	3.0
			2900 2999	1.0	(1.4)	73.5	451.8	60.0	8.3	4.0	10.0	4.0	5.0	3.0
			2800 2899	4.0	(5.5)	76.7	503.7	80.5	7.9	2.5	12.0	3.0	5.0	3.0
			2700 2799	8.0	(11.0)	75.9	517.7	75.5	8.1	2.5	11.0	4.0	5.0	2.8
			2600 2699	10.0	(13.7)	76.2	499.0	74.3	8.0	2.2	9.8	3.4	5.0	2.6
			2500 2599	4.0	(5.5)	75.0	504.1	66.5	8.3	2.6	9.5	3.8	5.0	2.8
			2400 2499	11.0	(15.1)	74.8	510.4	65.0	8.3	2.5	8.7	3.5	5.0	2.6
			2300 2399	16.0	(21.9)	74.3	503.5	61.8	8.3	2.7	7.6	3.7	4.6	2.9
			2200 2299	4.0	(5.5)	74.8	532.4	63.0	8.1	1.7	6.3	4.0	4.0	3.0
			2100 2199	5.0	(6.8)	74.1	442.0	58.4	7.0	2.4	6.0	3.8	4.0	2.8
			2000 2099	4.0	(5.5)	74.0	471.1	56.3	7.5	2.1	4.0	3.8	3.0	2.3
			1900 1999	1.0	(1.4)	72.8	575.0	66.0	7.6	3.4	3.0	5.0	3.0	3.0
			1800 1899	3.0	(4.1)	72.5	449.1	50.7	6.6	2.5	4.3	4.0	3.3	2.3
				73.0	(1.1)	74.9	499.9	66.0	8.0	2.5	8.2	3.7	4.6	2.7
			3000	1.0	(1.8)	81.6	523.0	113.0	7.5	1.0	12.0	4.0	5.0	3.0
			2900 2999	3.0	(5.5)	79.7	569.1	97.3	9.8	2.0	12.0	3.0	5.0	2.7
			2800 2899	4.0	(7.3)	79.1	565.3	96.5	9.1	2.1	12.0	3.5	5.0	2.8
			2700 2799	2.0	(3.6)	80.0	599.3	103.5	9.8	2.3	12.0	3.5	5.0	3.0
			2600 2699	5.0	(9.1)	77.3	558.1	83.6	8.8	2.1	11.2	3.8	5.0	2.6
			2500 2599	7.0	(12.7)	75.9	561.1	75.3	8.8	2.4	11.0	3.4	5.0	3.0
			2400 2499	4.0	(7.3)	77.3	572.8	82.8	9.3	2.0	10.0	3.8	5.0	3.0
			2300 2399	13.0	(23.6)	75.8	519.1	72.5	8.6	2.6	9.5	3.4	4.8	3.0
			2200 2299	8.0	(14.5)	74.4	519.5	66.8	7.9	2.8	7.1	3.8	4.5	3.0
			2100 2199	5.0	(9.1)	74.2	486.8	61.2	7.6	2.4	6.2	4.0	4.2	2.8
			1900 1999	1.0	(1.8)	74.0	513.0	62.0	8.3	2.9	3.0	5.0	3.0	2.0
			1500 1599	2.0	(3.6)	72.1	442.6	51.5	5.6	2.4	3.0	4.5	2.5	3.5
				55.0	(0.8)	76.2	535.2	76.7	8.5	2.4	9.3	3.6	4.7	2.9
			3000	1.0	(1.3)	78.7	479.7	84.0	9.0	1.8	12.0	3.0	5.0	2.0
			2800 2899	1.0	(1.3)	76.5	517.1	75.0	8.1	1.8	11.0	3.0	5.0	2.0
			2700 2799	1.0	(1.3)	76.2	483.1	76.0	8.0	2.7	11.0	4.0	5.0	2.0
			2600 2699	4.0	(5.3)	76.4	458.8	72.0	7.5	1.8	10.3	3.5	5.0	2.3
			2500 2599	5.0	(6.7)	75.3	514.2	71.8	8.0	2.5	9.4	3.6	4.8	3.0
			2400 2499	9.0	(12.0)	75.2	483.7	66.0	8.2	2.5	8.6	3.4	5.0	2.6
			2300 2399	21.0	(28.0)	74.7	492.4	64.6	7.9	2.5	8.2	3.5	4.8	2.8
			2200 2299	10.0	(13.3)	74.0	535.2	63.5	8.7	3.0	7.7	3.5	4.6	2.6
			2100 2199	11.0	(14.7)	74.6	507.6	64.0	8.4	2.6	6.3	3.7	4.0	3.0
			2000 2099	7.0	(9.3)	74.2	476.4	60.0	7.8	2.5	5.9	3.9	3.7	2.9
			1900 1999	1.0	(1.3)	74.0	471.0	57.0	8.3	2.7	5.0	4.0	4.0	3.0
			1700 1799	3.0	(4.0)	72.5	491.4	50.0	7.6	2.6	4.3	4.3	3.3	2.7
			1500 1599	1.0	(1.3)	73.6	306.8	45.0	4.8	1.1	5.0	5.0	3.0	2.0
				75.0	(1.1)	74.7	494.7	64.6	8.0	2.5	7.7	3.6	4.5	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2800 2899	1.0	(2.8)	80.0	555.8	103.0	8.3	1.5	10.0	4.0	5.0	2.0
			2700 2799	3.0	(8.3)	77.6	490.5	83.3	8.3	2.3	11.3	3.0	5.0	3.0
			2600 2699	3.0	(8.3)	76.3	497.1	70.7	8.4	1.9	10.0	3.0	5.0	3.0
			2500 2599	4.0	(11.1)	76.0	482.2	71.0	8.2	2.3	9.0	3.3	5.0	2.8
			2400 2499	11.0	(30.6)	74.7	509.9	68.5	7.9	2.8	8.8	3.3	5.0	2.9
			2300 2399	7.0	(19.4)	74.2	508.7	63.4	7.9	2.6	7.6	3.6	4.6	2.7
			2200 2299	3.0	(8.3)	73.9	478.5	60.0	7.6	2.7	6.7	3.3	4.0	3.0
			2100 2199	2.0	(5.6)	73.5	519.8	61.0	8.1	3.0	6.0	4.0	4.0	3.0
			2000 2099	2.0	(5.6)	73.2	615.2	64.5	8.1	2.6	7.0	3.0	4.5	3.0
				36.0	(0.5)	75.1	509.0	68.8	8.0	2.5	8.5	3.3	4.8	2.9
			2500 2599	1.0	(16.7)	75.8	377.9	56.0	7.2	1.1	9.0	3.0	5.0	2.0
			2400 2499	1.0	(16.7)	76.6	459.9	67.0	8.4	1.6	10.0	4.0	5.0	2.0
			2100 2199	1.0	(16.7)	74.7	512.5	64.0	7.8	2.1	6.0	4.0	4.0	3.0
			2000 2099	2.0	(33.3)	75.1	435.1	58.0	7.5	1.6	5.0	4.0	3.0	2.5
			1900 1999	1.0	(16.7)	73.8	501.1	53.0	8.4	2.0	4.0	4.0	3.0	3.0
				6.0	(0.1)	75.2	453.6	59.3	7.8	1.6	6.5	3.8	3.8	2.5
			2500 2599	3.0	(20.0)	76.2	480.2	69.3	8.8	2.3	11.0	3.0	5.0	3.0
			2400 2499	5.0	(33.3)	76.0	553.7	73.0	9.2	2.4	10.2	3.2	5.0	3.0
			2300 2399	1.0	(6.7)	73.8	540.0	63.0	8.5	3.0	7.0	4.0	4.0	3.0
			2200 2299	2.0	(13.3)	74.0	466.8	55.0	7.3	1.7	6.0	3.5	4.0	2.5
			2100 2199	2.0	(13.3)	74.1	587.0	64.0	9.4	2.9	6.0	4.5	4.0	2.5
			2000 2099	1.0	(6.7)	73.9	530.5	57.0	9.0	2.5	5.0	4.0	4.0	3.0
			1900 1999	1.0	(6.7)	74.9	481.5	65.0	7.6	2.3	5.0	5.0	3.0	3.0
				15.0	(0.2)	75.2	524.6	66.4	8.7	2.4	8.3	3.6	4.5	2.9
			3000	4.0	(2.4)	78.7	576.3	91.8	10.3	2.5	12.0	3.0	5.0	3.0
			2900 2999	3.0	(1.8)	80.1	560.0	101.0	9.4	1.9	12.0	4.0	5.0	2.7
			2800 2899	1.0	(0.6)	80.8	516.3	98.0	9.4	1.4	11.0	4.0	5.0	3.0
			2700 2799	4.0	(2.4)	76.8	535.8	79.0	9.1	2.5	11.5	3.0	5.0	2.8
			2600 2699	21.0	(12.7)	76.9	509.7	81.0	8.2	2.4	10.9	3.6	5.0	2.9
			2500 2599	8.0	(4.8)	76.4	505.6	73.0	8.3	2.0	10.0	3.8	5.0	2.8
			2400 2499	28.0	(16.9)	75.6	525.8	73.7	8.4	2.6	9.5	3.8	5.0	3.0
			2300 2399	36.0	(21.7)	74.8	506.3	67.6	7.8	2.6	8.2	3.8	4.6	2.8
			2200 2299	27.0	(16.3)	74.6	485.4	64.6	7.4	2.3	7.3	3.8	4.5	2.8
			2100 2199	21.0	(12.7)	73.9	472.1	59.2	7.3	2.4	6.3	4.1	4.1	2.8
			2000 2099	9.0	(5.4)	74.4	461.4	60.8	7.4	2.3	4.6	4.2	3.2	3.1
			1900 1999	2.0	(1.2)	73.2	470.5	56.5	7.5	3.0	3.5	5.0	2.5	3.0
			1800 1899	2.0	(1.2)	73.0	379.9	47.5	5.2	1.4	3.0	4.5	2.0	2.5
				166.0	(2.4)	75.4	501.3	69.9	7.9	2.4	8.4	3.8	4.6	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	11.0	(3.9)	79.6	570.8	100.0	9.3	2.1	11.8	3.1	5.0	2.6
			2900 2999	9.0	(3.2)	78.8	546.0	93.9	9.1	2.3	11.6	3.2	5.0	2.8
			2800 2899	17.0	(6.0)	77.5	536.3	84.1	8.8	2.2	10.9	3.5	5.0	2.7
			2700 2799	13.0	(4.6)	76.8	535.8	82.5	8.3	2.4	10.5	3.5	5.0	2.6
			2600 2699	33.0	(11.7)	76.1	531.4	76.0	8.4	2.3	10.3	3.6	5.0	2.8
			2500 2599	69.0	(24.4)	75.6	517.8	72.6	8.2	2.5	9.0	3.7	4.9	2.8
			2400 2499	49.0	(17.3)	74.7	508.2	67.2	8.0	2.7	8.3	3.8	4.7	2.8
			2300 2399	35.0	(12.4)	74.2	512.8	64.3	7.8	2.7	7.5	3.9	4.5	2.9
			2200 2299	16.0	(5.7)	74.5	498.0	64.1	7.6	2.4	6.2	4.2	4.1	2.9
			2100 2199	19.0	(6.7)	73.5	498.3	60.2	7.6	2.8	5.7	3.9	3.9	2.8
			2000 2099	8.0	(2.8)	73.3	472.0	56.6	7.0	2.6	4.3	4.4	3.1	2.8
			1900 1999	4.0	(1.4)	72.5	466.5	51.3	7.7	3.2	4.3	4.3	3.3	3.0
				283.0	(4.1)	75.4	517.6	71.8	8.1	2.5	8.6	3.7	4.7	2.8
			3000	4.0	(1.7)	77.9	547.4	87.3	8.7	2.0	12.0	3.5	5.0	2.5
			2800 2899	3.0	(1.3)	77.1	561.6	84.3	8.7	2.2	12.0	3.7	5.0	2.7
			2700 2799	4.0	(1.7)	76.5	529.5	77.8	8.7	2.5	11.0	3.8	5.0	2.5
			2600 2699	8.0	(3.4)	76.7	536.1	76.8	8.8	2.1	10.5	3.4	5.0	2.9
			2500 2599	14.0	(6.0)	75.4	522.0	71.0	8.7	2.8	10.2	3.5	5.0	3.0
			2400 2499	15.0	(6.4)	75.2	502.1	67.2	8.5	2.6	9.8	3.6	5.0	2.7
			2300 2399	36.0	(15.5)	74.8	513.9	66.3	8.4	2.6	8.3	3.7	4.8	2.8
			2200 2299	54.0	(23.2)	74.3	490.2	61.4	7.8	2.5	7.2	3.8	4.4	2.6
			2100 2199	45.0	(19.3)	73.7	474.5	56.0	7.8	2.5	6.2	3.9	4.0	2.7
			2000 2099	25.0	(10.7)	73.9	470.3	57.0	7.6	2.3	5.1	4.0	3.5	2.6
			1900 1999	17.0	(7.3)	72.6	449.7	49.8	7.1	2.7	4.6	4.1	3.2	2.6
			1800 1899	6.0	(2.6)	73.0	426.8	49.2	7.3	2.5	3.5	4.2	2.5	2.8
			1700 1799	1.0	(0.4)	73.8	469.0	54.0	7.2	1.7	3.0	4.0	2.0	3.0
			1600 1699	1.0	(0.4)	72.6	449.1	43.0	7.9	2.2	2.0	5.0	2.0	3.0
				233.0	(3.4)	74.4	490.7	61.9	8.0	2.5	7.3	3.8	4.2	2.7
			3000	3.0	(2.5)	78.8	626.4	91.3	10.8	2.1	12.0	3.3	5.0	3.0
			2900 2999	2.0	(1.7)	81.0	499.8	102.5	8.7	1.4	11.5	3.0	5.0	2.5
			2800 2899	1.0	(0.8)	79.0	588.6	86.0	11.0	1.7	12.0	4.0	5.0	3.0
			2700 2799	4.0	(3.4)	76.5	542.9	75.8	8.7	1.9	11.8	3.3	5.0	2.5
			2600 2699	11.0	(9.2)	76.3	521.5	72.9	8.6	2.0	11.2	3.7	5.0	2.6
			2500 2599	12.0	(10.1)	75.8	529.4	73.0	8.5	2.4	10.1	3.4	5.0	2.6
			2400 2499	13.0	(10.9)	74.9	523.8	66.8	8.3	2.5	8.8	3.6	4.9	2.7
			2300 2399	23.0	(19.3)	75.0	520.6	68.0	8.3	2.5	8.0	3.8	4.6	2.7
			2200 2299	22.0	(18.5)	74.4	520.5	64.4	8.3	2.7	7.5	3.7	4.4	2.7
			2100 2199	14.0	(11.8)	73.8	467.4	57.4	7.9	2.7	6.1	3.8	4.1	2.8
			2000 2099	6.0	(5.0)	72.9	516.2	53.7	8.3	2.9	4.3	3.8	3.2	2.7
			1900 1999	4.0	(3.4)	73.3	470.6	51.3	6.8	1.6	4.3	4.0	3.0	2.8
			1800 1899	4.0	(3.4)	72.1	518.1	54.3	8.0	3.6	4.5	3.8	3.3	2.5
				119.0	(1.7)	75.0	517.3	66.8	8.3	2.5	8.2	3.7	4.5	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			3000	1.0	(10.0)	83.2	555.0	112.0	10.7	1.1	12.0	3.0	5.0	3.0
			2700 2799	4.0	(40.0)	80.4	545.5	98.5	10.0	1.9	12.0	3.0	5.0	2.5
			2600 2699	4.0	(40.0)	79.1	535.5	89.8	9.4	1.8	11.0	3.5	5.0	2.5
			2500 2599	1.0	(10.0)	76.4	498.0	75.0	8.7	2.6	12.0	3.0	5.0	2.0
				10.0	(0.1)	79.8	537.7	94.0	9.7	1.8	11.6	3.2	5.0	2.5
			3000	7.0	(1.7)	76.4	530.3	77.1	8.7	2.5	12.0	3.3	5.0	2.7
			2900 2999	4.0	(1.0)	76.9	518.2	76.0	8.9	2.1	11.3	3.3	5.0	3.0
			2800 2899	17.0	(4.1)	77.4	519.1	81.8	9.0	2.4	11.9	3.6	5.0	2.5
			2700 2799	22.0	(5.3)	75.7	517.3	69.9	8.9	2.6	11.1	3.5	5.0	2.5
			2600 2699	45.0	(10.8)	75.7	511.6	71.1	8.8	2.7	10.2	3.6	5.0	2.5
			2500 2599	64.0	(15.3)	75.5	513.9	70.1	8.6	2.5	9.6	3.7	5.0	2.6
			2400 2499	58.0	(13.9)	75.2	507.5	67.7	8.4	2.6	8.6	3.6	5.0	2.6
			2300 2399	54.0	(12.9)	74.7	499.8	64.3	8.3	2.7	7.4	3.7	4.4	2.6
			2200 2299	54.0	(12.9)	74.7	500.7	65.1	8.1	2.5	6.6	3.6	4.2	2.7
			2100 2199	38.0	(9.1)	74.0	493.7	59.6	8.0	2.6	5.7	3.7	4.1	2.6
			2000 2099	26.0	(6.2)	73.9	501.8	60.0	8.1	2.7	4.5	3.7	3.3	2.8
			1900 1999	13.0	(3.1)	73.6	479.2	57.2	7.9	2.8	3.2	3.8	3.0	2.7
			1800 1899	7.0	(1.7)	74.1	433.9	54.6	7.6	2.3	4.0	3.7	2.9	2.9
			1700 1799	2.0	(0.5)	72.9	373.0	47.5	6.6	2.7	3.5	4.0	3.0	3.0
			1600 1699	1.0	(0.2)	73.8	355.1	43.0	6.6	1.3	3.0	5.0	2.0	3.0
			1500 1599	2.0	(0.5)	72.8	340.1	41.5	5.3	1.4	4.5	4.0	3.0	3.0
			1000 1099	2.0	(0.5)	77.2	507.5	81.5	8.2	2.1	6.0	4.0	4.0	3.0
			999	1.0	(0.2)	71.8	271.6	35.0	3.5	1.2	2.0	4.0	2.0	3.0
				417.0	(6.1)	75.0	502.4	66.5	8.3	2.6	8.0	3.6	4.5	2.6
			3000	4.0	(1.6)	79.9	572.0	99.8	9.7	1.9	12.0	3.8	5.0	2.8
			2900 2999	2.0	(0.8)	78.2	512.5	87.0	8.6	2.0	12.0	3.5	5.0	3.0
			2800 2899	2.0	(0.8)	79.3	580.0	99.0	9.1	1.9	12.0	3.0	5.0	2.5
			2700 2799	6.0	(2.5)	79.1	536.5	94.3	8.8	2.0	11.5	3.5	5.0	2.7
			2600 2699	11.0	(4.5)	78.1	523.6	85.7	8.8	1.9	10.1	3.6	5.0	2.7
			2500 2599	27.0	(11.1)	76.5	524.1	77.0	8.4	2.2	9.9	3.6	5.0	2.7
			2400 2499	46.0	(18.9)	75.5	525.4	71.9	8.5	2.6	8.9	3.7	4.9	2.8
			2300 2399	42.0	(17.2)	74.9	518.6	68.4	8.1	2.6	8.2	3.6	4.8	2.8
			2200 2299	40.0	(16.4)	74.8	514.5	67.8	7.9	2.5	7.2	3.9	4.4	2.9
			2100 2199	42.0	(17.2)	74.2	516.5	64.7	7.7	2.6	6.1	4.0	4.0	2.7
			2000 2099	14.0	(5.7)	74.3	500.1	64.1	7.2	2.2	4.6	4.3	3.2	2.9
			1900 1999	4.0	(1.6)	73.2	457.1	59.3	6.1	2.5	5.3	4.3	3.3	3.0
			1800 1899	1.0	(0.4)	74.7	414.8	58.0	6.5	1.6	2.0	5.0	2.0	3.0
			1700 1799	3.0	(1.2)	71.7	465.6	47.3	6.7	2.8	4.0	4.0	2.7	2.7
				244.0	(3.6)	75.3	518.3	70.9	8.1	2.4	8.0	3.8	4.5	2.8
			3000	7.0	(28.0)	74.4	449.4	59.1	7.5	2.4	8.0	4.0	4.9	2.7
			2900 2999	2.0	(8.0)	74.9	465.3	67.5	8.1	3.1	8.5	4.0	4.5	2.5
			2800 2899	7.0	(28.0)	73.9	444.1	57.6	6.7	2.1	7.1	4.0	4.3	2.6
			2600 2699	4.0	(16.0)	74.4	485.0	66.0	7.6	3.0	7.3	4.0	4.0	2.8

[illegible]

