

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	1.0	(0.2)	77.1	499.0	79.0	8.6	2.3	12.0	4.0	5.0	3.0
			2800 2899	2.0	(0.5)	77.3	407.0	73.5	7.5	1.8	10.5	4.0	5.0	2.5
			2700 2799	3.0	(0.7)	79.3	512.3	94.0	8.9	2.1	11.3	4.0	5.0	2.3
			2600 2699	5.0	(1.1)	77.6	493.9	85.8	8.4	2.6	11.6	3.4	5.0	2.6
			2500 2599	18.0	(4.1)	77.1	476.6	79.1	8.1	2.3	10.7	3.6	5.0	2.6
			2400 2499	16.0	(3.6)	76.8	500.0	77.8	8.5	2.5	10.7	3.6	5.0	2.8
			2300 2399	33.0	(7.5)	76.1	499.2	74.7	8.4	2.6	9.7	3.8	4.9	2.7
			2200 2299	51.0	(11.6)	75.3	489.1	67.9	8.4	2.6	8.8	3.9	4.9	2.8
			2100 2199	61.0	(13.9)	74.8	485.7	66.0	8.3	2.9	7.9	4.0	4.5	2.9
			2000 2099	58.0	(13.2)	74.6	476.5	64.2	7.9	2.8	7.4	3.9	4.3	2.7
			1900 1999	38.0	(8.6)	74.2	487.7	62.3	8.0	2.8	6.0	3.9	3.9	2.9
			1800 1899	23.0	(5.2)	74.2	471.6	61.5	7.8	2.7	5.1	4.1	3.3	2.8
			1700 1799	13.0	(3.0)	73.3	476.9	57.8	8.0	3.4	5.1	3.8	3.2	2.8
			1600 1699	8.0	(1.8)	74.3	442.1	58.5	7.1	2.2	6.3	4.6	3.9	2.6
			1500 1599	8.0	(1.8)	73.9	405.7	54.5	6.8	2.3	5.1	4.4	3.3	2.8
			1400 1499	4.0	(0.9)	73.8	437.3	53.0	6.9	1.9	5.0	4.3	3.3	3.0
			1300 1399	2.0	(0.5)	72.7	424.0	46.0	6.5	1.9	3.5	4.5	2.5	3.0
			1200 1299	11.0	(2.5)	73.1	382.9	49.9	6.1	2.3	4.5	4.5	2.8	4.2
			1100 1199	8.0	(1.8)	72.2	384.3	43.6	5.9	2.2	3.1	4.8	2.3	3.6
			1000 1099	17.0	(3.9)	72.5	330.6	43.2	5.3	2.2	2.7	4.8	2.1	3.4
			999	60.0	(13.6)	71.6	300.4	35.3	4.4	1.8	2.8	5.4	2.0	5.1
				440.0	(7.4)	74.4	446.5	60.8	7.4	2.5	6.8	4.2	3.9	3.2
			3000	1.0	(1.0)	76.1	491.0	75.0	8.7	3.1	12.0	4.0	5.0	2.0
			2600 2699	2.0	(2.0)	76.7	448.5	70.5	8.3	1.9	11.5	4.0	5.0	2.0
			2500 2599	3.0	(3.0)	76.9	437.7	74.0	7.5	1.9	10.3	4.0	5.0	2.7
			2400 2499	3.0	(3.0)	74.7	464.0	67.3	8.3	3.6	10.3	3.0	5.0	2.3
			2300 2399	6.0	(6.0)	75.9	484.2	73.2	8.2	2.7	10.2	3.5	5.0	2.5
			2200 2299	7.0	(7.0)	75.1	459.7	62.9	8.3	2.4	8.3	3.9	4.7	2.7
			2100 2199	5.0	(5.0)	74.1	440.9	57.8	7.9	2.9	8.0	3.2	4.6	2.4
			2000 2099	6.0	(6.0)	74.7	461.3	63.5	7.7	2.6	6.2	3.7	3.8	2.7
			1900 1999	3.0	(3.0)	75.2	448.8	62.3	8.0	2.2	6.3	3.7	4.0	2.7
			1800 1899	2.0	(2.0)	75.2	444.5	59.5	8.1	2.0	4.5	4.0	3.0	2.5
			1700 1799	3.0	(3.0)	73.6	448.3	52.3	7.3	2.1	3.7	4.7	2.7	3.0
			1400 1499	3.0	(3.0)	73.1	366.3	48.0	6.1	2.3	6.0	4.7	3.3	3.3
			1300 1399	3.0	(3.0)	73.6	369.3	52.0	6.3	2.4	5.0	4.3	3.0	3.7
			1200 1299	6.0	(6.0)	72.7	410.3	49.7	6.1	2.3	4.3	4.7	2.5	4.0
			1100 1199	12.0	(12.0)	73.2	382.3	50.0	5.9	2.1	3.0	5.2	2.0	3.3
			1000 1099	20.0	(20.0)	71.4	334.4	38.0	5.0	2.3	3.0	5.1	2.0	4.0
			999	15.0	(15.0)	71.6	343.8	37.9	5.3	2.2	3.1	5.2	2.0	5.3
				100.0	(1.7)	73.4	398.7	51.8	6.5	2.4	5.3	4.5	3.1	3.5
			3000	8.0	(2.8)	76.8	424.4	72.5	7.9	2.3	11.0	3.8	5.0	3.0
			2900 2999	2.0	(0.7)	78.3	502.5	87.5	7.5	1.4	12.0	4.0	5.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	3.0	(1.0)	76.5	436.3	75.0	7.6	2.5	10.3	4.0	5.0	2.3
			2700 2799	7.0	(2.4)	75.1	403.1	62.3	7.9	2.9	8.7	3.6	4.6	2.7
			2600 2699	7.0	(2.4)	75.7	425.9	71.0	7.3	2.8	9.3	3.7	5.0	2.9
			2500 2599	7.0	(2.4)	75.1	448.7	68.7	7.6	3.0	9.3	4.0	4.7	2.7
			2400 2499	21.0	(7.3)	75.2	443.6	64.2	7.7	2.3	8.3	3.9	4.6	2.8
			2300 2399	17.0	(5.9)	75.0	445.1	67.1	7.5	2.9	9.0	3.7	4.8	2.8
			2200 2299	12.0	(4.2)	74.7	438.6	62.3	7.8	2.8	7.7	3.8	4.5	2.8
			2100 2199	12.0	(4.2)	74.7	476.8	65.8	7.9	2.9	7.8	3.9	4.4	2.8
			2000 2099	8.0	(2.8)	74.1	452.3	58.3	7.6	2.6	6.6	3.6	4.1	2.8
			1900 1999	6.0	(2.1)	74.6	431.9	60.5	7.2	2.3	6.2	4.3	3.8	2.8
			1800 1899	4.0	(1.4)	73.0	447.8	55.5	7.8	3.5	5.5	4.0	4.0	2.3
			1700 1799	7.0	(2.4)	73.4	385.2	49.7	7.2	2.8	4.7	4.4	3.3	2.6
			1600 1699	3.0	(1.0)	73.7	344.3	51.3	6.2	2.5	6.7	5.0	3.7	4.0
			1500 1599	3.0	(1.0)	72.2	399.7	47.0	6.0	2.6	4.3	4.3	3.0	3.3
			1400 1499	4.0	(1.4)	73.2	358.5	49.0	6.1	2.4	5.3	4.8	3.3	4.0
			1300 1399	10.0	(3.5)	73.6	379.4	51.2	6.3	2.1	4.1	4.8	2.7	3.6
			1200 1299	7.0	(2.4)	72.6	393.3	45.3	6.5	2.4	4.4	5.1	2.4	4.4
			1100 1199	12.0	(4.2)	73.0	338.1	45.9	5.6	2.1	3.3	4.9	2.3	3.8
			1000 1099	39.0	(13.6)	72.0	322.5	40.3	5.0	2.1	3.2	4.9	2.1	4.0
			999	87.0	(30.4)	71.3	272.4	32.8	3.9	1.8	2.6	5.2	1.9	5.0
				286.0	(4.8)	73.2	362.8	49.4	5.9	2.3	5.3	4.5	3.1	3.8
			3000	7.0	(2.3)	77.3	458.4	80.4	8.2	2.6	11.7	3.6	5.0	2.9
			2900 2999	3.0	(1.0)	76.7	438.5	75.7	8.0	2.6	11.3	3.3	5.0	3.0
			2800 2899	4.0	(1.3)	74.7	427.0	63.8	8.1	3.3	11.3	3.8	5.0	3.0
			2700 2799	6.0	(2.0)	75.8	475.3	71.8	8.2	2.8	10.7	3.7	5.0	2.8
			2600 2699	13.0	(4.2)	75.7	482.6	72.2	8.3	2.9	10.5	3.9	5.0	2.8
			2500 2599	14.0	(4.6)	76.3	454.7	73.6	8.2	2.7	9.9	3.2	5.0	2.9
			2400 2499	25.0	(8.1)	75.4	465.1	69.1	8.2	2.9	9.7	3.7	5.0	2.7
			2300 2399	24.0	(7.8)	75.1	463.5	65.6	8.1	2.7	8.5	3.9	4.8	2.7
			2200 2299	25.0	(8.1)	75.0	502.8	69.3	8.5	3.1	8.5	3.8	4.8	2.8
			2100 2199	11.0	(3.6)	75.0	462.7	67.3	8.5	3.3	7.6	4.1	4.2	2.9
			2000 2099	16.0	(5.2)	74.1	472.5	62.4	7.8	3.1	6.8	3.9	4.1	2.9
			1900 1999	8.0	(2.6)	74.3	467.0	60.3	8.0	2.7	5.8	3.8	3.8	2.8
			1800 1899	11.0	(3.6)	73.2	418.1	50.7	7.9	3.1	6.4	3.9	4.0	2.8
			1700 1799	2.0	(0.7)	74.8	402.3	62.0	7.2	2.7	4.5	4.0	3.5	3.0
			1600 1699	4.0	(1.3)	73.3	376.6	49.8	7.1	3.0	4.3	4.0	3.3	3.0
			1500 1599	7.0	(2.3)	73.7	431.7	52.0	7.7	2.4	6.4	3.4	4.1	3.0
			1400 1499	11.0	(3.6)	73.4	454.6	52.6	7.4	2.3	5.9	3.4	4.0	2.8
			1300 1399	12.0	(3.9)	73.6	412.9	53.0	7.0	2.5	5.3	3.8	3.5	3.3
			1200 1299	12.0	(3.9)	73.1	415.2	47.7	7.1	2.3	5.2	3.8	3.6	3.3
			1100 1199	16.0	(5.2)	72.0	354.6	38.1	6.0	2.1	3.8	4.2	2.9	3.4
			1000 1099	24.0	(7.8)	71.7	368.9	37.8	6.2	2.4	3.8	4.3	2.7	3.7
			999	52.0	(16.9)	71.6	310.1	33.0	5.0	1.7	2.8	4.7	2.2	4.7
				307.0	(5.1)	73.9	420.1	55.3	7.2	2.6	6.6	4.0	3.9	3.3

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2400 2499	2.0	(7.1)	75.6	489.0	65.0	8.8	2.2	11.5	4.0	5.0	3.0
			2300 2399	2.0	(7.1)	75.8	499.5	72.0	8.1	2.4	10.5	3.5	5.0	3.0
			2200 2299	5.0	(17.9)	75.1	438.3	64.2	7.7	2.6	8.4	4.2	4.8	3.2
			2100 2199	5.0	(17.9)	74.4	453.9	60.0	7.6	2.5	8.4	4.2	5.0	3.0
			2000 2099	3.0	(10.7)	74.3	456.2	61.3	7.8	3.0	8.0	4.0	4.3	3.0
			1900 1999	1.0	(3.6)	73.2	502.0	64.0	8.1	4.0	6.0	3.0	4.0	3.0
			1800 1899	1.0	(3.6)	71.3	506.0	60.0	7.1	4.8	7.0	4.0	4.0	3.0
			1500 1599	1.0	(3.6)	71.0	308.0	35.0	4.1	2.1	2.0	4.0	2.0	2.0
			1400 1499	1.0	(3.6)	73.8	407.0	59.0	6.5	2.8	8.0	4.0	4.0	2.0
			1200 1299	2.0	(7.1)	73.3	392.5	51.5	6.5	2.5	5.5	5.0	3.0	4.0
			1000 1099	2.0	(7.1)	72.5	330.0	42.0	5.5	2.2	3.5	4.5	2.5	4.0
			999	3.0	(10.7)	71.2	324.0	34.7	5.2	2.3	2.3	4.7	2.0	4.3
				28.0	(0.5)	73.8	426.7	56.7	7.1	2.6	7.1	4.2	4.0	3.3
			3000	77.0	(12.5)	76.6	461.0	74.4	8.0	2.3	10.4	3.7	5.0	2.9
			2900 2999	25.0	(4.1)	75.5	458.8	68.8	8.0	2.8	9.4	3.8	5.0	3.0
			2800 2899	44.0	(7.2)	76.4	474.0	74.3	8.4	2.6	9.3	3.7	4.8	2.9
			2700 2799	73.0	(11.9)	76.1	463.2	72.3	8.1	2.6	10.0	3.5	4.9	3.0
			2600 2699	74.0	(12.0)	75.9	474.5	72.5	8.2	2.8	9.4	3.6	4.8	2.9
			2500 2599	69.0	(11.2)	75.3	487.4	70.3	8.3	3.0	9.8	3.3	4.9	2.9
			2400 2499	65.0	(10.6)	75.3	495.4	69.7	8.5	2.9	9.1	3.5	4.9	2.9
			2300 2399	60.0	(9.8)	75.6	516.6	71.9	8.9	3.0	9.4	3.7	4.9	2.7
			2200 2299	52.0	(8.5)	75.0	516.3	68.9	8.8	3.2	8.3	3.7	4.7	2.7
			2100 2199	20.0	(3.3)	74.6	511.6	64.5	8.8	3.0	7.0	4.2	4.3	2.6
			2000 2099	16.0	(2.6)	74.4	500.3	65.3	8.2	3.0	6.1	3.9	3.9	2.8
			1900 1999	3.0	(0.5)	72.5	403.9	50.0	6.7	3.2	4.7	4.3	3.3	3.0
			1800 1899	3.0	(0.5)	72.5	401.7	52.0	6.5	3.2	7.3	4.3	4.3	2.7
			1700 1799	2.0	(0.3)	72.3	439.5	52.0	7.5	3.7	5.0	4.0	3.5	3.0
			1500 1599	2.0	(0.3)	72.5	553.5	67.0	7.8	4.3	6.5	3.5	4.5	3.0
			1400 1499	2.0	(0.3)	72.4	429.5	46.5	6.1	1.9	3.5	5.0	2.0	4.0
			1300 1399	6.0	(1.0)	71.8	399.2	48.8	6.4	3.6	5.0	4.3	3.7	3.7
			1200 1299	9.0	(1.5)	71.9	378.2	43.3	5.7	2.4	4.3	4.4	3.0	3.9
			1100 1199	3.0	(0.5)	72.0	372.9	38.7	6.3	2.2	3.3	4.7	2.0	3.7
			1000 1099	7.0	(1.1)	72.2	363.4	40.9	6.0	2.2	3.1	4.7	2.1	4.4
			999	3.0	(0.5)	72.3	289.6	35.3	5.1	1.6	2.7	4.7	2.0	4.3
				615.0	(10.3)	75.5	478.4	69.6	8.2	2.8	9.0	3.7	4.7	2.9
			2800 2899	1.0	(0.5)	78.3	437.0	83.0	8.5	2.4	9.0	4.0	5.0	3.0
			2600 2699	2.0	(1.0)	76.4	503.2	82.0	8.2	3.1	12.0	3.5	5.0	3.5
			2500 2599	2.0	(1.0)	77.0	498.0	80.0	9.2	3.0	12.0	4.0	5.0	3.0
			2400 2499	12.0	(5.9)	76.6	454.4	73.0	7.9	2.2	10.5	3.8	5.0	2.8
			2300 2399	11.0	(5.4)	75.0	446.8	64.3	7.8	2.7	9.7	3.8	4.9	2.6
			2200 2299	14.0	(6.8)	75.4	464.9	69.7	8.1	3.0	9.3	3.9	4.9	2.7
			2100 2199	16.0	(7.8)	75.4	477.3	70.3	8.1	3.0	9.0	3.9	4.9	2.6
			2000 2099	18.0	(8.8)	75.0	460.7	64.1	7.9	2.6	8.2	4.0	4.8	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	16.0	(7.8)	74.4	476.3	63.2	7.9	2.9	7.7	4.3	4.4	2.6
			1800 1899	28.0	(13.7)	74.4	453.0	61.7	7.8	2.9	6.8	4.0	4.0	2.7
			1700 1799	9.0	(4.4)	74.1	478.8	61.2	8.2	3.1	5.9	4.0	3.7	2.8
			1600 1699	7.0	(3.4)	74.5	416.9	58.0	7.3	2.3	5.1	4.6	3.4	2.7
			1500 1599	3.0	(1.5)	75.4	452.2	67.7	7.4	2.3	6.3	4.3	4.0	3.3
			1400 1499	4.0	(2.0)	74.8	405.6	60.8	7.2	2.5	5.5	4.5	3.3	3.0
			1300 1399	2.0	(1.0)	74.3	456.0	60.5	7.5	2.6	6.0	5.0	3.5	4.5
			1200 1299	8.0	(3.9)	73.8	428.6	53.8	7.4	2.5	4.6	4.1	3.3	3.5
			1100 1199	5.0	(2.4)	72.8	433.4	51.2	6.7	2.6	4.2	5.0	3.0	3.8
			1000 1099	9.0	(4.4)	72.6	356.6	46.1	5.8	2.5	3.7	4.9	2.3	3.8
			999	38.0	(18.5)	72.3	324.7	41.3	5.0	1.9	2.7	5.2	2.0	4.5
				205.0	(3.4)	74.3	428.4	59.4	7.2	2.6	6.6	4.3	3.8	3.2
			3000	1.0	(0.6)	74.5	463.0	64.0	8.2	3.3	10.0	4.0	5.0	3.0
			2800 2899	2.0	(1.1)	77.3	465.5	77.0	8.1	1.9	12.0	3.5	5.0	2.0
			2700 2799	3.0	(1.7)	75.2	490.7	72.0	8.4	3.4	11.7	4.0	5.0	3.0
			2600 2699	5.0	(2.8)	76.3	467.2	75.8	7.8	2.5	11.0	4.0	5.0	3.0
			2500 2599	8.0	(4.4)	75.1	485.1	69.3	8.1	3.0	10.5	4.0	5.0	2.8
			2400 2499	16.0	(8.9)	75.9	466.2	71.5	8.2	2.8	8.8	3.8	4.9	2.8
			2300 2399	24.0	(13.3)	75.0	443.9	65.3	7.7	2.8	9.2	4.0	4.8	2.6
			2200 2299	23.0	(12.8)	74.8	487.3	66.1	8.3	2.9	8.2	3.9	4.6	2.8
			2100 2199	29.0	(16.1)	74.8	467.7	64.1	8.2	2.9	7.4	3.9	4.3	2.6
			2000 2099	19.0	(10.6)	74.2	457.9	60.9	7.8	3.0	7.1	3.7	4.3	2.8
			1900 1999	10.0	(5.6)	73.3	422.8	52.9	7.2	2.8	4.8	3.9	3.4	2.6
			1800 1899	7.0	(3.9)	73.8	445.9	56.4	7.3	2.5	4.3	4.0	3.0	2.7
			1700 1799	4.0	(2.2)	74.1	397.3	56.8	7.5	3.0	3.8	4.3	2.8	2.5
			1600 1699	4.0	(2.2)	72.9	403.8	49.5	7.3	3.1	2.8	4.0	2.3	2.5
			1400 1499	1.0	(0.6)	73.6	390.5	45.0	6.9	1.6	6.0	5.0	4.0	3.0
			1300 1399	2.0	(1.1)	73.3	417.5	52.5	6.0	1.8	7.0	4.0	4.0	4.5
			1200 1299	2.0	(1.1)	72.5	389.0	49.0	6.0	2.7	4.0	4.0	3.0	3.0
			1100 1199	1.0	(0.6)	71.8	428.5	41.0	6.7	2.3	3.0	4.0	2.0	4.0
			1000 1099	4.0	(2.2)	71.8	347.4	39.3	5.7	2.4	4.0	4.8	2.8	4.8
			999	15.0	(8.3)	71.8	301.4	35.7	4.6	1.7	2.6	4.9	2.0	4.8
				180.0	(3.0)	74.4	442.0	60.8	7.5	2.7	7.2	4.0	4.1	3.0
			3000	2.0	(1.5)	78.9	430.0	86.0	7.8	1.6	11.5	3.5	5.0	3.0
			2900 2999	2.0	(1.5)	78.3	484.5	86.0	8.5	2.0	12.0	3.5	5.0	3.0
			2800 2899	1.0	(0.7)	77.1	455.0	82.0	7.3	2.4	12.0	3.0	5.0	2.0
			2700 2799	2.0	(1.5)	79.0	520.5	91.0	8.5	1.6	12.0	3.5	5.0	2.0
			2600 2699	2.0	(1.5)	75.6	436.0	70.0	8.3	3.4	11.5	3.0	5.0	2.5
			2500 2599	9.0	(6.6)	75.7	462.7	69.3	7.9	2.5	9.7	3.7	4.9	2.4
			2400 2499	4.0	(2.9)	74.7	503.0	66.8	8.4	3.0	10.0	3.5	5.0	2.8
			2300 2399	13.0	(9.6)	74.6	454.2	62.9	8.0	2.9	9.2	3.8	4.9	2.8
			2200 2299	8.0	(5.9)	75.8	484.9	73.9	7.9	2.8	8.1	4.0	4.9	2.9
			2100 2199	6.0	(4.4)	75.9	493.3	71.7	8.3	2.5	7.8	4.2	4.3	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	3.0	(2.2)	73.8	488.0	63.7	7.6	3.2	6.3	4.0	4.0	3.0
			1900 1999	8.0	(5.9)	73.7	451.5	54.1	8.0	2.7	5.0	4.5	3.3	2.6
			1800 1899	3.0	(2.2)	73.8	474.3	56.3	7.9	2.6	4.3	4.0	3.0	2.3
			1700 1799	2.0	(1.5)	71.5	512.5	54.5	8.1	4.5	6.0	4.5	3.5	3.0
			1600 1699	1.0	(0.7)	73.7	453.0	58.0	7.7	3.1	7.0	5.0	4.0	2.0
			1500 1599	1.0	(0.7)	75.8	526.0	64.0	8.8	1.4	3.0	4.0	2.0	3.0
			1400 1499	1.0	(0.7)	73.2	412.0	50.0	6.3	2.0	5.0	5.0	3.0	4.0
			1300 1399	2.0	(1.5)	73.3	411.5	52.5	6.0	2.0	4.5	4.5	2.5	3.5
			1200 1299	14.0	(10.3)	72.3	403.6	47.4	6.1	2.6	4.8	4.9	3.1	3.5
			1100 1199	9.0	(6.6)	72.5	374.9	44.9	5.8	2.2	3.2	5.0	2.0	4.0
			1000 1099	16.0	(11.8)	72.2	352.3	42.3	5.5	2.2	2.9	5.0	2.1	4.1
			999	27.0	(19.9)	71.5	298.2	36.3	4.2	1.8	2.2	5.4	1.8	4.6
				136.0	(2.3)	73.6	408.6	54.3	6.6	2.4	5.7	4.5	3.3	3.4
			3000	1.0	(0.5)	76.0	451.0	70.0	8.0	2.6	7.0	4.0	5.0	3.0
			2900 2999	2.0	(1.0)	75.8	425.5	72.0	7.3	2.8	8.5	4.0	5.0	2.5
			2800 2899	1.0	(0.5)	75.7	402.0	68.0	7.2	2.6	8.0	4.0	5.0	3.0
			2700 2799	10.0	(5.1)	77.8	458.1	78.8	8.3	1.8	11.4	3.6	5.0	2.9
			2600 2699	2.0	(1.0)	78.5	458.0	84.0	8.3	1.7	11.5	4.0	5.0	3.0
			2500 2599	5.0	(2.6)	77.1	449.4	75.8	8.1	2.2	10.6	3.8	5.0	3.0
			2400 2499	13.0	(6.6)	75.7	451.2	65.9	8.0	2.2	9.5	4.0	5.0	2.8
			2300 2399	19.0	(9.7)	76.2	454.4	69.8	8.1	2.3	9.3	3.8	4.9	2.8
			2200 2299	15.0	(7.7)	75.8	465.0	70.1	8.1	2.5	9.4	3.6	4.9	2.9
			2100 2199	19.0	(9.7)	75.0	451.8	63.7	7.9	2.6	8.2	3.6	4.7	2.8
			2000 2099	16.0	(8.2)	74.8	425.8	62.0	7.5	2.6	7.6	3.8	4.4	2.8
			1900 1999	8.0	(4.1)	73.5	425.3	56.6	7.1	2.9	7.4	3.9	4.3	2.8
			1800 1899	12.0	(6.1)	74.7	451.2	60.0	7.5	2.1	5.7	4.2	3.8	2.9
			1700 1799	1.0	(0.5)	72.5	467.0	54.0	7.3	3.3	6.0	4.0	4.0	3.0
			1500 1599	1.0	(0.5)	74.1	346.0	53.0	5.7	1.9	3.0	4.0	3.0	3.0
			1400 1499	1.0	(0.5)	71.8	491.0	59.0	6.5	3.8	4.0	5.0	4.0	3.0
			1300 1399	1.0	(0.5)	72.1	570.0	58.0	7.9	3.4	6.0	5.0	3.0	5.0
			1100 1199	5.0	(2.6)	72.8	372.1	45.0	5.7	1.8	3.6	5.2	2.4	4.6
			1000 1099	17.0	(8.7)	72.1	336.6	40.7	5.1	2.0	2.8	5.2	2.1	4.2
			999	47.0	(24.0)	71.4	269.0	32.2	4.0	1.6	2.2	5.6	1.8	4.6
				196.0	(3.3)	74.2	394.1	55.5	6.6	2.2	6.4	4.4	3.7	3.4
			2600 2699	1.0	(7.7)	75.3	468.7	65.0	8.2	2.5	9.0	3.0	5.0	3.0
			2500 2599	2.0	(15.4)	76.4	493.5	76.0	8.7	2.8	10.0	3.5	5.0	3.0
			2400 2499	1.0	(7.7)	76.3	494.5	70.0	8.5	1.8	10.0	3.0	5.0	3.0
			2300 2399	2.0	(15.4)	74.1	481.0	69.0	8.0	4.0	10.5	3.0	5.0	3.0
			2200 2299	1.0	(7.7)	76.7	465.5	75.0	8.3	2.4	10.0	3.0	5.0	3.0
			2100 2199	1.0	(7.7)	72.3	500.0	56.0	7.8	3.7	6.0	4.0	4.0	3.0
			2000 2099	1.0	(7.7)	74.3	476.0	58.0	8.2	2.3	7.0	4.0	4.0	3.0
			1100 1199	1.0	(7.7)	72.7	315.5	42.0	5.3	1.9	3.0	4.0	2.0	4.0
			1000 1099	1.0	(7.7)	72.7	342.0	44.0	5.5	2.0	4.0	5.0	2.0	3.0
			999	2.0	(15.4)	71.8	263.5	33.5	4.3	1.6	2.5	5.5	2.0	4.0

					(%)	(kg)	(cm2)	(cm)	(cm)					
				13.0	(0.2)	74.2	426.0	59.0	7.2	2.6	7.3	3.8	3.9	3.2
			2600 2699	1.0	(1.7)	79.6	489.0	94.0	8.2	1.5	12.0	4.0	5.0	2.0
			2500 2599	1.0	(1.7)	73.6	498.0	66.0	8.0	3.9	9.0	5.0	5.0	2.0
			2400 2499	3.0	(5.0)	75.8	468.3	68.0	7.8	2.0	8.7	3.7	4.7	2.3
			2300 2399	3.0	(5.0)	75.8	461.3	68.7	7.9	2.2	8.0	3.7	4.3	2.0
			2200 2299	6.0	(10.0)	75.8	472.5	70.2	8.1	2.5	8.2	4.0	4.8	2.8
			2100 2199	10.0	(16.7)	74.8	466.5	63.9	8.0	2.7	8.2	4.0	4.5	2.8
			2000 2099	8.0	(13.3)	75.2	452.6	63.6	8.0	2.4	7.1	3.9	4.4	2.8
			1900 1999	3.0	(5.0)	75.0	443.7	61.3	7.8	2.3	5.3	3.7	3.3	2.7
			1800 1899	1.0	(1.7)	74.2	456.0	54.0	7.2	1.5	3.0	4.0	3.0	3.0
			1700 1799	9.0	(15.0)	74.0	454.2	57.7	7.4	2.5	5.1	4.4	3.3	2.8
			1600 1699	1.0	(1.7)	74.0	374.0	57.0	7.0	3.1	8.0	4.0	5.0	4.0
			1400 1499	1.0	(1.7)	73.5	338.0	55.0	6.0	3.1	2.0	4.0	2.0	2.0
			1200 1299	1.0	(1.7)	73.8	366.0	46.0	6.2	1.3	3.0	6.0	2.0	4.0
			1100 1199	1.0	(1.7)	73.8	356.0	57.0	5.1	2.2	5.0	5.0	3.0	4.0
			1000 1099	5.0	(8.3)	72.8	377.6	44.0	6.4	2.1	3.0	5.2	2.0	4.2
			999	6.0	(10.0)	71.8	282.5	36.7	4.1	1.8	2.5	5.2	1.7	4.8
				60.0	(1.0)	74.5	429.8	59.2	7.2	2.3	6.2	4.3	3.7	3.1
			2400 2499	2.0	(25.0)	78.3	576.5	88.5	10.4	2.5	9.0	3.0	5.0	3.0
			2300 2399	1.0	(12.5)	76.6	556.0	77.0	9.4	2.3	9.0	3.0	5.0	3.0
			2200 2299	2.0	(25.0)	75.4	539.0	70.0	9.5	3.0	9.5	4.0	5.0	3.0
			2100 2199	1.0	(12.5)	75.8	549.0	85.0	8.0	3.5	9.0	4.0	5.0	3.0
			1900 1999	1.0	(12.5)	72.9	543.0	61.0	8.2	3.4	5.0	5.0	3.0	3.0
			1000 1099	1.0	(12.5)	72.8	421.5	54.0	7.5	3.8	5.0	5.0	3.0	6.0
				8.0	(0.1)	75.7	537.6	74.3	9.1	3.0	8.1	3.9	4.5	3.4
			3000	3.0	(8.1)	76.4	433.7	74.0	7.5	2.4	10.0	4.0	5.0	2.7
			2900 2999	1.0	(2.7)	74.4	499.0	70.0	8.0	3.6	10.0	4.0	5.0	3.0
			2700 2799	2.0	(5.4)	77.6	472.0	79.0	8.7	2.1	10.0	3.5	5.0	3.0
			2600 2699	3.0	(8.1)	77.1	501.7	79.3	8.6	2.3	10.3	4.0	5.0	3.0
			2500 2599	6.0	(16.2)	75.7	488.5	70.2	8.4	2.7	8.7	3.8	4.8	3.0
			2400 2499	1.0	(2.7)	76.1	522.0	75.0	8.8	2.7	9.0	3.0	5.0	3.0
			2300 2399	3.0	(8.1)	75.3	439.7	64.0	7.8	2.4	9.0	3.7	5.0	2.7
			2200 2299	3.0	(8.1)	74.4	540.0	68.0	8.8	3.3	8.3	3.7	5.0	2.7
			2100 2199	2.0	(5.4)	75.6	485.5	70.5	7.8	2.3	7.5	4.0	4.5	3.0
			2000 2099	3.0	(8.1)	73.8	422.3	57.0	7.7	3.3	6.7	4.3	4.0	3.0
			1900 1999	1.0	(2.7)	72.7	517.0	66.0	8.1	4.8	7.0	4.0	4.0	3.0
			1800 1899	1.0	(2.7)	73.5	408.0	53.0	6.9	2.6	5.0	5.0	3.0	3.0
			1600 1699	3.0	(8.1)	73.9	447.3	62.3	6.9	2.9	6.0	3.7	3.7	3.0
			1500 1599	1.0	(2.7)	74.7	519.0	65.0	8.1	2.3	8.0	4.0	5.0	3.0
			1400 1499	3.0	(8.1)	73.5	484.0	53.7	7.9	2.4	4.3	5.0	3.0	3.3
			1300 1399	1.0	(2.7)	73.7	480.0	56.0	7.4	2.1	4.0	5.0	3.0	3.0
				37.0	(0.6)	75.1	475.6	67.0	8.0	2.7	7.9	4.0	4.5	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2700 2799	1.0	(9.1)	75.0	430.0	63.0	7.4	2.4	8.0	4.0	5.0	3.0
			2500 2599	2.0	(18.2)	76.2	485.0	72.5	7.9	2.0	10.5	4.0	5.0	3.0
			2400 2499	1.0	(9.1)	73.8	434.0	60.0	8.1	3.8	9.0	4.0	5.0	3.0
			2200 2299	1.0	(9.1)	72.6	520.0	61.0	8.2	4.1	10.0	4.0	5.0	3.0
			2100 2199	2.0	(18.2)	73.8	422.0	53.0	7.3	2.4	9.5	4.0	5.0	2.5
			1500 1599	1.0	(9.1)	71.9	362.0	45.0	6.0	3.1	3.0	4.0	2.0	2.0
			1200 1299	1.0	(9.1)	74.2	332.0	53.0	5.1	1.6	5.0	5.0	3.0	3.0
			1100 1199	1.0	(9.1)	70.6	413.0	43.0	5.6	3.3	4.0	5.0	2.0	3.0
			999	1.0	(9.1)	74.6	324.0	59.0	5.1	2.0	4.0	5.0	2.0	6.0
				11.0	(0.2)	73.9	420.8	57.7	6.9	2.6	7.5	4.3	4.0	3.1
			2700 2799	1.0	(7.1)	77.6	502.0	80.0	8.4	1.7	8.0	4.0	5.0	3.0
			2600 2699	3.0	(21.4)	76.8	469.3	71.3	8.6	1.9	11.7	3.0	5.0	3.0
			2500 2599	1.0	(7.1)	79.5	422.0	89.0	7.6	1.4	9.0	4.0	5.0	3.0
			2400 2499	4.0	(28.6)	75.8	417.4	65.8	7.6	2.2	8.5	3.3	4.8	2.5
			2300 2399	1.0	(7.1)	76.6	545.0	84.0	8.3	2.7	10.0	4.0	5.0	3.0
			2200 2299	2.0	(14.3)	76.0	468.8	71.5	7.7	2.2	7.0	2.5	4.0	3.0
			2100 2199	1.0	(7.1)	75.9	469.0	69.0	7.5	1.8	6.0	4.0	4.0	2.0
			1800 1899	1.0	(7.1)	75.1	470.0	64.0	8.3	2.5	4.0	3.0	3.0	3.0
				14.0	(0.2)	76.5	458.8	71.9	8.0	2.1	8.6	3.3	4.6	2.8
			3000	1.0	(33.3)	77.9	563.0	87.0	8.9	1.8	12.0	4.0	5.0	2.0
			2600 2699	2.0	(66.7)	76.3	522.0	76.5	8.1	2.1	8.5	4.0	4.5	2.5
				3.0	(0.1)	76.8	535.7	80.0	8.3	2.0	9.7	4.0	4.7	2.3
			2500 2599	1.0	(8.3)	78.0	458.0	69.0	10.5	1.9	9.0	3.0	5.0	3.0
			2400 2499	3.0	(25.0)	75.8	491.2	70.7	8.2	2.5	10.0	3.0	5.0	2.0
			2300 2399	2.0	(16.7)	75.2	450.0	60.5	8.5	2.5	7.0	3.5	4.5	2.0
			2200 2299	1.0	(8.3)	74.3	525.0	69.0	8.0	3.1	7.0	4.0	4.0	2.0
			2100 2199	2.0	(16.7)	73.8	443.0	59.5	8.3	3.8	9.5	3.0	5.0	2.5
			1700 1799	1.0	(8.3)	72.8	411.5	53.0	7.3	3.5	3.0	4.0	3.0	3.0
			999	2.0	(16.7)	72.2	313.3	38.5	4.8	1.6	2.0	5.5	2.0	5.5
				12.0	(0.2)	74.5	440.0	60.0	7.8	2.6	7.2	3.7	4.2	2.8
			3000	6.0	(7.1)	77.3	481.3	81.7	8.2	2.5	11.7	3.7	5.0	2.7
			2900 2999	1.0	(1.2)	73.4	537.3	67.0	9.0	4.4	9.0	4.0	5.0	3.0
			2800 2899	2.0	(2.4)	77.0	434.1	75.5	8.3	2.5	12.0	3.5	5.0	2.5
			2700 2799	3.0	(3.5)	75.0	484.4	67.0	9.4	3.7	12.0	4.0	5.0	2.3
			2600 2699	3.0	(3.5)	76.4	499.1	75.0	8.4	2.3	11.0	3.7	5.0	3.0
			2500 2599	10.0	(11.8)	75.0	467.6	65.3	8.1	2.7	9.4	3.5	5.0	2.8
			2400 2499	7.0	(8.2)	74.6	486.6	65.6	8.4	3.1	9.1	3.7	5.0	2.7
			2300 2399	12.0	(14.1)	74.2	498.8	66.4	8.3	3.5	8.8	3.4	4.8	3.0
			2200 2299	14.0	(16.5)	73.7	471.9	59.4	8.2	3.3	7.3	3.7	4.5	2.6
			2100 2199	3.0	(3.5)	73.8	413.2	52.7	7.7	2.7	5.7	3.3	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	4.0	(4.7)	74.0	436.5	55.8	8.0	2.9	7.5	3.8	4.5	2.3
			1900 1999	4.0	(4.7)	73.7	422.3	49.8	7.8	2.4	4.0	3.3	3.3	2.8
			1800 1899	3.0	(3.5)	72.1	451.5	49.0	8.2	3.9	4.7	4.0	3.3	2.3
			1700 1799	1.0	(1.2)	72.5	484.2	52.0	7.8	3.1	5.0	5.0	3.0	3.0
			1600 1699	1.0	(1.2)	72.6	398.0	59.0	6.6	4.3	8.0	5.0	4.0	4.0
			1400 1499	1.0	(1.2)	72.4	373.6	54.0	5.4	3.3	6.0	5.0	3.0	4.0
			1200 1299	1.0	(1.2)	72.0	466.0	48.0	6.3	2.3	3.0	4.0	2.0	4.0
			1100 1199	4.0	(4.7)	70.1	363.6	38.5	5.5	3.7	4.0	4.0	2.8	4.3
			1000 1099	4.0	(4.7)	72.3	350.2	46.3	4.7	2.1	3.8	5.3	2.5	4.8
			999	1.0	(1.2)	72.9	318.0	42.0	5.1	1.5	4.0	5.0	2.0	6.0
				85.0	(1.4)	74.1	457.0	61.1	7.8	3.0	7.9	3.8	4.3	3.0
			3000	68.0	(39.5)	76.3	429.0	69.0	8.5	2.6	10.1	3.6	5.0	3.0
			2900 2999	22.0	(12.8)	75.0	438.2	63.0	8.4	3.0	9.0	3.6	5.0	3.0
			2800 2899	16.0	(9.3)	74.4	458.8	61.1	8.3	3.1	8.6	3.8	4.9	2.8
			2700 2799	25.0	(14.5)	75.3	438.2	66.5	7.8	2.7	7.6	4.0	4.4	2.6
			2600 2699	12.0	(7.0)	74.5	431.2	60.7	8.0	3.1	6.3	4.2	4.1	3.0
			2500 2599	8.0	(4.7)	72.7	443.7	53.0	8.0	3.8	6.1	4.3	3.9	2.9
			2400 2499	5.0	(2.9)	73.1	443.7	50.0	7.5	2.5	5.2	4.6	3.2	3.0
			2300 2399	2.0	(1.2)	72.5	422.7	52.5	8.1	4.2	6.5	4.5	4.0	3.5
			2100 2199	1.0	(0.6)	73.8	455.4	57.0	8.5	3.4	5.0	4.0	4.0	4.0
			1700 1799	1.0	(0.6)	73.8	432.4	60.0	7.4	3.3	8.0	4.0	5.0	4.0
			1600 1699	1.0	(0.6)	76.0	454.7	73.0	6.5	1.7	5.0	4.0	4.0	2.0
			1200 1299	2.0	(1.2)	70.9	432.4	38.0	8.0	3.6	4.5	4.5	3.0	4.0
			1100 1199	4.0	(2.3)	72.2	387.6	43.3	6.0	2.1	3.3	4.8	2.3	3.0
			1000 1099	2.0	(1.2)	71.5	316.6	37.5	5.4	2.7	3.5	5.5	2.5	5.5
			999	3.0	(1.7)	70.2	340.4	30.0	5.7	2.8	2.3	5.3	1.3	4.3
				172.0	(2.9)	75.0	432.0	63.0	8.1	2.8	8.3	3.9	4.5	3.0
			2700 2799	4.0	(6.8)	78.6	547.7	91.8	9.4	2.5	12.0	3.3	5.0	2.3
			2600 2699	14.0	(23.7)	76.0	513.9	74.1	9.2	3.0	11.1	3.4	5.0	2.3
			2500 2599	5.0	(8.5)	77.0	464.5	74.8	7.8	1.7	9.2	3.6	4.8	2.2
			2400 2499	6.0	(10.2)	75.8	495.6	70.7	8.6	2.6	8.7	3.3	4.8	2.5
			2300 2399	7.0	(11.9)	75.0	492.9	66.6	8.4	2.7	10.4	3.6	5.0	2.9
			2200 2299	8.0	(13.6)	75.3	480.1	68.3	8.1	2.6	8.6	3.5	4.5	2.9
			2100 2199	5.0	(8.5)	74.0	487.3	63.8	7.5	2.9	7.6	3.6	4.4	2.6
			2000 2099	7.0	(11.9)	73.7	516.5	69.3	7.7	3.8	6.9	4.0	4.0	2.6
			1900 1999	2.0	(3.4)	73.6	522.9	69.0	8.3	4.2	7.5	3.0	4.5	3.0
			999	1.0	(1.7)	71.9	250.0	38.0	3.0	1.5	2.0	5.0	1.0	3.0
				59.0	(1.0)	75.4	496.9	71.1	8.3	2.8	9.3	3.5	4.6	2.5
			2600 2699	2.0	(3.2)	77.6	477.2	83.0	8.8	2.9	12.0	3.0	5.0	3.0
			2500 2599	3.0	(4.8)	74.9	465.9	69.0	8.3	3.5	11.7	3.0	5.0	3.0
			2400 2499	6.0	(9.5)	76.3	476.6	75.2	8.2	2.6	10.2	3.3	5.0	3.0
			2300 2399	5.0	(7.9)	75.7	475.6	73.2	8.8	3.5	10.2	3.4	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	6.0	(9.5)	74.5	465.5	62.8	8.0	2.8	9.3	3.2	5.0	3.0
			2100 2199	9.0	(14.3)	74.2	466.7	61.9	8.3	3.3	7.8	3.7	4.3	3.0
			2000 2099	6.0	(9.5)	74.7	459.6	62.7	7.8	2.6	7.0	3.7	4.3	3.0
			1900 1999	7.0	(11.1)	73.5	473.3	59.1	8.2	3.5	6.9	3.7	4.0	3.0
			1800 1899	10.0	(15.9)	72.9	468.7	57.0	8.4	4.1	6.3	4.1	3.9	3.0
			1700 1799	4.0	(6.3)	73.5	478.3	60.5	8.1	3.5	4.8	3.8	3.3	3.0
			1600 1699	2.0	(3.2)	73.3	442.1	57.5	7.7	3.6	5.5	4.5	3.0	3.5
			1500 1599	1.0	(1.6)	71.6	490.8	43.0	7.9	2.8	3.0	4.0	2.0	3.0
			1400 1499	1.0	(1.6)	73.6	295.8	48.0	5.6	2.3	7.0	4.0	4.0	3.0
			1000 1099	1.0	(1.6)	70.3	430.0	35.0	5.3	2.1	4.0	5.0	2.0	4.0
				63.0	(1.1)	74.3	466.0	63.0	8.2	3.3	7.8	3.7	4.3	3.0
			3000	118.0	(41.3)	75.8	482.5	71.4	8.6	2.9	10.7	3.7	5.0	2.5
			2900 2999	14.0	(4.9)	74.8	479.7	64.9	8.2	2.7	8.9	3.9	4.8	2.4
			2800 2899	9.0	(3.1)	74.0	490.6	65.1	7.7	3.2	7.9	3.6	4.7	2.6
			2700 2799	28.0	(9.8)	74.9	478.8	64.8	8.2	2.7	8.0	3.7	4.6	2.5
			2600 2699	19.0	(6.6)	75.1	478.1	67.2	8.1	2.8	7.7	3.7	4.4	2.6
			2500 2599	11.0	(3.8)	74.4	475.0	60.8	8.2	2.7	9.8	3.6	4.9	2.5
			2400 2499	15.0	(5.2)	74.4	457.0	61.9	7.9	2.9	9.1	3.9	4.8	2.7
			2300 2399	5.0	(1.7)	74.2	480.0	63.6	8.4	3.3	7.2	3.4	4.6	2.8
			2200 2299	7.0	(2.4)	73.9	476.2	61.6	7.8	3.1	6.9	3.7	4.0	2.9
			2100 2199	10.0	(3.5)	74.1	469.5	61.6	7.9	3.0	6.4	3.9	4.0	2.5
			2000 2099	13.0	(4.5)	73.7	482.4	60.6	8.0	3.2	6.2	3.8	4.0	2.5
			1900 1999	3.0	(1.0)	74.4	404.0	54.7	7.3	2.2	5.0	4.3	3.7	2.0
			1800 1899	5.0	(1.7)	72.7	448.1	52.8	7.4	3.3	5.4	4.2	3.6	2.2
			1700 1799	4.0	(1.4)	72.3	454.5	53.8	7.2	3.5	4.8	4.5	3.3	2.5
			1600 1699	2.0	(0.7)	72.8	360.2	41.0	6.8	2.1	5.0	4.0	3.5	2.5
			1500 1599	2.0	(0.7)	72.8	385.1	47.0	6.7	2.6	4.0	5.0	2.5	3.0
			1400 1499	3.0	(1.0)	72.1	374.8	43.3	6.9	3.1	4.0	4.7	3.0	2.7
			1300 1399	2.0	(0.7)	73.8	478.0	60.0	8.1	3.1	5.0	4.0	3.0	2.5
			1200 1299	3.0	(1.0)	72.7	517.7	55.3	7.8	2.9	3.7	4.7	2.3	3.0
			1100 1199	4.0	(1.4)	73.1	431.7	51.8	7.0	2.5	4.3	4.5	2.8	3.5
			1000 1099	6.0	(2.1)	71.8	316.0	32.5	5.8	1.9	4.2	4.0	2.7	2.8
			999	3.0	(1.0)	70.4	321.2	28.0	5.0	2.2	2.3	4.7	2.0	4.0
				286.0	(4.8)	74.8	469.6	64.6	8.1	2.9	8.6	3.8	4.5	2.6
			3000	9.0	(25.0)	75.5	429.6	64.9	8.2	2.7	10.9	3.9	5.0	3.0
			2900 2999	1.0	(2.8)	71.8	548.2	58.0	7.7	3.8	7.0	4.0	4.0	3.0
			2800 2899	2.0	(5.6)	74.1	435.5	60.5	7.8	3.3	10.0	4.0	5.0	3.0
			2700 2799	1.0	(2.8)	76.4	405.0	71.0	7.7	2.6	8.0	4.0	5.0	3.0
			2600 2699	7.0	(19.4)	74.0	419.3	55.9	7.9	2.9	7.9	4.1	4.1	3.1
			2500 2599	4.0	(11.1)	75.2	502.0	68.5	9.3	3.5	7.8	4.0	4.5	3.0
			2400 2499	4.0	(11.1)	75.3	477.4	66.0	8.3	2.5	7.8	3.8	4.5	3.0
			2300 2399	2.0	(5.6)	74.7	523.8	64.5	9.4	3.1	5.0	3.5	4.0	2.5
			2200 2299	2.0	(5.6)	73.4	461.8	54.5	7.5	2.5	5.0	4.0	3.5	2.5
			2000 2099	1.0	(2.8)	74.0	445.5	55.0	8.5	3.0	3.0	5.0	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(2.8)	73.3	394.5	59.0	6.5	3.5	4.0	4.0	3.0	3.0
			1000 1099	1.0	(2.8)	70.9	487.5	50.0	6.6	3.7	2.0	5.0	2.0	4.0
			999	1.0	(2.8)	70.6	362.0	42.0	4.5	3.1	2.0	5.0	2.0	4.0
				36.0	(0.6)	74.5	450.1	61.3	8.1	2.9	7.8	4.0	4.3	3.0
			2700 2799	6.0	(18.8)	75.0	512.4	68.0	8.9	3.1	9.3	3.8	5.0	3.0
			2600 2699	3.0	(9.4)	76.2	475.9	70.0	8.1	1.9	10.7	4.0	5.0	3.0
			2500 2599	6.0	(18.8)	73.8	486.9	58.3	8.5	3.0	8.3	4.0	4.7	2.7
			2400 2499	1.0	(3.1)	71.7	557.2	52.0	9.0	3.8	7.0	4.0	4.0	3.0
			2300 2399	5.0	(15.6)	73.5	476.2	58.8	8.2	3.4	6.6	4.0	4.2	2.8
			2200 2299	3.0	(9.4)	73.7	464.5	56.3	8.2	3.0	6.7	4.0	4.3	3.0
			2100 2199	1.0	(3.1)	78.3	529.0	86.0	8.8	1.8	8.0	4.0	4.0	3.0
			2000 2099	2.0	(6.3)	72.0	432.9	43.5	7.8	3.1	5.0	4.0	3.5	3.0
			1800 1899	1.0	(3.1)	74.2	512.0	64.0	7.6	2.5	4.0	4.0	3.0	2.0
			1400 1499	1.0	(3.1)	74.5	373.0	51.0	7.6	2.2	5.0	5.0	3.0	4.0
			1300 1399	1.0	(3.1)	71.0	399.6	38.0	6.5	3.0	5.0	4.0	3.0	3.0
			1100 1199	1.0	(3.1)	73.2	364.0	49.0	4.8	1.4	5.0	5.0	3.0	6.0
			999	1.0	(3.1)	71.2	212.1	19.0	3.2	0.2	1.0	5.0	1.0	6.0
				32.0	(0.5)	74.0	469.1	58.7	8.0	2.8	7.4	4.1	4.2	3.1
			2700 2799	2.0	(14.3)	77.9	450.4	81.5	8.3	2.3	11.5	3.5	5.0	3.0
			2400 2499	1.0	(7.1)	75.4	450.8	70.0	7.7	2.9	8.0	4.0	5.0	3.0
			2300 2399	4.0	(28.6)	75.0	467.4	63.8	8.3	2.6	8.5	3.3	4.8	3.0
			2200 2299	2.0	(14.3)	74.9	475.4	68.5	8.0	3.1	7.0	4.0	4.5	3.0
			2100 2199	1.0	(7.1)	74.8	417.8	63.0	7.2	2.6	6.0	4.0	4.0	3.0
			2000 2099	3.0	(21.4)	73.3	468.7	58.0	7.7	3.1	6.0	3.3	4.3	3.0
			1900 1999	1.0	(7.1)	74.4	484.0	64.0	7.2	2.3	7.0	4.0	4.0	3.0
				14.0	(0.2)	75.0	462.8	66.1	7.9	2.8	7.9	3.6	4.6	3.0
			3000	97.0	(42.9)	75.1	388.6	62.9	7.0	2.6	9.2	3.8	4.8	2.9
			2900 2999	5.0	(2.2)	73.8	376.0	56.0	6.8	3.1	7.4	4.0	4.4	3.2
			2800 2899	5.0	(2.2)	76.0	407.7	68.6	7.3	2.4	9.2	3.8	4.6	2.4
			2700 2799	12.0	(5.3)	76.2	441.5	71.9	8.0	2.6	9.9	3.3	4.9	2.6
			2600 2699	12.0	(5.3)	75.8	453.9	69.8	8.2	2.8	9.4	3.6	4.8	2.6
			2500 2599	15.0	(6.6)	75.0	450.8	66.1	7.6	2.7	8.5	3.9	4.6	2.8
			2400 2499	8.0	(3.5)	75.7	462.0	69.9	8.2	2.7	8.9	3.6	4.9	2.5
			2300 2399	19.0	(8.4)	75.0	467.1	68.4	8.1	3.2	8.1	3.8	4.8	2.7
			2200 2299	19.0	(8.4)	74.7	496.3	69.2	8.2	3.3	8.2	3.7	4.7	2.8
			2100 2199	11.0	(4.9)	73.4	483.7	64.1	7.9	3.9	6.9	3.9	4.4	2.8
			2000 2099	10.0	(4.4)	73.6	475.0	59.4	7.9	3.2	6.0	3.9	4.0	2.7
			1900 1999	3.0	(1.3)	74.0	416.9	54.7	7.5	2.7	6.0	4.0	4.0	2.7
			1800 1899	1.0	(0.4)	74.1	385.4	53.0	6.3	1.8	5.0	4.0	3.0	2.0
			1700 1799	3.0	(1.3)	71.7	375.5	47.3	6.2	3.7	4.7	4.3	3.3	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(0.4)	72.0	215.0	32.0	4.6	2.2	5.0	4.0	3.0	4.0
			1300 1399	1.0	(0.4)	72.7	326.8	49.0	5.0	2.6	6.0	5.0	3.0	4.0
			1100 1199	1.0	(0.4)	73.6	278.0	45.0	5.0	1.7	5.0	5.0	3.0	3.0
			1000 1099	1.0	(0.4)	73.9	311.4	54.0	4.8	2.0	3.0	6.0	3.0	4.0
			999	2.0	(0.9)	71.3	245.0	34.0	4.3	2.6	2.0	4.5	2.0	3.0
				226.0	(3.8)	74.9	422.9	64.2	7.4	2.8	8.4	3.8	4.6	2.8
			2700 2799	1.0	(1.8)	76.4	510.8	88.0	7.8	3.6	10.0	3.0	5.0	3.0
			2600 2699	4.0	(7.0)	76.0	447.5	71.0	8.1	2.7	9.8	3.3	5.0	3.3
			2500 2599	7.0	(12.3)	75.9	486.3	77.7	8.4	3.5	9.6	3.3	5.0	2.9
			2400 2499	6.0	(10.5)	76.5	452.1	74.5	7.9	2.5	9.0	3.8	5.0	2.8
			2300 2399	11.0	(19.3)	75.2	449.5	66.5	7.8	2.7	8.0	3.8	4.7	2.7
			2200 2299	8.0	(14.0)	74.9	446.0	63.5	8.0	2.8	6.9	3.9	4.4	2.8
			2100 2199	6.0	(10.5)	74.6	459.6	64.8	8.1	3.2	5.7	3.8	3.5	2.8
			2000 2099	2.0	(3.5)	73.9	449.8	55.0	7.9	2.5	5.0	3.5	3.5	2.0
			1900 1999	4.0	(7.0)	74.4	395.1	56.3	7.0	2.3	4.3	4.0	3.3	3.0
			1800 1899	2.0	(3.5)	71.0	422.6	44.0	8.0	4.6	5.5	4.0	4.0	2.5
			1700 1799	1.0	(1.8)	74.6	453.4	67.0	6.9	2.7	8.0	4.0	5.0	4.0
			1600 1699	1.0	(1.8)	71.1	404.3	39.0	6.7	3.1	3.0	3.0	3.0	3.0
			1500 1599	1.0	(1.8)	74.2	451.8	63.0	8.4	3.8	6.0	4.0	4.0	2.0
			1300 1399	1.0	(1.8)	75.6	433.8	65.0	7.3	1.8	4.0	4.0	3.0	3.0
			1200 1299	1.0	(1.8)	74.9	318.1	50.0	5.5	0.9	4.0	5.0	3.0	4.0
			999	1.0	(1.8)	72.7	254.2	39.0	4.1	1.5	2.0	5.0	2.0	4.0
				57.0	(1.0)	75.0	444.3	65.6	7.8	2.9	7.2	3.8	4.3	2.9
			2200 2299	1.0	(0.0)	75.1	414.8	65.0	6.5	2.0	7.0	4.0	4.0	3.0
			3000	43.0	(53.1)	75.9	448.1	70.6	8.3	2.9	11.0	3.8	5.0	2.8
			2900 2999	5.0	(6.2)	75.3	399.4	62.0	7.5	2.5	10.6	4.0	5.0	2.4
			2800 2899	5.0	(6.2)	75.1	374.7	60.2	7.2	2.6	8.6	3.8	4.8	3.0
			2700 2799	6.0	(7.4)	74.9	462.2	67.7	8.1	3.3	9.3	3.8	4.8	2.8
			2600 2699	4.0	(4.9)	74.6	461.5	66.5	8.1	3.4	8.0	3.8	5.0	3.0
			2500 2599	4.0	(4.9)	75.3	400.8	62.0	7.7	2.5	10.5	3.5	5.0	2.8
			2400 2499	2.0	(2.5)	75.8	443.1	69.5	8.5	3.0	10.5	3.5	5.0	3.0
			2300 2399	5.0	(6.2)	74.5	445.4	63.2	7.5	2.8	8.0	3.8	4.6	2.8
			2200 2299	4.0	(4.9)	75.0	427.3	63.3	6.8	2.1	8.3	4.0	4.8	3.0
			2100 2199	1.0	(1.2)	73.8	434.0	64.0	7.5	3.9	9.0	4.0	5.0	3.0
			2000 2099	1.0	(1.2)	72.2	452.0	61.0	7.7	5.2	6.0	4.0	4.0	3.0
			1100 1199	1.0	(1.2)	71.4	338.0	40.0	4.4	2.2	5.0	4.0	3.0	4.0
				81.0	(1.4)	75.4	437.1	67.2	7.9	2.9	10.1	3.8	4.9	2.8
			3000	3.0	(1.8)	74.5	464.0	65.0	8.6	3.6	11.0	4.0	5.0	2.7
			2900 2999	3.0	(1.8)	75.0	441.4	68.0	7.6	3.2	9.7	3.3	5.0	3.0
			2800 2899	2.0	(1.2)	78.3	451.1	82.5	8.3	2.0	12.0	3.5	5.0	3.0
			2700 2799	7.0	(4.2)	76.8	503.7	81.3	8.7	3.0	10.3	3.9	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	6.0	(3.6)	74.6	436.9	64.0	7.7	3.1	9.0	3.5	4.8	2.8
			2500 2599	11.0	(6.7)	75.2	455.6	69.0	8.0	3.3	9.3	3.8	5.0	2.9
			2400 2499	4.0	(2.4)	75.5	467.8	72.0	8.2	3.3	9.5	3.5	5.0	2.5
			2300 2399	8.0	(4.8)	74.6	451.8	66.4	8.0	3.5	8.8	3.8	4.9	3.0
			2200 2299	11.0	(6.7)	74.4	472.4	63.3	8.4	3.3	8.6	3.9	4.7	2.8
			2100 2199	7.0	(4.2)	73.7	450.6	60.3	7.5	3.3	8.9	3.9	4.7	2.7
			2000 2099	6.0	(3.6)	73.6	472.1	62.5	8.0	3.8	7.0	3.8	4.2	2.8
			1900 1999	3.0	(1.8)	72.8	478.6	55.3	7.3	2.9	6.7	4.3	4.0	3.0
			1800 1899	4.0	(2.4)	73.1	429.4	52.0	7.7	3.2	4.0	4.5	3.3	3.0
			1700 1799	13.0	(7.9)	73.5	443.2	57.5	7.2	2.9	6.2	4.0	3.9	3.1
			1600 1699	6.0	(3.6)	73.1	435.0	52.3	6.7	2.4	5.5	4.5	3.2	2.8
			1500 1599	1.0	(0.6)	76.2	398.5	65.0	7.2	1.6	7.0	4.0	4.0	3.0
			1400 1499	3.0	(1.8)	73.2	375.2	46.3	6.4	2.0	4.3	4.7	3.0	3.3
			1300 1399	2.0	(1.2)	73.5	399.2	55.0	5.6	1.9	4.5	4.0	3.0	3.0
			1200 1299	3.0	(1.8)	72.5	362.4	43.0	6.2	2.3	4.0	4.0	3.0	3.7
			1100 1199	15.0	(9.1)	72.1	388.8	45.7	6.1	2.7	4.1	4.4	2.9	3.9
			1000 1099	17.0	(10.3)	71.8	349.2	40.9	5.2	2.2	3.2	4.7	2.2	3.9
			999	30.0	(18.2)	71.4	308.8	35.0	4.4	1.9	2.3	5.3	1.9	5.0
				165.0	(2.8)	73.3	408.6	53.9	6.7	2.7	6.0	4.3	3.6	3.5
			2800 2899	1.0	(3.2)	76.3	385.8	71.0	7.2	2.5	12.0	4.0	5.0	2.0
			2500 2599	4.0	(12.9)	75.5	440.6	65.0	8.3	2.6	10.8	3.8	5.0	2.8
			2400 2499	2.0	(6.5)	76.5	406.9	68.0	7.5	1.9	9.0	3.5	5.0	2.0
			2300 2399	2.0	(6.5)	74.8	426.6	62.5	6.9	2.3	7.5	3.5	4.5	2.5
			2200 2299	9.0	(29.0)	75.1	410.8	62.7	7.1	2.3	8.9	3.6	4.9	2.4
			2100 2199	2.0	(6.5)	74.2	448.4	60.5	7.5	2.8	7.5	3.0	5.0	2.5
			2000 2099	2.0	(6.5)	73.4	447.9	58.0	7.7	3.4	5.5	4.5	3.5	2.5
			1900 1999	2.0	(6.5)	74.8	394.0	60.5	6.8	2.3	5.5	4.0	3.5	2.5
			1800 1899	4.0	(12.9)	72.3	449.8	49.3	7.7	3.3	4.3	3.8	3.3	3.0
			1700 1799	1.0	(3.2)	70.7	445.6	43.0	7.5	4.1	5.0	3.0	4.0	3.0
			1600 1699	1.0	(3.2)	73.4	402.0	53.0	6.5	2.5	4.0	4.0	3.0	3.0
			1300 1399	1.0	(3.2)	72.7	367.4	44.0	6.5	2.5	3.0	4.0	2.0	2.0
				31.0	(0.5)	74.4	422.8	59.7	7.4	2.6	7.5	3.7	4.3	2.5
			3000	10.0	(11.2)	73.5	486.2	64.0	7.7	3.7	8.2	3.8	4.7	2.8
			2900 2999	2.0	(2.2)	77.3	438.7	77.5	7.6	1.9	10.0	4.0	5.0	2.5
			2800 2899	1.0	(1.1)	74.4	454.4	67.0	7.7	3.6	11.0	3.0	5.0	2.0
			2700 2799	1.0	(1.1)	77.8	531.8	92.0	8.0	2.6	12.0	4.0	5.0	2.0
			2600 2699	1.0	(1.1)	79.1	372.4	85.0	7.2	1.7	11.0	4.0	5.0	3.0
			2500 2599	4.0	(4.5)	76.4	430.0	76.5	7.4	2.8	10.8	3.8	5.0	2.3
			2400 2499	10.0	(11.2)	75.8	447.8	73.0	7.6	2.9	9.8	4.0	5.0	2.6
			2300 2399	13.0	(14.6)	75.0	467.6	69.8	7.8	3.1	8.8	3.9	4.9	2.8
			2200 2299	8.0	(9.0)	75.7	462.1	72.3	7.4	2.6	9.1	3.6	4.9	2.5
			2100 2199	13.0	(14.6)	74.8	445.8	63.2	7.5	2.6	6.5	3.8	4.2	2.8
			2000 2099	9.0	(10.1)	74.0	462.3	58.1	7.9	2.7	6.8	4.0	4.1	2.8
			1900 1999	3.0	(3.4)	73.6	439.7	51.7	7.5	2.3	4.7	4.3	3.0	2.7

					(%)		(kg)	(m ²)	(m)	(m)				
			1800 1899	2.0	(2.2)	71.9	419.7	46.0	6.8	3.0	5.0	4.0	3.5	2.5
			1700 1799	2.0	(2.2)	72.5	404.0	46.5	6.8	2.6	4.5	4.0	3.0	3.0
			1400 1499	1.0	(1.1)	74.7	387.0	67.0	6.6	3.2	8.0	5.0	4.0	3.0
			1200 1299	2.0	(2.2)	71.0	304.6	33.0	4.5	2.0	3.5	4.5	2.5	3.5
			1100 1199	1.0	(1.1)	74.0	439.8	63.0	7.0	3.1	5.0	4.0	3.0	3.0
			999	6.0	(6.7)	70.5	231.9	26.3	3.1	1.6	2.0	4.7	1.5	4.5
				89.0	(1.5)	74.5	436.2	62.9	7.2	2.8	7.6	4.0	4.3	2.8
			2500 2599	4.0	(28.6)	78.0	515.0	87.8	9.0	2.6	11.5	3.5	5.0	3.0
			2300 2399	2.0	(14.3)	75.2	458.3	69.5	7.6	2.9	10.5	3.5	5.0	2.5
			2200 2299	2.0	(14.3)	73.1	433.6	54.0	8.0	3.5	9.0	3.0	5.0	2.5
			1400 1499	1.0	(7.1)	71.7	540.6	58.0	8.3	4.6	7.0	5.0	4.0	6.0
			1000 1099	1.0	(7.1)	72.3	375.2	44.0	6.5	2.7	2.0	4.0	2.0	3.0
			999	4.0	(28.6)	71.0	296.4	31.5	4.2	1.6	2.0	5.0	2.0	5.0
				14.0	(0.2)	74.0	424.6	59.0	7.0	2.7	7.3	4.0	3.9	3.6
			2800 2899	4.0	(7.3)	77.5	447.9	81.8	8.9	3.2	11.5	3.3	5.0	2.3
			2700 2799	2.0	(3.6)	77.5	472.9	82.0	8.1	2.3	11.5	3.0	5.0	3.0
			2600 2699	7.0	(12.7)	76.0	443.2	73.1	8.0	3.0	10.3	3.1	5.0	2.7
			2500 2599	2.0	(3.6)	76.8	472.1	75.0	8.4	2.4	11.5	3.5	5.0	2.0
			2400 2499	4.0	(7.3)	75.5	445.4	70.3	7.9	3.0	9.0	3.8	5.0	2.5
			2300 2399	6.0	(10.9)	75.0	450.3	65.7	7.7	2.7	8.3	3.8	4.7	2.8
			2200 2299	7.0	(12.7)	75.7	447.8	74.4	7.6	3.2	8.1	4.0	4.6	2.7
			2100 2199	11.0	(20.0)	74.1	461.3	62.5	7.4	2.9	7.6	3.9	4.6	2.7
			2000 2099	1.0	(1.8)	72.5	391.4	41.0	6.2	1.6	6.0	4.0	4.0	3.0
			1900 1999	2.0	(3.6)	75.5	433.2	57.0	9.3	2.4	6.0	4.0	4.5	2.5
			1800 1899	2.0	(3.6)	73.9	495.0	63.0	8.3	3.4	6.0	4.0	4.5	3.0
			1400 1499	2.0	(3.6)	74.0	422.7	55.0	7.3	2.5	5.0	4.5	3.0	3.0
			1300 1399	1.0	(1.8)	75.4	370.1	63.0	7.0	2.4	6.0	5.0	3.0	4.0
			1200 1299	1.0	(1.8)	73.4	347.8	47.0	6.0	2.0	5.0	5.0	3.0	3.0
			1100 1199	2.0	(3.6)	71.6	400.3	45.0	6.2	3.0	4.0	5.5	2.0	3.5
			999	1.0	(1.8)	70.7	299.2	33.0	4.1	2.2	2.0	5.0	2.0	5.0
				55.0	(0.9)	75.1	443.4	66.5	7.7	2.9	8.2	3.9	4.5	2.8
			2700 2799	2.0	(4.9)	77.8	465.6	82.5	8.2	2.2	11.0	3.0	5.0	2.5
			2600 2699	9.0	(22.0)	76.5	444.7	75.1	7.5	2.3	10.7	3.0	5.0	2.1
			2500 2599	12.0	(29.3)	76.6	430.8	75.3	7.6	2.6	10.0	3.3	5.0	2.3
			2400 2499	4.0	(9.8)	76.5	488.6	84.0	7.7	3.3	10.0	3.5	5.0	2.5
			2300 2399	4.0	(9.8)	76.4	455.6	77.3	8.0	2.9	9.5	3.3	5.0	2.3
			2200 2299	1.0	(2.4)	75.0	477.2	74.0	8.1	3.9	7.0	4.0	4.0	3.0
			2100 2199	3.0	(7.3)	73.6	385.5	57.3	6.7	3.2	8.0	4.3	4.3	2.3
			2000 2099	2.0	(4.9)	70.8	475.8	53.5	7.5	5.1	5.5	3.0	3.5	3.0
			1900 1999	1.0	(2.4)	72.7	471.4	59.0	7.5	3.9	4.0	3.0	3.0	3.0
			1200 1299	1.0	(2.4)	73.9	301.8	52.0	4.7	1.8	4.0	4.0	2.0	3.0
			1000 1099	1.0	(2.4)	71.9	341.6	35.0	6.1	2.1	2.0	5.0	2.0	3.0
			999	1.0	(2.4)	72.7	261.9	42.0	4.0	1.7	2.0	5.0	2.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				41.0	(0.7)	75.7	435.2	71.5	7.4	2.8	9.0	3.4	4.6	2.4
			2800 2899	1.0	(9.1)	79.1	473.5	93.0	8.2	2.2	12.0	3.0	5.0	2.0
			2700 2799	1.0	(9.1)	77.9	429.8	76.0	8.3	1.7	12.0	3.0	5.0	2.0
			2500 2599	1.0	(9.1)	75.5	414.3	61.0	7.6	2.0	9.0	4.0	5.0	2.0
			2400 2499	2.0	(18.2)	75.7	487.9	75.5	8.1	3.2	9.0	3.5	5.0	3.0
			2300 2399	2.0	(18.2)	76.3	404.4	73.0	7.4	2.7	9.5	3.5	5.0	2.0
			1800 1899	1.0	(9.1)	73.6	360.6	49.0	6.5	2.3	4.0	5.0	3.0	3.0
			1700 1799	2.0	(18.2)	73.7	346.3	50.5	5.7	2.0	5.0	4.5	3.5	2.0
			1600 1699	1.0	(9.1)	72.9	293.2	38.0	5.5	1.6	5.0	4.0	3.0	3.0
				11.0	(0.2)	75.5	404.4	65.0	7.1	2.3	8.1	3.8	4.4	2.4
			2500 2599	3.0	(23.1)	79.0	492.4	93.7	8.3	2.2	11.3	3.3	5.0	2.7
			2300 2399	3.0	(23.1)	74.1	484.0	62.3	8.9	3.6	8.3	4.0	5.0	3.0
			2100 2199	3.0	(23.1)	75.2	457.0	59.0	8.7	2.2	7.7	4.7	4.3	2.0
			2000 2099	1.0	(7.7)	73.4	429.5	51.0	7.9	2.9	5.0	5.0	4.0	2.0
			1900 1999	3.0	(23.1)	74.8	393.8	52.3	7.5	1.7	5.3	4.7	4.0	2.3
				13.0	(0.2)	75.6	454.7	65.6	8.3	2.5	7.9	4.2	4.5	2.5
			2500 2599	1.0	(0.8)	79.2	422.7	88.0	7.6	1.6	12.0	4.0	5.0	3.0
			2400 2499	4.0	(3.1)	76.6	448.6	75.8	8.2	2.8	8.8	3.5	5.0	3.0
			2300 2399	4.0	(3.1)	75.5	427.5	71.5	7.0	2.8	9.0	4.0	5.0	3.0
			2200 2299	11.0	(8.4)	75.2	452.4	67.5	7.6	2.7	8.6	3.6	4.7	2.9
			2100 2199	8.0	(6.1)	73.9	430.4	59.9	7.4	3.1	8.3	3.8	4.8	2.9
			2000 2099	4.0	(3.1)	73.6	435.4	58.8	7.5	3.4	6.5	3.5	4.0	3.0
			1900 1999	4.0	(3.1)	74.5	440.9	59.8	7.7	2.6	5.5	4.0	3.8	2.8
			1800 1899	4.0	(3.1)	73.6	515.5	60.5	8.3	3.2	5.0	4.0	3.5	3.0
			1700 1799	2.0	(1.5)	75.3	475.6	65.0	8.1	2.3	7.5	4.5	4.5	3.0
			1600 1699	1.0	(0.8)	72.8	302.5	44.0	4.1	1.4	3.0	4.0	2.0	3.0
			1500 1599	1.0	(0.8)	72.7	530.1	61.0	6.7	2.8	2.0	4.0	2.0	3.0
			1300 1399	3.0	(2.3)	74.4	385.3	60.0	6.0	2.2	4.0	4.3	2.7	3.3
			1200 1299	6.0	(4.6)	73.0	325.2	43.2	5.3	1.7	3.5	4.3	2.3	3.0
			1100 1199	5.0	(3.8)	72.5	384.0	45.4	6.0	2.3	4.4	4.6	2.8	4.4
			1000 1099	16.0	(12.2)	72.1	353.8	42.6	5.5	2.3	3.1	4.8	2.3	3.6
			999	57.0	(43.5)	71.4	270.3	31.7	3.9	1.6	2.2	5.1	1.9	4.5
				131.0	(2.2)	72.8	349.6	45.8	5.5	2.1	4.3	4.5	2.8	3.7
			3000	1.0	(0.4)	77.5	481.0	88.0	8.3	3.1	11.0	3.0	5.0	3.0
			2900 2999	5.0	(2.2)	76.9	480.4	80.2	8.0	2.5	12.0	3.4	5.0	2.8
			2800 2899	1.0	(0.4)	77.6	548.6	94.0	8.5	3.1	12.0	3.0	5.0	3.0
			2700 2799	6.0	(2.7)	77.3	496.5	82.7	8.2	2.4	10.7	3.5	5.0	2.8
			2600 2699	10.0	(4.5)	76.9	486.7	79.8	8.4	2.6	11.0	3.4	5.0	2.8
			2500 2599	25.0	(11.2)	76.5	474.1	78.0	8.1	2.8	10.4	3.5	5.0	2.8
			2400 2499	30.0	(13.5)	75.8	465.6	72.5	8.0	2.8	9.6	3.7	5.0	3.0
			2300 2399	54.0	(24.2)	75.9	464.4	72.5	8.2	2.9	8.7	3.8	4.9	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	31.0	(13.9)	74.5	471.5	65.7	8.0	3.2	7.8	3.7	4.6	3.0
			2100 2199	25.0	(11.2)	74.6	462.4	64.0	7.9	3.0	6.9	3.8	4.3	2.9
			2000 2099	6.0	(2.7)	73.9	449.7	60.5	7.6	3.1	6.0	4.0	3.8	2.7
			1900 1999	12.0	(5.4)	74.0	441.0	58.8	7.6	2.9	5.3	4.2	3.6	2.9
			1800 1899	4.0	(1.8)	73.3	467.3	56.8	7.7	3.1	4.8	4.0	3.3	3.0
			1700 1799	1.0	(0.4)	74.4	426.0	56.0	7.4	2.2	4.0	4.0	3.0	2.0
			1600 1699	1.0	(0.4)	72.8	583.1	67.0	8.8	4.3	6.0	5.0	3.0	3.0
			1400 1499	1.0	(0.4)	73.0	511.3	57.0	7.7	2.9	5.0	4.0	3.0	3.0
			1300 1399	1.0	(0.4)	73.8	421.2	61.0	7.2	3.3	4.0	5.0	3.0	4.0
			1200 1299	1.0	(0.4)	73.3	460.9	54.0	6.5	1.9	3.0	4.0	2.0	3.0
			1100 1199	6.0	(2.7)	72.8	388.6	46.8	6.0	1.9	4.0	4.2	2.7	3.3
			1000 1099	2.0	(0.9)	71.8	346.5	39.5	5.8	2.5	3.0	4.5	2.0	4.0
				223.0	(3.7)	75.4	464.7	69.5	8.0	2.9	8.3	3.8	4.6	2.9
			2500 2599	4.0	(1.1)	76.5	430.1	72.0	8.4	2.7	10.8	3.0	5.0	2.8
			2400 2499	8.0	(2.3)	76.0	446.3	69.6	7.7	2.3	10.3	3.8	5.0	2.8
			2300 2399	30.0	(8.5)	75.5	456.2	68.8	7.9	2.7	8.9	3.7	4.9	2.7
			2200 2299	38.0	(10.7)	75.1	447.9	65.7	7.8	2.8	8.6	3.7	4.8	2.8
			2100 2199	50.0	(14.1)	74.6	443.5	60.9	7.8	2.6	7.4	3.8	4.4	2.8
			2000 2099	50.0	(14.1)	73.9	440.5	57.3	7.8	2.9	6.5	3.8	4.2	2.8
			1900 1999	32.0	(9.0)	73.7	436.6	55.0	7.8	2.9	6.1	4.1	4.0	2.9
			1800 1899	42.0	(11.8)	73.2	429.8	52.0	7.5	2.8	5.1	3.9	3.5	2.7
			1700 1799	37.0	(10.4)	73.1	406.2	49.2	7.1	2.6	4.6	3.9	3.3	2.6
			1600 1699	18.0	(5.1)	72.5	425.7	48.8	7.2	3.1	3.9	4.1	2.7	2.7
			1500 1599	6.0	(1.7)	72.5	435.1	46.8	7.4	2.8	4.7	4.3	2.8	3.0
			1400 1499	5.0	(1.4)	72.7	414.1	47.0	6.7	2.4	4.8	4.6	3.0	3.8
			1300 1399	2.0	(0.6)	71.5	400.5	46.5	5.4	2.8	4.5	4.5	3.0	4.5
			1200 1299	7.0	(2.0)	73.4	383.0	50.4	6.4	2.3	5.3	4.1	3.4	3.6
			1100 1199	7.0	(2.0)	72.6	370.5	45.0	5.7	2.0	4.4	4.4	2.9	3.4
			1000 1099	8.0	(2.3)	72.0	353.9	41.1	5.2	2.0	2.8	4.6	2.0	4.0
			999	11.0	(3.1)	71.1	314.8	33.2	4.4	1.7	2.5	4.9	2.1	4.7
				355.0	(6.0)	73.9	428.1	56.1	7.4	2.7	6.3	3.9	3.9	2.9
			2800 2899	2.0	(2.1)	77.2	509.4	81.0	8.4	2.2	11.5	3.5	5.0	2.5
			2700 2799	3.0	(3.1)	78.2	505.2	92.0	8.0	2.4	11.7	3.0	5.0	2.3
			2600 2699	7.0	(7.3)	76.5	463.5	75.4	8.0	2.4	11.0	3.1	5.0	2.3
			2500 2599	2.0	(2.1)	76.1	442.9	75.0	7.2	2.6	11.0	4.0	5.0	3.0
			2400 2499	14.0	(14.6)	76.0	438.4	73.1	7.4	2.7	10.0	3.9	5.0	2.7
			2300 2399	9.0	(9.4)	75.9	451.9	70.1	7.9	2.5	9.4	3.7	5.0	2.9
			2200 2299	8.0	(8.3)	75.2	439.2	63.9	7.4	2.2	8.1	3.8	4.6	2.4
			2100 2199	11.0	(11.5)	75.1	465.5	65.6	8.3	2.8	7.7	3.7	4.4	2.8
			2000 2099	9.0	(9.4)	74.5	490.4	63.8	8.4	3.0	7.1	3.9	4.3	2.8
			1900 1999	2.0	(2.1)	74.7	368.4	54.0	6.5	1.6	6.5	3.5	4.0	2.5
			1800 1899	9.0	(9.4)	74.5	475.9	61.8	7.9	2.5	5.2	4.0	3.6	2.6
			1700 1799	7.0	(7.3)	72.9	474.0	55.4	7.6	3.2	5.0	4.1	3.6	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	2.0	(2.1)	76.0	332.3	59.0	7.0	1.9	6.0	4.0	3.5	3.0
			1500 1599	1.0	(1.0)	73.2	420.6	54.0	7.0	2.9	4.0	5.0	2.0	3.0
			1400 1499	2.0	(2.1)	73.4	476.7	61.0	6.5	2.5	6.0	4.0	3.5	3.5
			1200 1299	1.0	(1.0)	74.4	386.1	57.0	6.6	2.1	4.0	5.0	3.0	4.0
			1100 1199	3.0	(3.1)	72.4	435.8	49.7	6.8	2.7	3.3	4.7	2.7	3.3
			1000 1099	3.0	(3.1)	72.8	362.4	48.7	5.6	2.4	4.0	4.3	2.3	3.7
			999	1.0	(1.0)	71.8	295.4	36.0	4.7	1.9	3.0	4.0	2.0	2.0
				96.0	(1.6)	75.1	451.8	65.8	7.6	2.6	7.8	3.8	4.3	2.8
			2700 2799	1.0	(5.9)	78.2	497.0	85.0	9.7	2.7	10.0	4.0	5.0	3.0
			2500 2599	1.0	(5.9)	77.3	537.0	82.0	8.4	1.8	10.0	4.0	5.0	2.0
			2300 2399	1.0	(5.9)	77.9	599.0	98.0	10.0	3.9	11.0	4.0	5.0	3.0
			1500 1599	1.0	(5.9)	74.6	405.5	63.0	6.3	2.4	4.0	4.0	3.0	5.0
			1200 1299	1.0	(5.9)	72.1	401.4	46.0	5.8	2.3	3.0	4.0	3.0	4.0
			1100 1199	1.0	(5.9)	73.4	335.0	49.0	6.1	2.5	4.0	5.0	2.0	5.0
			1000 1099	8.0	(47.1)	72.1	382.1	43.5	5.8	2.3	3.3	4.8	2.1	3.6
			999	3.0	(17.6)	70.6	319.3	33.0	4.5	2.3	2.7	4.7	2.3	4.0
				17.0	(0.3)	73.1	399.4	51.2	6.2	2.4	4.5	4.5	2.8	3.7
			3000	1.0	(0.2)	75.2	429.3	63.0	6.8	1.8	12.0	4.0	5.0	4.0
			2800 2899	4.0	(0.9)	76.7	443.3	74.0	8.4	2.8	12.0	3.8	5.0	2.8
			2700 2799	10.0	(2.3)	75.9	459.8	70.8	8.3	2.8	11.4	3.5	5.0	2.9
			2600 2699	13.0	(2.9)	76.0	464.3	71.9	8.4	2.8	10.5	3.5	5.0	2.6
			2500 2599	12.0	(2.7)	76.2	458.1	72.5	8.4	2.8	10.2	3.8	5.0	2.8
			2400 2499	22.0	(5.0)	75.7	459.8	68.9	8.5	2.9	9.7	3.6	5.0	2.8
			2300 2399	27.0	(6.1)	75.4	464.2	66.8	8.5	2.9	8.6	3.7	5.0	2.9
			2200 2299	30.0	(6.8)	74.7	453.7	62.9	8.3	3.1	7.4	3.6	4.6	2.8
			2100 2199	31.0	(7.0)	74.6	455.6	62.7	8.0	2.9	6.6	3.9	4.1	2.7
			2000 2099	16.0	(3.6)	74.3	429.1	59.7	7.9	3.0	6.0	3.6	4.1	2.8
			1900 1999	18.0	(4.1)	73.7	452.2	58.2	8.0	3.3	4.8	3.8	3.6	2.9
			1800 1899	15.0	(3.4)	74.0	419.9	57.5	7.3	2.8	4.7	4.1	3.4	3.1
			1700 1799	7.0	(1.6)	73.7	420.8	56.7	7.3	2.9	4.4	4.0	3.4	3.3
			1600 1699	6.0	(1.4)	73.5	426.0	54.5	7.3	2.9	5.0	4.2	3.3	3.7
			1500 1599	11.0	(2.5)	73.5	446.1	56.9	6.7	2.3	5.7	4.0	3.5	3.5
			1400 1499	15.0	(3.4)	73.4	415.7	53.9	6.6	2.4	4.3	4.4	2.9	3.3
			1300 1399	20.0	(4.5)	72.4	375.6	45.5	5.7	2.2	3.9	4.5	2.6	3.6
			1200 1299	12.0	(2.7)	72.8	385.3	46.8	6.4	2.3	3.6	4.3	2.7	3.4
			1100 1199	14.0	(3.2)	72.9	401.6	50.1	6.3	2.4	3.6	4.7	2.2	3.6
			1000 1099	58.0	(13.1)	72.4	368.2	44.2	5.8	2.3	3.7	4.5	2.4	3.7
			999	100.0	(22.6)	72.1	378.4	43.5	5.7	2.3	3.4	4.8	2.5	3.8
				442.0	(7.4)	73.6	415.4	54.6	7.0	2.6	5.6	4.2	3.4	3.3
			3000	4.0	(0.8)	78.8	463.1	91.3	8.6	2.6	12.0	3.3	5.0	2.8
			2900 2999	2.0	(0.4)	77.5	488.3	82.5	8.1	2.2	12.0	3.5	5.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2800 2899	8.0	(1.6)	77.9	484.3	87.4	8.2	2.5	11.1	3.4	5.0	2.9
			2700 2799	14.0	(2.8)	77.7	491.4	84.6	8.6	2.6	10.2	3.9	5.0	2.9
			2600 2699	36.0	(7.1)	77.1	475.5	78.9	8.4	2.5	10.3	3.7	5.0	2.9
			2500 2599	31.0	(6.2)	76.6	467.8	74.8	8.2	2.4	10.1	3.7	5.0	2.8
			2400 2499	44.0	(8.7)	76.0	468.0	72.7	8.2	2.7	9.5	3.8	5.0	2.8
			2300 2399	60.0	(11.9)	75.5	486.9	70.7	8.2	2.8	9.0	3.8	4.9	2.7
			2200 2299	50.0	(9.9)	75.3	488.7	70.6	8.3	3.1	8.4	3.8	4.7	2.7
			2100 2199	38.0	(7.5)	74.3	497.0	64.6	8.3	3.1	7.0	3.9	4.3	2.8
			2000 2099	43.0	(8.5)	73.8	482.3	62.1	8.0	3.4	6.6	3.9	4.2	2.9
			1900 1999	27.0	(5.4)	74.2	470.3	62.9	7.9	3.1	6.4	3.9	3.9	3.0
			1800 1899	24.0	(4.8)	74.5	461.0	63.5	7.7	2.8	5.7	4.0	4.0	3.2
			1700 1799	11.0	(2.2)	73.6	489.2	64.0	7.5	3.3	5.2	4.1	3.5	3.4
			1600 1699	15.0	(3.0)	72.5	476.6	53.9	7.3	3.2	4.7	3.8	3.0	3.3
			1500 1599	16.0	(3.2)	73.3	480.3	58.7	7.1	2.7	5.2	3.9	3.3	3.6
			1400 1499	9.0	(1.8)	73.6	486.8	59.3	7.4	2.5	4.7	4.2	3.1	3.6
			1300 1399	12.0	(2.4)	73.3	444.7	55.0	6.8	2.5	3.8	4.3	2.6	3.5
			1200 1299	9.0	(1.8)	73.0	394.5	49.8	5.8	2.0	4.6	4.6	3.0	3.7
			1100 1199	24.0	(4.8)	72.5	394.8	47.0	6.0	2.3	3.1	4.5	2.1	3.4
			1000 1099	17.0	(3.4)	72.0	427.0	48.1	6.4	2.8	3.1	4.7	2.1	3.6
			999	10.0	(2.0)	71.4	341.3	36.7	5.0	2.0	2.5	5.0	2.2	4.6
				504.0	(8.4)	74.8	469.2	66.1	7.8	2.8	7.4	3.9	4.2	3.0
			3000	13.0	(86.7)	73.5	393.9	52.4	6.8	2.6	7.5	4.1	4.5	3.0
			2900 2999	1.0	(6.7)	72.4	406.0	45.0	7.5	3.2	6.0	4.0	4.0	3.0
			2500 2599	1.0	(6.7)	75.6	599.0	80.0	9.1	3.1	12.0	3.0	5.0	3.0
				15.0	(0.3)	73.5	408.4	53.7	7.0	2.7	7.7	4.0	4.5	3.0
			3000	475.0	(8.0)	75.8	443.5	69.5	8.0	2.7	10.2	3.7	4.9	2.8
			2900 2999	96.0	(1.6)	75.4	452.2	67.6	8.0	2.8	9.5	3.8	4.9	2.8
			2800 2899	121.0	(2.0)	76.0	459.0	72.2	8.1	2.7	9.7	3.7	4.9	2.8
			2700 2799	243.0	(4.1)	76.2	468.3	73.1	8.2	2.6	9.8	3.6	4.8	2.8
			2600 2699	291.0	(4.9)	76.0	469.0	72.7	8.2	2.7	9.8	3.6	4.8	2.8
			2500 2599	339.0	(5.7)	75.8	469.1	71.7	8.2	2.8	9.8	3.6	4.9	2.8
			2400 2499	401.0	(6.7)	75.7	468.9	70.1	8.2	2.7	9.4	3.7	4.9	2.8
			2300 2399	523.0	(8.8)	75.4	473.0	69.1	8.2	2.9	9.0	3.8	4.9	2.8
			2200 2299	508.0	(8.5)	75.0	476.0	67.0	8.2	2.9	8.3	3.8	4.7	2.8
			2100 2199	453.0	(7.6)	74.6	468.0	63.9	8.0	2.9	7.5	3.9	4.4	2.8
			2000 2099	373.0	(6.3)	74.2	463.7	61.3	7.9	3.0	6.8	3.9	4.2	2.8
			1900 1999	240.0	(4.0)	74.0	453.4	58.8	7.8	2.9	5.9	4.0	3.8	2.8
			1800 1899	230.0	(3.9)	73.7	448.6	57.2	7.7	2.9	5.4	4.0	3.6	2.8
			1700 1799	150.0	(2.5)	73.3	438.7	55.0	7.4	3.0	5.0	4.1	3.4	2.9
			1600 1699	89.0	(1.5)	73.2	425.4	53.3	7.1	2.8	4.9	4.2	3.2	3.0
			1500 1599	70.0	(1.2)	73.4	441.1	55.2	7.0	2.6	5.2	4.1	3.3	3.2
			1400 1499	81.0	(1.4)	73.4	425.6	53.2	6.9	2.4	5.0	4.4	3.2	3.3
			1300 1399	88.0	(1.5)	73.1	404.5	51.4	6.4	2.4	4.5	4.4	2.9	3.5

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	1.0	(0.2)	79.3	547.0	91.0	9.3	1.5	12.0	4.0	5.0	2.0
			2800 2899	7.0	(1.5)	78.4	551.1	87.6	9.2	1.8	11.4	3.4	5.0	2.6
			2700 2799	10.0	(2.1)	79.2	571.3	96.2	9.1	1.9	11.8	3.3	5.0	2.4
			2600 2699	13.0	(2.7)	77.5	561.7	85.2	8.9	2.1	11.7	3.7	5.0	2.3
			2500 2599	15.0	(3.2)	77.6	554.3	84.1	8.9	1.9	11.6	3.5	5.0	2.5
			2400 2499	16.0	(3.4)	77.4	552.7	81.7	9.1	1.9	10.8	3.8	5.0	2.8
			2300 2399	86.0	(18.1)	76.3	538.3	74.9	8.9	2.3	10.0	3.7	5.0	2.6
			2200 2299	86.0	(18.1)	75.4	525.4	68.1	8.5	2.2	8.5	3.7	4.8	2.7
			2100 2199	73.0	(15.4)	74.9	525.2	67.3	8.3	2.5	8.2	3.9	4.6	2.6
			2000 2099	51.0	(10.8)	74.5	521.7	63.7	8.3	2.5	7.3	3.9	4.2	2.7
			1900 1999	46.0	(9.7)	74.3	517.1	62.8	8.2	2.5	6.4	3.9	4.0	2.8
			1800 1899	31.0	(6.5)	74.1	511.2	60.5	8.0	2.4	5.4	4.1	3.6	2.8
			1700 1799	22.0	(4.6)	73.8	503.1	59.0	7.8	2.5	4.5	3.9	3.1	2.6
			1600 1699	6.0	(1.3)	73.9	526.2	58.8	8.0	2.1	4.0	3.7	2.8	2.8
			1500 1599	6.0	(1.3)	73.2	492.3	55.7	7.6	2.7	3.7	3.8	2.7	2.8
			1400 1499	3.0	(0.6)	73.1	437.3	49.7	6.4	1.7	3.7	4.0	2.7	2.3
			1300 1399	2.0	(0.4)	74.1	355.0	53.0	5.9	1.9	3.5	4.5	2.5	2.0
				474.0	(7.1)	75.4	527.1	69.2	8.4	2.3	8.2	3.8	4.4	2.7
			3000	2.0	(1.8)	79.7	555.5	94.5	9.4	1.6	12.0	3.5	5.0	3.0
			2900 2999	1.0	(0.9)	78.6	621.0	97.0	8.7	1.7	12.0	4.0	5.0	2.0
			2800 2899	1.0	(0.9)	78.3	492.0	85.0	8.4	1.8	12.0	3.0	5.0	3.0
			2700 2799	5.0	(4.4)	79.7	627.2	104.0	9.5	1.9	12.0	4.0	5.0	2.2
			2600 2699	4.0	(3.5)	78.6	565.3	92.3	8.7	1.7	11.0	4.0	5.0	2.8
			2500 2599	5.0	(4.4)	77.7	564.0	84.8	9.2	2.1	11.0	3.6	5.0	3.0
			2400 2499	6.0	(5.3)	77.1	556.3	83.0	8.6	2.0	9.8	4.0	4.8	2.7
			2300 2399	16.0	(14.2)	76.5	548.9	76.5	9.0	2.2	9.8	3.8	4.9	2.8
			2200 2299	17.0	(15.0)	75.3	518.0	68.2	8.1	2.2	8.8	3.9	4.7	2.5
			2100 2199	13.0	(11.5)	75.3	530.5	68.8	8.3	2.2	7.3	3.9	4.5	2.3
			2000 2099	12.0	(10.6)	74.8	518.6	64.3	8.3	2.3	7.2	4.0	4.3	2.7
			1900 1999	12.0	(10.6)	74.8	520.3	64.8	8.1	2.2	6.1	4.3	3.8	2.6
			1800 1899	5.0	(4.4)	74.4	476.6	59.4	7.3	1.8	4.4	4.0	3.0	2.4
			1700 1799	5.0	(4.4)	74.3	501.4	63.8	7.7	2.5	4.4	4.4	3.0	2.6
			1600 1699	3.0	(2.7)	71.9	483.7	49.0	7.3	3.0	5.0	4.0	3.3	3.0
			1500 1599	6.0	(5.3)	73.1	408.0	46.8	6.5	1.8	2.5	4.2	2.0	2.0
				113.0	(1.7)	75.7	526.7	71.3	8.3	2.1	8.0	4.0	4.3	2.6
			3000	2.0	(1.3)	75.0	539.0	66.5	8.3	2.1	10.5	4.5	5.0	2.0
			2900 2999	3.0	(2.0)	77.9	552.3	88.0	8.7	2.0	12.0	3.7	5.0	3.0
			2800 2899	3.0	(2.0)	78.1	546.3	85.7	9.4	2.1	11.7	4.0	5.0	2.7
			2700 2799	10.0	(6.6)	76.9	537.9	79.8	8.7	2.2	11.3	3.6	5.0	2.7
			2600 2699	6.0	(4.0)	75.7	535.8	71.2	8.7	2.3	10.2	3.7	5.0	2.7
			2500 2599	18.0	(11.9)	75.8	518.7	73.7	8.0	2.3	10.0	3.9	4.9	2.5
			2400 2499	24.0	(15.9)	75.3	531.3	70.8	8.3	2.5	9.5	3.7	4.9	2.7
			2300 2399	30.0	(19.9)	75.0	545.0	71.2	8.4	2.8	9.3	3.9	4.9	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	16.0	(10.6)	74.2	530.4	65.6	8.3	2.9	7.9	3.9	4.7	2.6
			2100 2199	8.0	(5.3)	74.7	525.1	67.8	8.0	2.6	7.4	3.9	4.4	2.5
			2000 2099	7.0	(4.6)	74.8	472.0	63.6	7.4	2.1	6.9	3.9	4.3	2.6
			1900 1999	5.0	(3.3)	73.3	529.2	59.2	7.9	2.7	6.6	4.0	4.0	2.2
			1800 1899	6.0	(4.0)	74.4	498.8	62.0	8.0	2.5	4.7	3.8	3.5	3.0
			1700 1799	4.0	(2.6)	74.0	433.8	57.0	6.4	1.8	4.0	4.3	3.0	2.3
			1600 1699	3.0	(2.0)	73.3	461.7	55.3	7.2	2.6	3.3	4.3	2.7	2.7
			1400 1499	3.0	(2.0)	72.8	419.3	47.3	7.0	2.4	3.0	4.3	2.0	2.3
			1300 1399	1.0	(0.7)	71.3	388.0	35.0	6.7	2.5	2.0	5.0	2.0	3.0
			1000 1099	2.0	(1.3)	72.8	259.5	37.5	4.4	1.4	2.5	4.0	2.0	2.5
				151.0	(2.3)	75.1	518.7	68.8	8.1	2.5	8.5	3.9	4.5	2.6
			3000	8.0	(1.1)	81.0	623.8	113.4	9.5	1.9	12.0	3.3	5.0	2.8
			2900 2999	5.0	(0.7)	79.1	588.4	96.8	9.3	2.0	12.0	3.6	5.0	2.4
			2800 2899	23.0	(3.2)	79.2	570.6	97.0	9.0	1.8	12.0	3.5	5.0	2.8
			2700 2799	42.0	(5.9)	78.5	592.6	93.2	9.5	2.2	11.7	3.4	5.0	2.8
			2600 2699	44.0	(6.2)	77.6	557.2	86.3	8.9	2.2	11.5	3.5	5.0	2.7
			2500 2599	38.0	(5.3)	77.1	590.8	84.3	9.5	2.4	11.0	3.3	5.0	2.9
			2400 2499	68.0	(9.6)	76.6	553.0	78.9	9.0	2.5	10.4	3.3	5.0	2.8
			2300 2399	138.0	(19.4)	75.8	545.9	73.9	8.8	2.5	9.7	3.5	5.0	2.8
			2200 2299	120.0	(16.9)	75.2	547.5	70.6	8.8	2.7	9.3	3.3	4.9	2.8
			2100 2199	80.0	(11.2)	74.8	546.0	68.0	8.7	2.7	8.0	3.4	4.6	2.8
			2000 2099	54.0	(7.6)	74.9	529.4	66.6	8.6	2.6	7.1	3.5	4.3	2.6
			1900 1999	36.0	(5.1)	74.3	528.4	63.4	8.4	2.7	6.8	3.6	4.2	2.9
			1800 1899	24.0	(3.4)	74.3	504.8	59.5	8.3	2.4	6.2	3.5	3.8	2.6
			1700 1799	12.0	(1.7)	74.5	477.8	60.7	7.5	2.0	5.7	3.9	3.5	2.6
			1600 1699	7.0	(1.0)	74.0	498.6	58.9	8.3	2.6	4.9	3.9	3.3	2.6
			1500 1599	4.0	(0.6)	73.6	424.9	48.8	7.5	2.0	4.0	3.8	3.0	2.8
			1400 1499	4.0	(0.6)	72.0	407.3	38.8	6.9	2.1	3.5	4.5	2.8	2.3
			1300 1399	2.0	(0.3)	72.7	321.0	36.0	5.4	1.1	3.5	4.5	2.5	2.0
			1100 1199	2.0	(0.3)	72.7	300.3	40.0	5.2	1.9	3.0	4.0	2.0	2.0
			999	1.0	(0.1)	73.0	168.0	26.0	4.3	0.6	2.0	4.0	2.0	3.0
				712.0	(10.7)	75.9	546.2	74.4	8.8	2.5	9.2	3.5	4.7	2.8
			3000	1.0	(3.2)	79.6	624.0	98.0	9.7	1.4	12.0	3.0	5.0	3.0
			2700 2799	1.0	(3.2)	81.3	518.5	103.0	9.3	1.4	12.0	3.0	5.0	2.0
			2600 2699	4.0	(12.9)	79.0	579.3	93.0	10.2	2.4	11.5	3.8	5.0	2.0
			2500 2599	3.0	(9.7)	81.5	574.2	108.7	9.4	1.3	12.0	3.3	5.0	2.3
			2400 2499	3.0	(9.7)	76.2	516.8	76.0	8.3	2.5	12.0	3.0	5.0	2.3
			2300 2399	4.0	(12.9)	76.1	554.4	73.5	8.5	1.8	10.5	3.5	5.0	3.0
			2200 2299	6.0	(19.4)	74.7	563.0	68.2	9.1	2.8	9.2	3.5	5.0	2.7
			2100 2199	1.0	(3.2)	74.6	546.0	73.0	8.0	3.2	6.0	5.0	4.0	4.0
			2000 2099	3.0	(9.7)	75.0	569.8	70.0	9.1	2.7	7.7	3.7	4.7	3.0
			1900 1999	1.0	(3.2)	73.6	579.0	67.0	9.0	3.7	7.0	4.0	5.0	3.0
			1800 1899	2.0	(6.5)	72.5	637.8	55.5	8.8	2.4	6.5	3.5	4.5	3.0
			1700 1799	1.0	(3.2)	72.7	627.0	56.0	8.7	2.2	4.0	4.0	4.0	2.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	1.0	(3.2)	71.4	592.0	59.0	9.2	4.9	8.0	4.0	5.0	3.0
				31.0	(0.5)	76.3	569.6	77.6	9.1	2.4	9.7	3.5	4.9	2.6
			2800 2899	1.0	(0.8)	79.2	565.0	89.0	10.0	1.6	11.0	3.0	5.0	3.0
			2700 2799	7.0	(5.5)	77.4	531.6	81.1	8.9	2.0	11.6	3.3	5.0	2.9
			2600 2699	9.0	(7.1)	76.5	535.4	77.2	8.5	2.2	11.3	3.2	5.0	2.7
			2500 2599	7.0	(5.5)	76.8	528.9	77.9	8.6	2.1	10.6	3.7	5.0	2.7
			2400 2499	19.0	(15.0)	75.8	531.6	70.7	8.9	2.3	10.1	3.5	4.9	2.7
			2300 2399	27.0	(21.3)	75.0	528.9	67.7	8.7	2.6	8.9	3.5	4.9	2.7
			2200 2299	31.0	(24.4)	74.7	525.7	65.8	8.6	2.7	8.0	3.6	4.7	2.9
			2100 2199	7.0	(5.5)	75.0	508.9	68.3	8.3	2.7	7.7	4.0	4.4	2.7
			2000 2099	7.0	(5.5)	74.3	554.1	66.9	8.5	2.9	6.0	3.9	4.1	2.6
			1900 1999	5.0	(3.9)	73.3	517.8	63.0	8.0	3.5	5.8	3.8	4.0	2.8
			1800 1899	2.0	(1.6)	76.3	521.5	73.5	8.7	2.1	5.0	3.0	3.0	3.0
			1700 1799	1.0	(0.8)	74.5	529.0	63.0	9.2	2.9	4.0	5.0	3.0	3.0
			1600 1699	2.0	(1.6)	73.2	515.0	57.5	8.2	3.0	4.5	4.5	3.0	3.0
			1500 1599	2.0	(1.6)	73.2	377.0	44.5	5.7	1.3	4.5	3.5	3.0	2.0
				127.0	(1.9)	75.3	526.5	69.2	8.6	2.5	8.7	3.6	4.7	2.7
			2600 2699	3.0	(1.4)	78.7	524.3	88.3	8.5	1.5	12.0	3.3	5.0	2.0
			2500 2599	4.0	(1.9)	77.0	505.5	80.3	8.2	2.2	10.3	3.8	5.0	2.8
			2400 2499	10.0	(4.6)	77.4	532.0	83.2	8.7	2.2	11.4	3.7	5.0	2.2
			2300 2399	14.0	(6.5)	76.2	522.4	72.4	8.9	2.2	11.1	3.8	5.0	2.6
			2200 2299	23.0	(10.6)	76.3	534.4	77.0	8.4	2.2	9.8	3.9	5.0	2.7
			2100 2199	26.0	(12.0)	75.4	513.4	68.8	8.3	2.3	9.4	3.9	4.8	2.7
			2000 2099	42.0	(19.4)	75.2	536.0	69.3	8.5	2.4	8.4	3.9	4.7	2.7
			1900 1999	31.0	(14.4)	74.9	500.8	64.0	8.3	2.3	7.8	3.8	4.6	2.6
			1800 1899	39.0	(18.1)	74.4	511.4	62.2	8.2	2.4	6.6	4.1	4.1	2.5
			1700 1799	16.0	(7.4)	73.4	489.1	54.1	8.1	2.6	5.4	3.9	3.8	2.4
			1600 1699	6.0	(2.8)	73.1	434.2	50.8	7.1	2.5	3.8	4.2	2.8	2.5
			1500 1599	1.0	(0.5)	72.5	357.5	39.0	5.7	1.4	6.0	3.0	4.0	3.0
			1400 1499	1.0	(0.5)	72.7	401.0	47.0	4.9	1.2	3.0	4.0	2.0	2.0
				216.0	(3.3)	75.2	514.1	67.4	8.3	2.3	8.3	3.9	4.5	2.6
			3000	10.0	(1.6)	80.1	595.1	104.4	9.6	2.1	11.9	3.7	5.0	2.6
			2900 2999	3.0	(0.5)	79.0	581.3	93.3	9.4	1.7	12.0	4.0	5.0	2.0
			2800 2899	8.0	(1.3)	79.4	579.4	98.9	9.3	2.1	11.6	4.0	5.0	2.3
			2700 2799	12.0	(1.9)	78.6	579.1	92.6	9.4	2.2	11.7	3.6	5.0	2.4
			2600 2699	17.0	(2.7)	77.8	544.1	85.6	8.9	2.1	11.2	3.6	5.0	2.6
			2500 2599	29.0	(4.6)	76.9	546.9	79.7	8.8	2.1	11.0	3.7	5.0	2.5
			2400 2499	47.0	(7.4)	76.7	539.5	78.1	8.7	2.2	10.4	3.7	5.0	2.6
			2300 2399	95.0	(14.9)	75.4	534.6	70.7	8.6	2.5	9.5	3.8	5.0	2.6
			2200 2299	104.0	(16.4)	75.0	512.5	65.9	8.4	2.4	8.4	3.8	4.8	2.6
			2100 2199	117.0	(18.4)	74.5	524.2	64.5	8.3	2.5	7.5	3.9	4.4	2.7

					(%)		(kg)	(m2)	(m)	(m)				
			2000 2099	56.0	(8.8)	74.1	505.9	60.4	8.1	2.5	7.1	4.0	4.2	2.6
			1900 1999	67.0	(10.5)	73.9	509.8	59.8	8.0	2.5	6.1	4.0	3.9	2.4
			1800 1899	46.0	(7.2)	73.5	477.6	55.5	7.5	2.4	4.9	4.1	3.3	2.5
			1700 1799	18.0	(2.8)	73.5	503.4	56.8	7.8	2.5	4.2	4.2	2.9	2.5
			1600 1699	2.0	(0.3)	73.5	446.3	50.0	8.1	2.5	4.0	4.5	3.0	2.5
			1500 1599	3.0	(0.5)	72.9	528.8	58.3	7.5	2.9	3.3	5.0	2.3	2.3
			1200 1299	1.0	(0.2)	73.0	316.0	42.0	4.8	1.3	2.0	5.0	2.0	2.0
			1100 1199	1.0	(0.2)	74.0	282.5	42.0	6.4	1.8	2.0	5.0	2.0	3.0
				636.0	(9.6)	75.1	521.6	67.8	8.3	2.4	8.1	3.9	4.5	2.6
			3000	4.0	(1.1)	79.2	585.3	97.8	9.9	2.5	12.0	3.5	5.0	2.5
			2900 2999	1.0	(0.3)	80.4	565.0	106.0	8.9	1.9	12.0	4.0	5.0	2.0
			2800 2899	12.0	(3.4)	79.6	598.5	99.8	9.6	1.9	12.0	3.9	5.0	2.1
			2700 2799	12.0	(3.4)	78.5	592.2	94.8	9.2	2.3	11.6	3.8	5.0	2.4
			2600 2699	15.0	(4.2)	77.7	560.9	88.0	8.8	2.2	11.3	3.7	5.0	2.3
			2500 2599	30.0	(8.4)	77.7	553.8	85.1	8.9	2.0	10.8	4.0	5.0	2.5
			2400 2499	32.0	(8.9)	76.7	569.5	80.1	8.9	2.2	9.9	3.9	4.9	2.4
			2300 2399	57.0	(15.9)	75.7	556.9	74.4	8.6	2.4	9.2	3.9	4.9	2.5
			2200 2299	51.0	(14.2)	75.3	533.6	70.2	8.3	2.4	8.1	4.0	4.6	2.5
			2100 2199	48.0	(13.4)	75.0	543.5	69.8	8.5	2.7	7.3	4.0	4.4	2.7
			2000 2099	45.0	(12.6)	74.5	531.3	65.6	8.4	2.6	6.8	4.1	4.2	2.6
			1900 1999	20.0	(5.6)	73.1	495.4	55.0	7.8	2.8	5.7	4.0	3.7	2.7
			1800 1899	13.0	(3.6)	74.1	508.3	59.6	7.7	2.2	4.7	4.2	3.1	2.5
			1700 1799	12.0	(3.4)	73.0	501.4	54.4	7.9	2.8	3.6	4.5	2.7	2.4
			1600 1699	2.0	(0.6)	75.1	449.0	62.5	7.0	1.6	3.0	5.0	2.5	3.0
			1500 1599	2.0	(0.6)	73.6	581.0	62.5	8.7	2.8	4.0	4.5	2.5	2.0
			999	2.0	(0.6)	71.5	180.5	23.5	3.4	1.1	2.5	5.0	2.0	3.5
				358.0	(5.4)	75.7	542.9	73.2	8.5	2.4	8.3	4.0	4.5	2.5
			2900 2999	1.0	(0.2)	80.4	641.0	106.0	9.9	1.6	12.0	4.0	5.0	3.0
			2800 2899	5.0	(1.0)	79.4	556.4	93.4	9.4	1.6	12.0	3.8	5.0	2.2
			2700 2799	15.0	(3.1)	78.5	515.7	85.7	8.7	1.5	11.7	3.3	5.0	2.3
			2600 2699	23.0	(4.8)	78.8	507.0	86.4	8.7	1.5	11.6	3.6	5.0	2.4
			2500 2599	26.0	(5.4)	77.9	514.1	83.8	8.4	1.7	10.8	3.5	5.0	2.3
			2400 2499	30.0	(6.2)	77.3	517.7	79.7	8.5	1.9	11.0	3.6	5.0	2.6
			2300 2399	94.0	(19.5)	76.4	518.1	73.8	8.4	2.0	9.5	3.9	4.9	2.4
			2200 2299	72.0	(14.9)	75.5	513.3	68.8	8.3	2.2	8.4	3.9	4.7	2.5
			2100 2199	72.0	(14.9)	75.1	493.5	64.5	7.9	2.1	7.3	3.9	4.3	2.5
			2000 2099	44.0	(9.1)	74.8	471.4	62.0	7.6	2.1	7.0	3.9	4.2	2.5
			1900 1999	38.0	(7.9)	74.5	474.3	61.4	7.7	2.3	5.9	4.1	3.9	2.6
			1800 1899	29.0	(6.0)	74.5	480.9	60.7	7.5	2.0	4.7	3.9	3.3	2.6
			1700 1799	20.0	(4.1)	73.9	447.9	53.9	7.2	2.0	4.6	4.0	3.1	2.7
			1600 1699	9.0	(1.9)	74.0	418.8	51.7	7.0	1.7	3.6	3.6	2.7	2.1
			1500 1599	3.0	(0.6)	74.1	460.7	53.3	7.4	1.6	2.7	3.7	2.0	2.3
			1300 1399	2.0	(0.4)	72.0	341.0	36.0	5.8	1.9	2.5	4.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				483.0	(7.3)	75.8	497.7	69.4	8.1	2.0	8.2	3.8	4.4	2.5
			2800 2899	1.0	(0.5)	77.1	539.0	82.0	8.8	2.3	10.0	3.0	5.0	3.0
			2700 2799	4.0	(1.9)	78.2	579.8	87.8	9.5	1.9	11.8	3.5	5.0	2.8
			2600 2699	4.0	(1.9)	77.6	513.0	82.3	8.5	1.9	11.3	3.3	5.0	2.8
			2500 2599	2.0	(0.9)	78.0	560.0	82.5	9.2	1.4	11.5	3.5	5.0	2.5
			2400 2499	8.0	(3.7)	76.8	565.7	80.9	8.7	2.1	10.9	3.8	5.0	2.4
			2300 2399	35.0	(16.2)	75.8	571.6	74.5	8.8	2.2	10.1	3.7	5.0	2.7
			2200 2299	45.0	(20.8)	75.6	562.8	73.1	8.8	2.4	9.6	3.7	4.9	2.6
			2100 2199	32.0	(14.8)	74.9	565.3	68.8	8.5	2.3	7.8	3.9	4.4	2.6
			2000 2099	32.0	(14.8)	74.8	568.8	67.0	8.5	2.0	7.3	4.0	4.2	2.6
			1900 1999	23.0	(10.6)	74.7	567.1	66.2	8.1	1.9	6.3	4.0	3.7	2.7
			1800 1899	17.0	(7.9)	74.2	550.3	62.9	8.1	2.2	4.9	4.2	3.2	2.5
			1700 1799	6.0	(2.8)	74.5	546.2	64.0	7.9	1.9	3.2	4.2	2.7	2.7
			1600 1699	4.0	(1.9)	74.6	462.8	61.0	6.8	1.7	4.5	4.0	3.0	2.8
			1300 1399	1.0	(0.5)	74.4	359.0	52.0	5.9	1.4	3.0	5.0	2.0	2.0
			999	2.0	(0.9)	71.5	222.0	26.0	3.8	1.1	2.5	4.5	1.5	4.0
				216.0	(3.3)	75.3	557.9	70.1	8.5	2.1	8.1	3.9	4.3	2.6
			2700 2799	1.0	(0.9)	77.9	611.0	87.0	9.2	1.5	12.0	4.0	5.0	2.0
			2600 2699	3.0	(2.7)	78.4	566.7	86.0	10.0	2.0	11.3	3.7	5.0	2.7
			2500 2599	5.0	(4.5)	77.4	504.0	80.4	8.7	2.3	10.6	3.6	4.8	2.6
			2400 2499	8.0	(7.2)	77.8	529.8	82.8	8.7	1.7	10.1	4.4	5.0	2.5
			2300 2399	13.0	(11.7)	75.9	539.8	73.5	8.2	2.1	9.8	3.7	5.0	2.5
			2200 2299	18.0	(16.2)	76.0	522.7	72.3	8.3	2.1	8.2	4.2	4.6	2.5
			2100 2199	18.0	(16.2)	75.1	519.6	68.6	7.9	2.2	7.1	4.2	4.3	2.6
			2000 2099	11.0	(9.9)	73.9	526.2	62.6	7.9	2.7	7.3	3.8	4.5	2.5
			1900 1999	16.0	(14.4)	74.2	521.2	62.5	7.9	2.3	6.7	3.9	4.1	2.6
			1800 1899	7.0	(6.3)	73.4	504.9	58.1	7.6	2.6	5.4	4.4	3.7	2.6
			1700 1799	4.0	(3.6)	73.1	467.8	51.8	7.4	2.3	5.3	4.0	3.3	2.3
			1600 1699	3.0	(2.7)	71.8	419.0	41.3	7.1	2.8	3.7	4.0	2.7	2.3
			1500 1599	2.0	(1.8)	71.8	480.0	48.5	6.3	2.3	2.5	5.0	2.0	2.5
			1100 1199	1.0	(0.9)	72.7	342.0	44.0	6.3	2.6	3.0	4.0	2.0	2.0
			1000 1099	1.0	(0.9)	73.7	296.0	48.0	4.7	1.6	2.0	5.0	2.0	4.0
				111.0	(1.7)	75.1	515.6	67.7	8.0	2.2	7.7	4.0	4.3	2.5
			2300 2399	1.0	(0.0)	76.6	532.0	74.0	9.9	2.7	10.0	4.0	5.0	3.0
			3000	1.0	(1.5)	79.3	635.0	95.0	10.0	1.3	12.0	3.0	5.0	3.0
			2800 2899	2.0	(3.0)	78.9	616.0	94.0	10.0	1.9	12.0	3.5	5.0	3.0
			2700 2799	3.0	(4.5)	78.0	566.3	84.7	9.6	2.0	11.3	3.7	5.0	3.0
			2600 2699	5.0	(7.5)	78.4	576.0	90.4	8.9	1.7	10.8	3.6	5.0	2.8
			2500 2599	5.0	(7.5)	76.8	537.2	78.4	8.5	2.0	11.0	3.4	5.0	3.0
			2400 2499	12.0	(17.9)	76.3	552.2	77.4	8.9	2.4	10.5	3.8	4.9	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2300 2399	12.0	(17.9)	75.1	562.5	69.9	8.7	2.4	9.3	3.8	5.0	2.8
			2200 2299	11.0	(16.4)	74.9	566.9	68.7	8.7	2.5	8.8	3.8	4.9	3.0
			2100 2199	7.0	(10.4)	75.5	542.6	70.6	8.4	2.2	8.3	4.1	4.7	2.7
			2000 2099	3.0	(4.5)	75.9	529.7	70.0	8.6	1.9	9.0	3.7	4.7	2.3
			1900 1999	3.0	(4.5)	74.4	463.3	60.7	7.5	2.3	6.7	3.7	4.0	3.0
			1800 1899	3.0	(4.5)	74.6	538.7	70.3	7.4	2.4	4.3	4.3	3.0	2.0
				67.0	(1.0)	76.0	554.3	74.7	8.7	2.2	9.4	3.8	4.8	2.8
			2900 2999	1.0	(1.9)	79.7	553.0	97.0	10.2	2.4	12.0	4.0	5.0	3.0
			2800 2899	2.0	(3.7)	78.0	576.0	89.5	8.9	2.0	11.5	4.0	5.0	3.0
			2700 2799	5.0	(9.3)	76.5	534.8	75.6	8.8	2.1	10.4	3.8	5.0	2.6
			2600 2699	3.0	(5.6)	75.7	539.0	71.3	8.6	2.2	10.0	4.0	5.0	2.3
			2500 2599	6.0	(11.1)	74.6	542.2	68.0	8.5	2.9	9.2	3.7	4.8	2.3
			2400 2499	5.0	(9.3)	77.2	508.2	79.0	8.4	1.9	9.2	4.0	4.8	2.8
			2300 2399	10.0	(18.5)	74.9	525.5	65.4	8.5	2.4	7.8	3.9	4.7	2.4
			2200 2299	4.0	(7.4)	75.6	531.3	69.3	8.5	2.0	9.0	4.5	5.0	2.5
			2100 2199	9.0	(16.7)	74.5	545.0	65.4	8.5	2.6	7.3	4.1	4.6	2.3
			2000 2099	2.0	(3.7)	73.7	518.5	57.5	8.2	2.4	6.0	3.5	4.0	2.0
			1900 1999	5.0	(9.3)	73.2	512.4	56.2	8.2	2.9	5.0	4.0	3.6	2.8
			1800 1899	1.0	(1.9)	74.6	501.0	64.0	8.9	3.1	4.0	3.0	3.0	2.0
			1700 1799	1.0	(1.9)	71.9	489.0	51.0	8.2	3.9	4.0	4.0	3.0	3.0
				54.0	(0.8)	75.2	530.8	68.6	8.5	2.4	8.2	3.9	4.6	2.5
			2600 2699	7.0	(50.0)	76.6	508.9	75.6	8.6	2.2	11.7	3.1	5.0	2.4
			2500 2599	2.0	(14.3)	75.3	434.8	64.5	7.1	1.9	11.0	3.5	5.0	2.0
			2400 2499	3.0	(21.4)	75.6	454.0	64.7	7.4	1.6	8.3	3.3	5.0	2.7
			2300 2399	1.0	(7.1)	75.4	585.0	73.0	8.7	2.3	10.0	4.0	5.0	3.0
			1700 1799	1.0	(7.1)	72.7	494.5	57.0	7.6	3.4	4.0	4.0	3.0	3.0
				14.0	(0.2)	75.9	491.0	70.1	8.1	2.1	10.2	3.4	4.9	2.5
			2800 2899	1.0	(33.3)	76.4	514.0	79.0	9.0	3.2	10.0	3.0	5.0	2.0
			2700 2799	1.0	(33.3)	75.0	575.0	79.0	9.3	4.1	12.0	3.0	5.0	2.0
			2500 2599	1.0	(33.3)	76.5	643.0	86.0	9.1	2.3	11.0	4.0	5.0	2.0
				3.0	(0.0)	76.0	577.3	81.3	9.1	3.2	11.0	3.3	5.0	2.0
			3000	1.0	(4.8)	79.0	502.5	89.0	8.7	1.6	12.0	3.0	5.0	3.0
			2800 2899	1.0	(4.8)	78.9	552.0	84.0	9.0	0.6	11.0	3.0	5.0	3.0
			2700 2799	1.0	(4.8)	77.1	670.5	87.0	10.0	2.1	12.0	3.0	5.0	3.0
			2600 2699	1.0	(4.8)	77.3	553.0	82.0	8.3	1.6	12.0	3.0	5.0	2.0
			2500 2599	4.0	(19.0)	76.3	502.1	71.8	8.3	1.9	10.3	3.5	5.0	2.0
			2400 2499	4.0	(19.0)	75.1	494.1	61.3	8.5	1.9	8.5	3.8	5.0	3.0
			2300 2399	4.0	(19.0)	74.5	557.5	66.3	8.8	2.6	8.8	4.0	5.0	2.0
			2200 2299	2.0	(9.5)	74.4	492.8	59.5	7.7	1.9	6.5	3.5	4.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	3.0	(14.3)	75.8	460.7	64.7	7.8	1.6	4.3	4.3	3.3	2.3
				21.0	(0.3)	75.8	517.2	69.1	8.4	1.9	8.7	3.7	4.7	2.4
			2800 2899	5.0	(3.5)	79.2	543.5	94.2	9.2	2.1	12.0	3.2	5.0	2.4
			2700 2799	15.0	(10.6)	77.6	545.5	82.9	9.2	2.1	11.5	3.5	5.0	2.6
			2600 2699	12.0	(8.5)	76.5	523.1	75.8	8.6	2.2	11.3	3.6	5.0	2.8
			2500 2599	18.0	(12.7)	74.7	525.4	65.3	8.5	2.6	10.3	3.6	5.0	2.6
			2400 2499	17.0	(12.0)	75.1	528.3	68.6	8.4	2.5	9.6	3.8	4.9	2.6
			2300 2399	21.0	(14.8)	74.9	564.9	69.0	8.7	2.6	9.3	3.7	5.0	2.7
			2200 2299	20.0	(14.1)	74.1	532.6	62.3	8.5	2.7	8.1	3.6	4.7	2.6
			2100 2199	14.0	(9.9)	74.1	548.9	63.9	8.5	2.8	7.4	3.6	4.4	2.6
			2000 2099	9.0	(6.3)	73.2	577.5	61.7	8.5	3.0	6.4	3.8	4.1	2.7
			1900 1999	7.0	(4.9)	73.2	529.8	58.7	8.4	3.1	5.6	3.4	3.9	2.9
			1800 1899	3.0	(2.1)	72.0	557.9	53.0	8.4	3.3	4.3	4.3	3.3	2.7
			1700 1799	1.0	(0.7)	72.7	569.9	57.0	8.6	3.0	4.0	4.0	3.0	3.0
				142.0	(2.1)	75.0	542.0	68.6	8.6	2.6	9.1	3.6	4.7	2.7
			3000	134.0	(34.8)	76.5	492.0	71.5	9.2	2.4	10.5	3.4	5.0	2.8
			2900 2999	60.0	(15.6)	75.6	492.1	68.6	8.7	2.6	9.6	3.4	5.0	2.8
			2800 2899	59.0	(15.3)	75.1	497.7	65.4	8.6	2.6	8.6	3.5	4.8	2.7
			2700 2799	40.0	(10.4)	74.7	498.5	63.1	8.6	2.6	8.0	3.7	4.7	2.8
			2600 2699	44.0	(11.4)	74.3	489.6	59.6	8.3	2.6	6.9	3.8	4.3	2.6
			2500 2599	20.0	(5.2)	73.7	496.3	59.5	8.0	2.8	6.3	3.9	4.2	2.5
			2400 2499	19.0	(4.9)	73.2	482.6	53.4	7.8	2.6	5.9	4.2	3.9	2.5
			2300 2399	1.0	(0.3)	73.2	324.0	41.0	6.0	1.7	4.0	4.0	3.0	3.0
			2200 2299	3.0	(0.8)	72.2	422.2	44.0	7.2	2.7	4.7	4.3	3.0	3.0
			2100 2199	1.0	(0.3)	72.8	461.6	50.0	8.0	3.0	4.0	4.0	4.0	2.0
			2000 2099	1.0	(0.3)	73.2	439.3	56.0	6.4	2.5	4.0	4.0	2.0	2.0
			1900 1999	1.0	(0.3)	71.6	408.7	36.0	7.1	2.3	3.0	5.0	2.0	2.0
			1800 1899	1.0	(0.3)	71.9	359.2	34.0	6.1	1.7	3.0	4.0	2.0	2.0
			1700 1799	1.0	(0.3)	72.0	240.2	27.0	4.9	1.3	3.0	4.0	2.0	2.0
				385.0	(5.8)	75.3	490.6	65.6	8.7	2.5	8.8	3.6	4.7	2.7
			2800 2899	1.0	(9.1)	79.9	562.0	97.0	9.6	1.6	12.0	4.0	5.0	3.0
			2700 2799	3.0	(27.3)	76.1	547.9	78.0	8.3	2.5	11.7	3.7	5.0	2.3
			2600 2699	1.0	(9.1)	78.8	628.0	98.0	10.4	2.7	12.0	4.0	5.0	2.0
			2300 2399	2.0	(18.2)	75.3	557.8	71.5	9.0	2.7	11.0	4.0	5.0	2.0
			1900 1999	1.0	(9.1)	75.0	543.0	62.0	8.3	1.4	5.0	4.0	3.0	3.0
			1800 1899	1.0	(9.1)	74.0	387.0	57.0	6.8	2.7	5.0	5.0	3.0	2.0
			1700 1799	2.0	(18.2)	73.5	561.3	58.0	8.6	2.4	5.5	3.0	3.5	2.5
				11.0	(0.2)	75.8	545.6	73.4	8.7	2.4	9.3	3.8	4.4	2.4
			2700 2799	2.0	(2.4)	76.3	482.5	72.0	8.3	2.3	12.0	3.0	5.0	3.0
			2600 2699	3.0	(3.7)	76.6	486.2	76.3	7.9	2.1	11.7	3.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	7.0	(8.5)	75.6	508.1	73.6	8.2	2.8	10.1	3.1	5.0	2.7
			2400 2499	17.0	(20.7)	75.3	517.4	69.9	8.6	2.7	10.7	3.2	5.0	2.8
			2300 2399	10.0	(12.2)	74.5	512.6	65.1	8.2	2.6	9.8	3.3	5.0	2.6
			2200 2299	14.0	(17.1)	74.8	538.1	68.9	8.4	2.7	9.9	3.4	4.9	2.9
			2100 2199	12.0	(14.6)	74.6	541.8	65.5	8.4	2.4	8.6	3.3	4.6	2.9
			2000 2099	11.0	(13.4)	74.4	498.2	63.4	7.5	2.2	6.4	3.5	4.2	3.0
			1900 1999	4.0	(4.9)	74.0	620.6	66.5	9.3	2.7	7.8	3.0	4.3	2.8
			1700 1799	1.0	(1.2)	71.8	500.0	48.0	7.2	2.7	5.0	3.0	4.0	3.0
			1500 1599	1.0	(1.2)	74.4	327.8	52.0	5.8	1.7	12.0	4.0	5.0	2.0
				82.0	(1.2)	74.9	521.1	67.6	8.3	2.6	9.4	3.3	4.8	2.8
			2400 2499	1.0	(20.0)	75.4	552.4	73.0	8.5	2.5	11.0	3.0	5.0	3.0
			2200 2299	1.0	(20.0)	76.7	494.0	75.0	7.8	1.6	10.0	3.0	5.0	3.0
			2000 2099	2.0	(40.0)	72.2	535.6	53.0	7.8	3.0	5.5	4.0	4.0	2.5
			1700 1799	1.0	(20.0)	73.9	439.0	55.0	6.3	1.5	3.0	4.0	3.0	2.0
				5.0	(0.1)	74.1	511.3	61.8	7.6	2.3	7.0	3.6	4.2	2.6
			3000	4.0	(13.3)	74.2	493.6	58.8	8.2	2.3	5.5	4.3	3.5	2.8
			2900 2999	1.0	(3.3)	73.1	514.8	56.0	7.9	2.7	10.0	4.0	5.0	3.0
			2800 2899	1.0	(3.3)	74.8	432.1	57.0	7.4	1.7	11.0	3.0	5.0	2.0
			2700 2799	3.0	(10.0)	74.6	520.5	61.7	9.1	2.6	7.7	4.0	4.3	2.7
			2600 2699	3.0	(10.0)	75.3	466.0	61.7	7.9	1.7	9.0	4.0	4.7	2.7
			2500 2599	2.0	(6.7)	74.2	485.5	61.0	7.8	2.5	5.5	4.0	4.0	2.5
			2400 2499	7.0	(23.3)	74.5	497.3	62.4	8.4	2.7	6.3	4.0	4.1	2.9
			2300 2399	3.0	(10.0)	74.1	542.7	61.0	10.0	3.5	5.3	4.0	4.0	2.7
			2200 2299	3.0	(10.0)	74.1	484.7	57.0	8.3	2.5	5.7	4.0	4.0	2.7
			2000 2099	1.0	(3.3)	72.0	515.5	48.0	7.6	2.4	4.0	5.0	3.0	3.0
			1800 1899	1.0	(3.3)	71.3	480.5	50.0	6.6	3.3	4.0	4.0	3.0	3.0
			1700 1799	1.0	(3.3)	72.6	436.5	54.0	7.1	3.5	3.0	4.0	3.0	3.0
				30.0	(0.5)	74.2	494.9	59.4	8.3	2.6	6.4	4.0	4.0	2.7
			3000	1.0	(2.3)	76.4	672.1	89.0	9.9	3.0	12.0	3.0	5.0	3.0
			2800 2899	3.0	(6.8)	76.1	584.4	79.0	9.1	2.6	9.0	3.7	5.0	3.0
			2700 2799	3.0	(6.8)	76.3	586.4	76.3	9.0	1.9	9.0	3.7	4.7	2.7
			2600 2699	5.0	(11.4)	75.0	516.8	65.2	8.1	2.1	9.8	3.6	5.0	2.6
			2500 2599	7.0	(15.9)	75.1	546.5	69.3	8.4	2.3	9.0	3.9	4.9	2.7
			2400 2499	9.0	(20.5)	74.0	518.7	61.1	8.4	2.8	8.6	3.9	4.8	2.3
			2300 2399	5.0	(11.4)	73.4	467.1	51.4	7.5	2.1	7.0	4.2	4.2	2.8
			2200 2299	3.0	(6.8)	72.0	446.7	41.0	7.2	2.2	6.7	4.0	4.0	3.0
			2100 2199	2.0	(4.5)	75.0	544.0	65.5	8.2	1.6	6.5	4.0	4.0	3.0
			2000 2099	3.0	(6.8)	73.3	495.2	54.0	7.7	2.3	6.7	4.3	4.0	2.7
			1900 1999	1.0	(2.3)	75.4	562.0	70.0	9.2	2.6	3.0	4.0	3.0	2.0
			1700 1799	1.0	(2.3)	73.6	607.4	64.0	8.4	2.4	5.0	4.0	3.0	3.0
			1000 1099	1.0	(2.3)	70.7	240.8	16.0	4.2	0.6	3.0	4.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				44.0	(0.7)	74.4	520.9	62.3	8.2	2.3	8.0	3.9	4.5	2.7
			2600 2699	2.0	(14.3)	75.2	607.8	74.5	9.5	3.0	10.5	4.0	5.0	3.0
			2200 2299	2.0	(14.3)	75.8	445.0	66.0	7.8	2.0	9.0	3.5	5.0	2.0
			2100 2199	2.0	(14.3)	74.5	462.6	54.5	7.8	1.6	5.5	4.0	4.0	3.0
			2000 2099	2.0	(14.3)	74.2	468.0	56.0	7.4	1.9	7.0	4.0	4.0	3.0
			1900 1999	1.0	(7.1)	74.5	404.6	50.0	7.0	1.1	5.0	4.0	3.0	3.0
			1800 1899	4.0	(28.6)	73.4	507.4	54.8	7.9	2.3	5.3	3.5	3.8	3.0
			1700 1799	1.0	(7.1)	72.8	469.2	48.0	8.0	2.6	4.0	4.0	3.0	3.0
				14.0	(0.2)	74.3	490.7	58.5	8.0	2.1	6.7	3.8	4.1	2.9
			3000	187.0	(57.2)	74.9	436.8	62.8	7.4	2.5	9.4	3.6	4.9	2.5
			2900 2999	22.0	(6.7)	74.8	439.1	63.1	7.3	2.4	7.2	4.0	4.1	2.7
			2800 2899	23.0	(7.0)	74.3	447.4	59.7	7.4	2.5	7.2	3.8	4.2	2.5
			2700 2799	13.0	(4.0)	76.6	482.9	76.2	7.8	2.1	9.2	3.6	4.6	2.2
			2600 2699	9.0	(2.8)	76.1	480.4	73.2	7.8	2.2	8.7	3.8	4.6	2.4
			2500 2599	12.0	(3.7)	74.8	458.4	65.0	7.4	2.5	7.3	3.9	3.9	2.2
			2400 2499	12.0	(3.7)	75.6	488.9	67.7	8.1	2.1	8.1	3.7	4.3	2.3
			2300 2399	12.0	(3.7)	75.0	538.3	70.2	8.3	2.5	9.5	3.5	4.8	2.4
			2200 2299	14.0	(4.3)	74.2	510.5	61.4	8.3	2.5	9.1	3.5	4.9	2.6
			2100 2199	10.0	(3.1)	74.1	503.9	62.3	7.8	2.5	7.4	3.7	4.3	2.6
			2000 2099	7.0	(2.1)	73.3	532.8	58.3	8.4	2.9	7.0	3.4	4.3	2.1
			1900 1999	2.0	(0.6)	72.8	524.0	54.5	7.7	2.5	6.5	4.0	4.0	2.0
			1800 1899	2.0	(0.6)	72.0	432.6	45.5	7.4	3.1	5.5	3.5	4.0	2.5
			1600 1699	1.0	(0.3)	71.3	486.7	45.0	6.8	2.7	3.0	4.0	2.0	2.0
			1400 1499	1.0	(0.3)	73.5	340.2	43.0	6.0	1.4	3.0	4.0	2.0	2.0
				327.0	(4.9)	74.8	454.8	63.5	7.5	2.4	8.7	3.7	4.7	2.5
			2700 2799	1.0	(11.1)	76.2	529.0	80.0	8.4	2.9	12.0	3.0	5.0	3.0
			2600 2699	1.0	(11.1)	75.3	526.8	70.0	8.5	2.6	8.0	3.0	5.0	2.0
			2300 2399	1.0	(11.1)	74.4	479.2	55.0	7.4	1.2	6.0	4.0	4.0	2.0
			2200 2299	1.0	(11.1)	75.5	415.6	66.0	7.1	2.2	7.0	4.0	4.0	2.0
			2100 2199	1.0	(11.1)	77.2	601.2	82.0	9.1	1.6	8.0	4.0	5.0	2.0
			2000 2099	1.0	(11.1)	74.2	406.2	49.0	7.2	1.5	4.0	4.0	3.0	3.0
			1900 1999	2.0	(22.2)	72.5	497.8	52.5	7.0	2.5	6.5	3.5	4.0	2.5
			1000 1099	1.0	(11.1)	73.6	190.0	36.0	4.2	1.0	2.0	4.0	2.0	3.0
				9.0	(0.1)	74.6	460.4	60.3	7.3	2.0	6.7	3.7	4.0	2.4
			2800 2899	1.0	(7.1)	78.1	573.8	91.0	9.5	2.5	12.0	3.0	5.0	2.0
			2600 2699	1.0	(7.1)	74.5	549.2	74.0	8.2	3.4	12.0	4.0	5.0	3.0
			2500 2599	1.0	(7.1)	75.2	517.8	68.0	7.5	1.7	9.0	3.0	5.0	2.0
			2400 2499	1.0	(7.1)	74.0	568.2	68.0	8.6	3.2	9.0	4.0	5.0	3.0
			2300 2399	2.0	(14.3)	74.3	483.1	61.5	7.5	2.4	7.5	3.0	4.5	2.5
			2100 2199	4.0	(28.6)	73.5	473.1	56.3	7.0	2.2	7.3	3.5	4.5	2.8

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			2000 2099	3.0	(21.4)	74.2	450.0	58.3	7.6	2.5	6.7	3.7	4.3	3.0
			1900 1999	1.0	(7.1)	75.7	381.4	59.0	7.3	1.6	7.0	4.0	4.0	3.0
				14.0	(0.2)	74.5	485.6	63.1	7.7	2.4	8.1	3.5	4.6	2.7
			3000	2.0	(8.7)	77.9	584.0	88.5	9.5	2.4	10.5	3.5	5.0	3.0
			2900 2999	1.0	(4.3)	79.3	527.2	92.0	9.2	1.8	12.0	3.0	5.0	2.0
			2800 2899	1.0	(4.3)	77.7	553.4	92.0	9.0	3.1	12.0	3.0	5.0	2.0
			2700 2799	2.0	(8.7)	78.7	579.7	90.0	9.7	1.8	11.0	3.5	5.0	3.0
			2600 2699	2.0	(8.7)	78.7	523.0	90.0	9.2	2.3	11.5	4.0	5.0	3.0
			2500 2599	5.0	(21.7)	76.0	563.8	77.4	9.0	2.7	11.0	3.8	5.0	2.6
			2400 2499	1.0	(4.3)	73.4	527.0	62.0	8.7	3.6	10.0	4.0	5.0	3.0
			2300 2399	2.0	(8.7)	76.0	545.4	77.5	8.9	3.0	10.5	3.5	5.0	3.0
			2200 2299	2.0	(8.7)	75.3	453.3	58.0	8.3	1.8	8.5	4.0	5.0	2.0
			2100 2199	1.0	(4.3)	78.5	525.0	88.0	8.3	1.5	7.0	4.0	4.0	3.0
			2000 2099	2.0	(8.7)	75.7	483.5	67.5	7.8	1.9	6.5	4.0	4.0	3.0
			1900 1999	2.0	(8.7)	74.9	580.0	78.0	9.1	3.9	5.5	4.0	3.5	3.0
				23.0	(0.3)	76.6	541.3	79.1	8.9	2.5	9.7	3.7	4.7	2.7
			3000	1.0	(2.9)	80.2	577.0	101.0	9.1	1.4	12.0	4.0	5.0	3.0
			2900 2999	1.0	(2.9)	78.2	597.0	85.0	9.4	1.2	12.0	4.0	5.0	2.0
			2800 2899	1.0	(2.9)	78.9	581.0	95.0	8.8	1.6	11.0	4.0	5.0	3.0
			2700 2799	2.0	(5.7)	78.3	527.8	83.5	9.3	1.7	11.5	3.5	5.0	2.5
			2600 2699	2.0	(5.7)	76.3	543.8	78.0	8.8	2.6	10.5	4.0	5.0	3.0
			2400 2499	2.0	(5.7)	77.3	552.0	77.0	9.6	1.9	9.5	4.0	5.0	2.0
			2300 2399	6.0	(17.1)	75.6	540.0	74.8	8.5	2.8	9.8	3.7	5.0	3.0
			2200 2299	5.0	(14.3)	74.7	511.6	68.8	7.6	2.6	9.8	3.8	5.0	2.6
			2100 2199	6.0	(17.1)	74.8	482.0	64.0	7.5	2.3	7.2	4.2	4.3	2.8
			2000 2099	7.0	(20.0)	74.6	487.4	67.1	7.7	2.9	8.0	3.9	4.7	2.7
			1900 1999	1.0	(2.9)	74.0	495.0	73.0	7.1	3.9	7.0	4.0	4.0	3.0
			1800 1899	1.0	(2.9)	72.8	435.0	49.0	7.6	2.8	5.0	5.0	3.0	3.0
				35.0	(0.5)	75.6	515.3	72.2	8.2	2.5	9.1	3.9	4.7	2.7
			2700 2799	1.0	(3.4)	74.8	543.9	63.0	9.3	2.4	12.0	4.0	5.0	3.0
			2600 2699	1.0	(3.4)	77.5	600.0	87.0	8.9	1.8	12.0	4.0	5.0	2.0
			2500 2599	1.0	(3.4)	74.6	584.2	76.0	8.4	3.3	12.0	3.0	5.0	3.0
			2400 2499	2.0	(6.9)	76.5	556.5	80.0	7.9	1.8	11.5	3.5	5.0	3.0
			2300 2399	5.0	(17.2)	75.3	474.6	66.4	7.5	2.1	9.6	3.4	5.0	2.6
			2200 2299	7.0	(24.1)	74.0	461.4	57.7	7.5	2.4	9.0	3.7	5.0	3.0
			2100 2199	4.0	(13.8)	74.3	477.3	58.5	7.6	2.1	8.5	4.0	4.8	3.0
			2000 2099	3.0	(10.3)	74.5	462.6	58.7	7.5	2.0	7.0	4.0	4.0	2.7
			1900 1999	2.0	(6.9)	75.0	449.5	61.0	6.9	1.4	5.5	3.0	4.0	3.0
			1800 1899	2.0	(6.9)	72.7	438.8	49.0	6.0	1.8	4.5	3.5	3.5	3.0
			1700 1799	1.0	(3.4)	74.2	443.8	47.0	8.7	1.7	3.0	4.0	3.0	3.0
				29.0	(0.4)	74.6	481.4	62.0	7.6	2.1	8.6	3.7	4.6	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	1.0	(1.4)	77.8	493.0	90.0	7.6	2.5	12.0	4.0	5.0	3.0
			2900 2999	1.0	(1.4)	76.6	571.2	78.0	9.6	2.6	11.0	3.0	5.0	3.0
			2700 2799	4.0	(5.7)	77.2	561.2	87.5	8.5	2.6	12.0	3.8	5.0	2.3
			2600 2699	6.0	(8.6)	77.7	484.4	84.8	7.7	2.0	11.8	3.5	5.0	2.5
			2500 2599	4.0	(5.7)	76.7	521.6	83.0	8.1	2.7	11.0	3.5	5.0	2.5
			2400 2499	12.0	(17.1)	75.3	540.7	71.9	8.4	2.6	10.1	3.7	5.0	2.4
			2300 2399	11.0	(15.7)	75.4	484.2	68.2	7.8	2.3	8.9	3.9	5.0	2.5
			2200 2299	12.0	(17.1)	75.0	524.2	68.2	8.5	2.6	8.3	3.8	4.9	2.7
			2100 2199	7.0	(10.0)	73.5	510.9	58.9	7.9	2.7	7.3	3.6	4.7	2.7
			2000 2099	6.0	(8.6)	74.6	467.2	62.0	7.5	2.3	6.5	4.0	4.2	2.3
			1900 1999	2.0	(2.9)	75.0	390.9	58.0	6.8	1.7	5.5	4.0	4.0	2.0
			1800 1899	4.0	(5.7)	74.0	413.5	52.3	6.8	1.7	5.0	4.0	3.5	2.5
				70.0	(1.1)	75.4	503.2	70.0	8.0	2.4	8.9	3.7	4.8	2.5
			3000	2.0	(4.1)	79.8	602.3	102.0	9.3	1.6	12.0	3.5	5.0	2.5
			2900 2999	1.0	(2.0)	81.4	641.0	110.0	10.4	1.3	12.0	4.0	5.0	2.0
			2800 2899	1.0	(2.0)	77.9	550.0	92.0	8.4	2.5	12.0	3.0	5.0	3.0
			2700 2799	5.0	(10.2)	78.3	532.1	84.8	9.1	1.7	11.8	3.4	5.0	2.6
			2600 2699	5.0	(10.2)	76.2	539.5	76.0	8.5	2.3	11.2	3.4	5.0	2.6
			2500 2599	1.0	(2.0)	77.9	470.0	87.0	7.6	2.3	12.0	4.0	5.0	2.0
			2400 2499	4.0	(8.2)	75.4	495.6	69.5	8.4	2.7	11.0	3.3	5.0	2.3
			2300 2399	8.0	(16.3)	76.5	523.2	74.0	8.8	2.1	10.4	3.0	5.0	2.8
			2200 2299	7.0	(14.3)	75.8	500.9	69.6	8.4	2.2	10.3	3.3	5.0	2.3
			2100 2199	8.0	(16.3)	74.2	519.5	62.6	8.4	2.7	7.8	3.6	4.6	3.0
			2000 2099	3.0	(6.1)	73.8	566.3	65.3	8.4	2.9	7.0	4.0	4.7	3.0
			1900 1999	1.0	(2.0)	72.8	576.8	58.0	8.6	3.0	6.0	4.0	4.0	3.0
			1800 1899	1.0	(2.0)	73.4	545.6	62.0	7.9	2.8	7.0	4.0	4.0	4.0
			1700 1799	2.0	(4.1)	74.5	492.8	62.5	7.7	2.3	4.5	4.0	3.0	3.0
				49.0	(0.7)	76.0	527.8	73.4	8.6	2.3	9.8	3.4	4.8	2.7
			2900 2999	1.0	(1.3)	75.6	406.0	60.0	6.8	1.2	12.0	4.0	5.0	2.0
			2800 2899	2.0	(2.5)	78.4	535.7	88.5	9.1	2.0	11.5	3.5	5.0	3.5
			2700 2799	2.0	(2.5)	78.3	556.8	90.0	9.1	2.0	12.0	3.0	5.0	3.0
			2600 2699	2.0	(2.5)	77.3	503.2	83.5	7.5	1.9	10.5	4.0	5.0	2.5
			2500 2599	1.0	(1.3)	75.9	469.0	66.0	8.5	2.1	10.0	3.0	5.0	2.0
			2400 2499	6.0	(7.6)	76.1	455.6	66.2	7.7	1.5	8.8	3.5	5.0	2.5
			2300 2399	6.0	(7.6)	74.8	481.1	59.8	8.4	2.1	9.5	3.5	5.0	2.7
			2200 2299	12.0	(15.2)	75.3	532.4	68.7	8.8	2.4	9.3	3.3	5.0	2.7
			2100 2199	18.0	(22.8)	74.1	512.8	61.2	8.2	2.6	7.7	3.7	4.7	2.8
			2000 2099	7.0	(8.9)	74.4	533.2	61.6	8.2	2.0	7.0	3.6	4.3	2.7
			1900 1999	10.0	(12.7)	73.5	514.7	60.4	8.4	3.2	7.0	3.7	4.4	2.4
			1800 1899	7.0	(8.9)	73.6	449.6	55.0	7.2	2.4	5.3	3.7	3.6	2.7
			1700 1799	3.0	(3.8)	73.0	473.3	54.3	7.2	2.7	4.3	3.7	3.3	2.7
			1600 1699	1.0	(1.3)	69.6	527.8	45.0	9.2	5.8	4.0	4.0	3.0	3.0
			1300 1399	1.0	(1.3)	72.7	264.6	39.0	4.3	1.5	2.0	4.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				79.0	(1.2)	74.6	500.6	63.3	8.1	2.4	7.9	3.6	4.5	2.7
			2600 2699	3.0	(7.7)	76.8	495.6	80.7	7.8	2.3	10.7	3.0	5.0	2.3
			2500 2599	6.0	(15.4)	75.8	519.4	75.7	8.0	2.6	10.8	3.3	5.0	2.7
			2400 2499	10.0	(25.6)	76.0	521.5	73.8	8.4	2.3	10.1	3.4	5.0	2.8
			2300 2399	10.0	(25.6)	74.8	505.0	68.8	7.7	2.6	9.1	3.1	5.0	2.8
			2200 2299	3.0	(7.7)	73.1	567.6	62.3	8.6	3.4	8.7	3.0	4.7	2.3
			2100 2199	5.0	(12.8)	73.5	555.1	61.8	8.2	2.7	7.2	3.6	4.4	2.6
			2000 2099	1.0	(2.6)	72.9	555.8	57.0	9.0	3.3	6.0	4.0	4.0	3.0
			1900 1999	1.0	(2.6)	76.3	535.8	78.0	9.2	3.0	5.0	4.0	4.0	2.0
				39.0	(0.6)	75.1	524.1	70.6	8.1	2.6	9.3	3.3	4.8	2.7
			2300 2399	1.0	(14.3)	74.9	426.6	63.0	6.5	1.9	9.0	4.0	5.0	2.0
			2200 2299	1.0	(14.3)	75.5	455.9	63.0	7.8	1.8	9.0	4.0	5.0	2.0
			2100 2199	1.0	(14.3)	75.2	440.2	62.0	7.4	1.9	7.0	4.0	4.0	2.0
			1900 1999	2.0	(28.6)	74.2	484.6	58.0	7.5	1.9	6.5	4.0	4.0	2.0
			1600 1699	2.0	(28.6)	74.7	410.6	57.0	6.7	1.6	4.5	5.0	3.0	2.5
				7.0	(0.1)	74.7	444.7	59.7	7.1	1.8	6.7	4.3	4.0	2.1
			2400 2499	2.0	(10.0)	77.2	522.8	81.0	8.7	2.3	12.0	3.0	5.0	2.0
			2300 2399	3.0	(15.0)	75.1	531.2	68.3	9.0	2.8	9.3	3.3	5.0	3.0
			2200 2299	7.0	(35.0)	74.6	538.6	65.1	8.4	2.4	7.9	3.6	4.9	2.6
			2100 2199	2.0	(10.0)	73.7	461.0	57.5	7.5	2.9	8.0	3.5	4.5	2.5
			2000 2099	2.0	(10.0)	73.2	479.0	54.0	8.0	2.9	6.0	3.5	4.0	2.0
			1800 1899	4.0	(20.0)	72.6	497.4	52.8	7.7	2.9	3.8	3.5	3.3	2.3
				20.0	(0.3)	74.3	513.9	62.9	8.3	2.6	7.5	3.5	4.5	2.5
			3000	1.0	(0.7)	81.7	492.5	104.0	9.5	1.5	12.0	3.0	5.0	3.0
			2800 2899	2.0	(1.4)	80.8	580.7	112.0	9.2	2.2	12.0	3.5	5.0	2.5
			2700 2799	4.0	(2.8)	78.3	557.9	89.5	9.3	2.1	12.0	3.0	5.0	3.0
			2600 2699	5.0	(3.5)	78.2	545.8	89.6	9.0	2.2	11.6	3.4	5.0	2.8
			2500 2599	11.0	(7.8)	77.5	535.9	82.5	8.9	2.1	11.5	3.5	5.0	2.8
			2400 2499	10.0	(7.1)	76.7	511.8	77.3	8.4	2.2	10.5	3.5	5.0	3.0
			2300 2399	17.0	(12.1)	76.7	494.6	76.4	8.1	2.1	9.7	3.8	5.0	2.8
			2200 2299	25.0	(17.7)	75.2	494.0	67.5	8.1	2.4	9.2	3.8	5.0	3.0
			2100 2199	19.0	(13.5)	74.5	484.9	63.5	7.6	2.4	7.6	3.8	4.6	2.8
			2000 2099	19.0	(13.5)	74.0	506.6	61.9	7.9	2.6	7.0	3.7	4.2	2.9
			1900 1999	15.0	(10.6)	74.0	464.6	58.7	7.4	2.3	6.1	4.0	3.9	2.9
			1800 1899	6.0	(4.3)	73.5	507.3	59.2	7.6	2.6	4.0	4.2	3.0	3.0
			1700 1799	5.0	(3.5)	72.8	471.9	52.6	7.7	3.1	5.4	3.8	4.0	3.4
			1600 1699	1.0	(0.7)	72.5	347.9	41.0	5.6	1.8	5.0	4.0	3.0	3.0
			1400 1499	1.0	(0.7)	73.3	353.9	46.0	5.6	1.5	3.0	5.0	2.0	3.0
				141.0	(2.1)	75.4	498.6	69.3	8.0	2.4	8.5	3.8	4.6	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	6.0	(2.2)	78.6	581.3	95.3	9.0	2.2	12.0	3.2	5.0	2.8
			2900 2999	2.0	(0.7)	77.4	531.9	89.5	7.8	2.4	12.0	3.0	5.0	3.0
			2800 2899	7.0	(2.6)	79.2	540.8	94.4	8.8	1.6	12.0	3.4	5.0	3.0
			2700 2799	8.0	(3.0)	78.5	555.0	92.0	9.3	2.4	11.8	3.3	5.0	2.9
			2600 2699	20.0	(7.4)	76.7	537.9	81.0	8.8	2.6	11.2	3.4	5.0	2.6
			2500 2599	29.0	(10.8)	76.5	522.3	77.0	8.5	2.3	10.8	3.4	5.0	2.9
			2400 2499	42.0	(15.6)	76.0	535.7	76.8	8.5	2.6	10.1	3.4	5.0	2.8
			2300 2399	66.0	(24.5)	75.3	519.1	70.9	8.3	2.6	9.2	3.8	4.9	2.9
			2200 2299	39.0	(14.5)	74.2	528.3	64.3	8.2	2.8	7.7	3.7	4.6	2.9
			2100 2199	11.0	(4.1)	73.9	521.0	62.8	8.1	2.8	7.3	3.8	4.5	3.0
			2000 2099	13.0	(4.8)	73.9	509.9	61.3	7.9	2.7	5.8	4.2	3.8	2.9
			1900 1999	15.0	(5.6)	74.0	489.6	60.1	7.7	2.5	6.2	4.0	4.0	2.8
			1800 1899	10.0	(3.7)	73.0	510.2	56.9	7.4	2.6	4.8	3.9	3.6	2.9
			1700 1799	1.0	(0.4)	72.0	427.1	45.0	6.4	2.5	3.0	3.0	3.0	3.0
				269.0	(4.0)	75.5	525.2	72.2	8.3	2.6	9.1	3.6	4.7	2.9
			2600 2699	3.0	(1.6)	78.2	563.1	92.7	8.6	2.1	11.0	3.3	5.0	2.7
			2500 2599	8.0	(4.4)	77.6	504.6	81.3	8.8	2.0	11.0	3.4	5.0	2.9
			2400 2499	8.0	(4.4)	76.8	513.7	79.0	8.4	2.3	10.8	3.6	5.0	2.8
			2300 2399	21.0	(11.5)	76.0	505.2	71.0	8.4	2.2	10.0	3.7	5.0	2.9
			2200 2299	26.0	(14.3)	75.6	491.8	67.4	8.4	2.2	8.8	3.7	5.0	2.7
			2100 2199	18.0	(9.9)	74.1	495.7	61.1	8.0	2.6	7.7	3.7	4.7	2.6
			2000 2099	23.0	(12.6)	74.1	481.3	59.1	7.8	2.4	6.7	3.9	4.1	2.7
			1900 1999	22.0	(12.1)	74.0	470.1	57.7	7.5	2.3	6.0	4.0	4.0	2.7
			1800 1899	27.0	(14.8)	73.0	460.2	53.1	7.4	2.8	5.2	3.9	3.7	2.9
			1700 1799	16.0	(8.8)	73.3	454.2	52.4	7.2	2.2	4.4	4.0	3.2	2.6
			1600 1699	6.0	(3.3)	73.1	431.1	48.2	7.0	2.1	4.0	3.7	3.0	2.3
			1500 1599	2.0	(1.1)	74.5	465.0	60.0	7.5	2.0	3.5	5.5	2.5	2.5
			1400 1499	2.0	(1.1)	72.7	356.5	41.5	6.2	2.0	4.0	5.0	2.5	2.5
				182.0	(2.7)	74.6	480.7	62.1	7.9	2.4	7.3	3.8	4.3	2.7
			2900 2999	3.0	(2.1)	79.5	583.0	96.3	9.7	1.8	12.0	3.3	5.0	2.7
			2800 2899	4.0	(2.9)	79.5	571.0	96.0	9.2	1.6	11.0	3.8	5.0	2.5
			2700 2799	3.0	(2.1)	77.8	554.8	88.7	8.5	2.1	12.0	3.7	5.0	2.7
			2600 2699	11.0	(7.9)	77.9	558.7	87.0	8.5	1.7	11.3	3.4	5.0	2.5
			2500 2599	12.0	(8.6)	76.7	526.9	78.4	8.5	2.2	10.9	3.5	5.0	2.7
			2400 2499	10.0	(7.1)	75.9	542.3	74.9	8.4	2.3	10.1	3.6	5.0	2.7
			2300 2399	16.0	(11.4)	74.8	548.8	68.9	8.4	2.5	10.0	3.4	5.0	2.5
			2200 2299	15.0	(10.7)	74.9	492.1	65.5	7.5	2.1	8.3	3.6	4.6	2.7
			2100 2199	24.0	(17.1)	74.6	504.6	63.0	8.0	2.2	8.0	3.6	4.6	2.6
			2000 2099	16.0	(11.4)	73.9	528.7	61.9	8.3	2.7	6.9	3.8	4.4	2.8
			1900 1999	6.0	(4.3)	73.7	515.9	63.2	7.7	2.9	6.5	3.7	4.0	2.7
			1800 1899	12.0	(8.6)	73.4	493.3	55.0	7.6	2.3	5.6	3.6	3.7	2.8
			1700 1799	3.0	(2.1)	73.9	517.7	57.7	8.1	2.2	4.3	3.3	3.0	3.0
			1600 1699	3.0	(2.1)	73.3	476.1	53.3	7.3	2.2	3.7	4.3	2.7	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(0.7)	74.2	422.9	53.0	6.6	1.3	5.0	2.0	4.0	2.0
			1200 1299	1.0	(0.7)	72.8	273.0	38.0	4.8	1.5	5.0	4.0	3.0	2.0
				140.0	(2.1)	75.2	521.5	68.8	8.1	2.2	8.6	3.6	4.5	2.7
			2900 2999	1.0	(7.1)	78.6	555.0	90.0	10.3	2.8	12.0	4.0	5.0	2.0
			2800 2899	1.0	(7.1)	80.6	555.0	106.0	9.7	2.4	12.0	4.0	5.0	2.0
			2700 2799	7.0	(50.0)	80.0	585.9	102.1	10.2	2.4	12.0	4.0	5.0	2.1
			2600 2699	3.0	(21.4)	77.7	551.3	83.0	9.1	1.9	10.3	4.0	5.0	2.0
			2500 2599	2.0	(14.3)	77.8	580.5	89.0	9.6	2.6	10.0	3.5	5.0	2.0
				14.0	(0.2)	79.2	573.3	95.6	9.8	2.4	11.4	3.9	5.0	2.1
			3000	8.0	(1.8)	77.4	515.4	80.8	9.1	2.4	12.0	3.6	5.0	2.9
			2900 2999	1.0	(0.2)	76.7	580.1	81.0	10.4	3.3	12.0	4.0	5.0	3.0
			2800 2899	10.0	(2.3)	77.3	510.8	78.9	8.9	2.1	11.9	3.7	5.0	2.7
			2700 2799	30.0	(6.8)	76.9	520.4	78.3	9.0	2.5	11.8	3.5	5.0	2.6
			2600 2699	39.0	(8.9)	76.4	507.3	74.2	8.7	2.4	10.8	3.6	5.0	2.7
			2500 2599	47.0	(10.7)	76.2	510.1	73.4	8.7	2.4	10.2	3.6	5.0	2.6
			2400 2499	51.0	(11.6)	75.6	493.1	68.0	8.6	2.5	9.3	3.7	5.0	2.7
			2300 2399	47.0	(10.7)	75.5	501.2	68.1	8.5	2.4	8.6	3.7	5.0	2.7
			2200 2299	44.0	(10.0)	75.0	505.4	64.3	8.7	2.5	7.6	3.8	4.7	2.9
			2100 2199	54.0	(12.3)	74.9	485.3	64.1	8.1	2.5	6.6	3.7	4.2	2.6
			2000 2099	48.0	(10.9)	74.8	484.4	63.2	8.1	2.3	5.6	3.8	4.0	2.9
			1900 1999	23.0	(5.2)	74.3	480.7	59.5	8.0	2.4	4.9	3.9	3.7	3.0
			1800 1899	16.0	(3.6)	74.0	457.4	55.5	7.5	2.3	4.3	3.9	3.3	2.7
			1700 1799	11.0	(2.5)	73.4	438.9	52.5	7.0	2.3	3.7	3.9	3.2	2.8
			1600 1699	4.0	(0.9)	71.4	486.2	49.3	6.9	3.3	3.8	4.0	2.8	2.8
			1500 1599	3.0	(0.7)	72.6	435.1	47.3	6.7	2.2	3.7	4.3	3.0	2.7
			999	4.0	(0.9)	73.8	460.9	57.5	7.6	2.6	6.0	3.8	3.8	3.0
				440.0	(6.6)	75.4	495.2	67.3	8.4	2.4	8.2	3.7	4.5	2.7
			3000	3.0	(1.4)	80.5	583.0	104.3	9.8	2.0	12.0	3.0	5.0	2.7
			2800 2899	1.0	(0.5)	78.8	608.0	94.0	9.3	1.6	11.0	4.0	5.0	3.0
			2600 2699	7.0	(3.2)	77.4	537.9	82.7	8.3	1.7	12.0	3.6	5.0	2.7
			2500 2599	20.0	(9.1)	77.0	529.2	80.8	8.6	2.3	11.2	3.8	5.0	2.7
			2400 2499	9.0	(4.1)	76.8	524.8	79.0	8.5	2.1	10.3	3.7	5.0	2.4
			2300 2399	34.0	(15.5)	75.9	532.4	75.1	8.3	2.4	9.3	3.7	5.0	2.6
			2200 2299	33.0	(15.0)	75.3	516.7	69.4	8.3	2.4	8.8	3.8	4.8	2.9
			2100 2199	27.0	(12.3)	74.8	516.2	66.5	8.1	2.5	7.6	3.7	4.5	2.7
			2000 2099	20.0	(9.1)	74.4	527.9	64.7	8.3	2.6	6.8	3.8	4.3	2.9
			1900 1999	21.0	(9.5)	74.0	513.4	62.8	7.9	2.7	6.5	4.0	4.1	2.9
			1800 1899	29.0	(13.2)	74.0	509.8	60.7	7.9	2.4	5.3	4.2	3.6	2.8
			1700 1799	11.0	(5.0)	72.9	533.2	59.9	8.0	3.3	4.9	4.3	3.3	2.8
			1600 1699	4.0	(1.8)	72.5	529.9	54.5	7.9	2.9	3.8	4.5	3.0	3.0
			1400 1499	1.0	(0.5)	70.7	410.0	34.0	6.2	2.4	3.0	5.0	2.0	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				220.0	(3.3)	75.1	522.9	69.3	8.2	2.5	8.0	3.9	4.4	2.8
			3000	33.0	(89.2)	73.9	444.6	57.1	7.1	2.4	7.9	4.1	4.5	3.0
			2900 2999	1.0	(2.7)	73.0	323.0	41.0	4.5	0.8	6.0	5.0	4.0	3.0
			2800 2899	1.0	(2.7)	77.9	489.0	86.0	7.3	1.6	12.0	4.0	5.0	2.0
			2600 2699	1.0	(2.7)	76.0	415.0	61.0	7.5	1.3	5.0	5.0	4.0	3.0
			2400 2499	1.0	(2.7)	78.4	507.0	85.0	8.6	1.6	9.0	3.0	5.0	2.0
				37.0	(0.6)	74.1	443.4	58.3	7.1	2.2	7.9	4.1	4.5	2.9
			3000	413.0	(6.2)	75.9	474.6	69.7	8.2	2.4	9.9	3.6	4.9	2.6
			2900 2999	111.0	(1.7)	76.2	499.4	72.9	8.5	2.4	9.7	3.6	4.8	2.7
			2800 2899	191.0	(2.9)	77.1	527.2	80.2	8.8	2.2	10.2	3.6	4.9	2.6
			2700 2799	277.0	(4.2)	77.4	546.5	83.2	9.0	2.2	11.0	3.5	4.9	2.6
			2600 2699	352.0	(5.3)	76.9	528.3	78.9	8.6	2.2	10.6	3.6	4.9	2.6
			2500 2599	414.0	(6.2)	76.5	530.7	77.4	8.6	2.3	10.4	3.6	4.9	2.6
			2400 2499	548.0	(8.2)	76.1	528.7	74.3	8.6	2.3	9.9	3.6	4.9	2.6
			2300 2399	947.0	(14.3)	75.7	532.6	72.0	8.5	2.4	9.5	3.7	4.9	2.6
			2200 2299	905.0	(13.6)	75.1	523.9	67.9	8.4	2.4	8.6	3.7	4.8	2.7
			2100 2199	762.0	(11.5)	74.7	520.2	65.7	8.2	2.5	7.6	3.8	4.5	2.7
			2000 2099	579.0	(8.7)	74.5	514.9	63.6	8.2	2.5	6.9	3.9	4.2	2.7
			1900 1999	454.0	(6.8)	74.2	506.3	61.3	8.0	2.5	6.2	3.9	4.0	2.7
			1800 1899	356.0	(5.4)	73.9	494.9	58.4	7.8	2.4	5.2	4.0	3.5	2.6
			1700 1799	185.0	(2.8)	73.5	485.0	56.1	7.6	2.4	4.5	4.0	3.2	2.6
			1600 1699	70.0	(1.1)	73.2	466.3	53.2	7.4	2.4	4.1	4.0	2.9	2.6
			1500 1599	36.0	(0.5)	73.3	452.5	51.7	7.0	2.1	3.7	4.1	2.6	2.4
			1400 1499	16.0	(0.2)	72.6	401.1	43.7	6.4	1.9	3.4	4.4	2.4	2.4
			1300 1399	9.0	(0.1)	72.9	338.4	41.8	5.7	1.7	2.9	4.4	2.2	2.4
			1200 1299	2.0	(0.0)	72.9	294.5	40.0	4.8	1.4	3.5	4.5	2.5	2.0
			1100 1199	4.0	(0.1)	73.0	306.3	41.5	5.8	2.0	2.8	4.3	2.0	2.3
			1000 1099	5.0	(0.1)	72.7	249.2	35.0	4.4	1.2	2.4	4.2	2.0	2.8
			999	9.0	(0.1)	72.7	313.0	39.4	5.4	1.7	4.0	4.2	2.7	3.3
				6645.0	(100.0)	75.4	516.5	69.0	8.3	2.4	8.5	3.7	4.5	2.7

[illegible]