

					(%)		(kg)	(m2)	(m)	(m)				
			1800 1899	1.0	( 0.3)	71.7	499.8	65.0	7.5	3.2	9.0	4.0	5.0	3.0
			1700 1799	5.0	( 1.3)	72.1	526.2	66.4	7.8	2.8	6.2	3.8	4.0	3.0
			1600 1699	6.0	( 1.5)	72.3	529.3	64.7	8.3	2.6	6.5	3.8	4.3	2.8
			1500 1599	33.0	( 8.4)	71.1	525.8	61.1	7.6	3.0	5.1	4.0	3.6	2.8
			1400 1499	50.0	( 12.8)	70.7	515.1	56.0	7.8	3.0	4.3	4.1	3.2	2.8
			1300 1399	73.0	( 18.7)	70.4	517.6	55.3	7.5	3.0	3.9	4.3	3.0	2.8
			1200 1299	115.0	( 29.4)	70.0	504.9	52.2	7.4	3.1	3.2	4.4	2.4	2.7
			1100 1199	73.0	( 18.7)	69.5	486.7	48.2	7.0	3.0	2.8	4.5	2.1	2.7
			1000 1099	18.0	( 4.6)	68.5	508.8	45.4	7.1	3.5	2.6	4.4	2.0	2.8
			900 999	3.0	( 0.8)	67.1	525.0	42.3	5.9	3.5	2.7	4.3	2.3	2.7
			800 899	5.0	( 1.3)	69.1	370.2	38.0	4.7	1.8	2.8	5.2	2.0	4.0
			700 799	2.0	( 0.5)	69.0	384.5	39.5	4.5	1.9	2.5	5.5	2.0	4.5
			600 699	4.0	( 1.0)	68.8	488.3	46.5	5.9	2.6	3.0	4.8	2.3	4.3
			500 599	2.0	( 0.5)	69.5	273.5	32.5	3.9	1.4	2.0	5.0	1.5	3.5
			499	1.0	( 0.3)	68.7	218.0	24.0	2.3	0.7	1.0	5.0	1.0	4.0
				391.0	( 11.1)	70.1	503.5	52.8	7.3	3.0	3.6	4.3	2.7	2.8
			1900 1999	1.0	( 1.2)	71.9	600.0	64.0	9.5	2.9	6.0	4.0	4.0	3.0
			1700 1799	2.0	( 2.4)	70.8	499.0	57.5	7.9	3.4	7.0	4.0	4.5	2.0
			1600 1699	5.0	( 6.1)	70.3	492.2	53.6	7.6	3.3	5.8	3.8	4.0	3.0
			1500 1599	11.0	( 13.4)	71.0	505.2	57.9	7.4	2.8	5.4	4.0	3.9	2.7
			1400 1499	18.0	( 22.0)	70.4	478.6	52.1	7.6	3.1	4.1	3.9	3.1	2.9
			1300 1399	17.0	( 20.7)	70.1	478.0	52.5	7.2	3.2	3.6	4.4	2.9	2.6
			1200 1299	22.0	( 26.8)	69.3	491.8	49.7	7.1	3.5	3.2	4.3	2.3	2.8
			1100 1199	5.0	( 6.1)	68.6	491.0	46.0	7.0	3.7	3.0	4.2	2.2	2.8
			499	1.0	( 1.2)	69.1	285.0	32.0	3.5	1.4	2.0	6.0	2.0	4.0
				82.0	( 2.3)	70.0	486.8	52.1	7.3	3.2	4.0	4.2	3.0	2.8
			1800 1899	1.0	( 1.9)	73.3	522.0	73.0	8.1	2.6	6.0	4.0	4.0	3.0
			1700 1799	1.0	( 1.9)	72.5	495.0	67.0	7.3	2.6	9.0	4.0	5.0	3.0
			1600 1699	2.0	( 3.8)	71.8	538.5	62.0	8.0	2.5	5.5	3.5	4.0	2.5
			1500 1599	5.0	( 9.4)	71.0	533.2	63.6	7.8	3.6	5.4	4.0	3.8	2.8
			1400 1499	8.0	( 15.1)	71.1	511.5	60.0	7.6	3.1	4.8	4.1	3.4	2.6
			1300 1399	14.0	( 26.4)	70.9	507.6	57.1	7.2	2.5	4.0	4.4	2.9	2.7
			1200 1299	9.0	( 17.0)	70.0	513.9	55.4	7.0	3.1	3.9	4.6	2.8	2.6
			1100 1199	10.0	( 18.9)	69.3	483.6	50.3	6.6	3.2	3.1	4.5	2.3	2.6
			1000 1099	1.0	( 1.9)	68.8	526.0	53.0	6.2	3.4	3.0	5.0	2.0	3.0
			800 899	1.0	( 1.9)	70.0	396.0	47.0	5.8	2.7	2.0	5.0	2.0	5.0
			500 599	1.0	( 1.9)	70.3	289.5	39.0	3.5	0.9	2.0	5.0	2.0	4.0
				53.0	( 1.5)	70.5	502.5	56.6	7.1	2.9	4.2	4.4	3.0	2.7
			1700 1799	2.0	( 1.4)	73.6	603.4	81.5	8.4	2.7	8.0	3.5	5.0	2.5
			1600 1699	8.0	( 5.7)	70.9	550.8	65.9	8.3	4.1	7.6	3.5	4.9	2.9

					(%)		(kg)	(m2)	(m)	(m)				
			1500 1599	16.0	( 11.3)	71.2	525.9	61.4	8.0	3.2	5.9	4.1	4.1	2.8
			1400 1499	18.0	( 12.8)	71.0	523.2	57.8	8.1	3.1	5.0	4.1	3.6	2.8
			1300 1399	26.0	( 18.4)	70.5	516.8	57.0	7.9	3.4	4.2	4.0	3.3	2.8
			1200 1299	31.0	( 22.0)	69.8	516.5	51.5	7.7	3.3	3.7	4.3	2.9	2.8
			1100 1199	23.0	( 16.3)	69.4	504.5	49.7	7.2	3.2	3.3	4.5	2.5	2.8
			1000 1099	9.0	( 6.4)	69.4	471.8	46.7	6.9	3.0	2.9	4.2	2.1	2.3
			900 999	5.0	( 3.5)	68.6	469.0	44.8	6.9	3.7	3.2	5.0	2.2	2.4
			800 899	1.0	( 0.7)	70.1	381.0	35.0	6.5	1.5	4.0	5.0	3.0	3.0
			600 699	1.0	( 0.7)	69.0	274.0	31.0	2.9	1.0	2.0	6.0	2.0	3.0
			499	1.0	( 0.7)	69.7	302.0	31.0	5.3	1.6	2.0	6.0	2.0	6.0
				141.0	( 4.0)	70.2	510.9	54.4	7.6	3.3	4.3	4.2	3.2	2.8
			1400 1499	2.0	( 50.0)	69.5	440.9	47.5	7.2	3.5	4.5	4.0	3.5	2.5
			1000 1099	1.0	( 25.0)	72.3	495.0	67.0	6.6	2.2	3.0	5.0	3.0	3.0
			700 799	1.0	( 25.0)	69.4	343.0	38.0	4.1	1.5	3.0	5.0	2.0	4.0
				4.0	( 0.1)	70.2	430.0	50.0	6.3	2.7	3.8	4.5	3.0	3.0
			1800 1899	2.0	( 1.2)	72.2	517.5	67.5	7.8	3.0	8.0	3.5	5.0	3.0
			1700 1799	4.0	( 2.5)	72.4	532.5	64.8	8.3	2.5	7.0	4.3	4.3	2.8
			1600 1699	5.0	( 3.1)	72.1	502.4	63.2	7.7	2.6	6.8	4.0	4.4	2.6
			1500 1599	18.0	( 11.2)	71.6	523.7	65.8	7.7	3.3	6.1	4.0	4.0	2.7
			1400 1499	22.0	( 13.7)	70.6	515.0	58.1	7.3	3.1	4.8	4.2	3.5	2.8
			1300 1399	30.0	( 18.6)	70.4	512.4	58.1	7.4	3.3	4.3	4.1	3.1	2.8
			1200 1299	31.0	( 19.3)	69.4	505.5	51.9	7.2	3.6	3.7	4.2	2.8	2.8
			1100 1199	31.0	( 19.3)	69.4	484.6	48.9	7.1	3.3	2.9	4.3	2.2	2.7
			1000 1099	11.0	( 6.8)	69.2	468.7	46.1	6.6	3.0	2.6	4.5	2.0	2.5
			900 999	3.0	( 1.9)	68.4	436.3	40.0	5.8	2.8	2.7	4.3	2.0	2.3
			800 899	1.0	( 0.6)	68.8	264.0	26.0	3.4	1.0	1.0	4.0	2.0	5.0
			700 799	2.0	( 1.2)	69.6	279.0	33.5	4.2	1.6	2.5	4.5	2.0	3.0
			499	1.0	( 0.6)	71.3	221.0	34.0	3.6	0.2	1.0	6.0	1.0	4.0
				161.0	( 4.6)	70.2	496.9	54.6	7.2	3.2	4.2	4.2	3.0	2.8
			2200 2299	1.0	( 0.4)	76.0	574.0	96.0	9.0	2.9	10.0	3.0	5.0	3.0
			2000 2099	1.0	( 0.4)	72.5	494.0	66.0	7.7	2.7	9.0	4.0	5.0	3.0
			1700 1799	11.0	( 3.9)	71.9	520.9	64.5	8.1	3.0	6.5	4.0	4.2	2.8
			1600 1699	23.0	( 8.2)	71.8	506.6	61.0	7.8	2.7	6.0	3.9	4.0	2.8
			1500 1599	29.0	( 10.3)	71.1	500.1	58.1	7.5	3.0	5.4	4.1	3.8	2.8
			1400 1499	73.0	( 26.0)	70.6	500.0	55.4	7.4	3.0	4.3	4.1	3.2	2.9
			1300 1399	60.0	( 21.4)	70.6	478.9	53.8	7.1	2.8	4.0	4.1	3.0	2.8
			1200 1299	60.0	( 21.4)	70.1	464.0	50.0	6.9	2.9	3.0	4.4	2.3	2.7
			1100 1199	16.0	( 5.7)	69.5	460.7	48.3	6.5	3.0	3.1	4.4	2.2	2.4
			1000 1099	5.0	( 1.8)	68.8	431.0	39.8	6.2	2.8	2.6	4.4	2.2	2.6
			700 799	1.0	( 0.4)	69.3	284.0	31.0	4.8	1.9	2.0	4.0	2.0	2.0
			500 599	1.0	( 0.4)	69.2	201.0	25.0	2.5	0.6	1.0	5.0	1.0	4.0

					(%)		(kg)	(m2)	(m)	(m)				
				281.0	( 8.0)	70.6	484.1	54.3	7.2	2.9	4.2	4.2	3.0	2.8
			1800 1899	3.0	( 1.5)	72.8	505.7	65.0	7.9	2.2	6.7	4.3	4.0	3.0
			1700 1799	2.0	( 1.0)	73.1	437.0	61.5	7.0	1.6	6.0	4.0	4.0	3.0
			1600 1699	3.0	( 1.5)	72.2	546.3	66.7	8.0	2.6	6.7	3.7	4.3	2.7
			1500 1599	16.0	( 7.8)	71.4	519.3	62.9	7.7	3.1	5.2	3.9	3.7	2.8
			1400 1499	43.0	( 21.1)	71.0	509.2	57.6	7.6	2.8	4.1	4.0	3.0	2.8
			1300 1399	42.0	( 20.6)	70.4	505.1	54.7	7.5	3.1	3.8	4.1	3.0	2.9
			1200 1299	35.0	( 17.2)	69.9	505.2	52.5	7.3	3.2	2.9	4.3	2.3	2.7
			1100 1199	31.0	( 15.2)	68.8	504.8	48.2	7.1	3.6	2.8	4.0	2.1	2.8
			1000 1099	10.0	( 4.9)	69.4	477.0	46.8	6.7	2.9	2.8	4.2	2.1	2.5
			900 999	2.0	( 1.0)	67.8	501.5	45.0	6.7	4.0	2.5	5.0	2.0	2.0
			800 899	2.0	( 1.0)	71.7	374.8	50.5	5.6	1.4	3.5	4.5	2.5	4.5
			700 799	3.0	( 1.5)	70.5	297.7	39.0	4.9	1.7	2.3	4.0	2.0	2.0
			600 699	1.0	( 0.5)	70.7	367.0	50.0	5.7	2.6	2.0	6.0	2.0	5.0
			500 599	6.0	( 2.9)	69.8	308.8	34.2	4.0	0.9	2.0	6.0	2.0	4.3
			499	5.0	( 2.5)	69.9	278.8	33.4	3.5	0.7	2.0	6.0	1.8	4.2
				204.0	( 5.8)	70.3	489.3	53.1	7.1	2.9	3.6	4.2	2.7	2.9
			2400 2499	1.0	( 0.2)	72.9	625.0	76.0	8.6	2.5	8.0	4.0	5.0	3.0
			2100 2199	3.0	( 0.7)	74.5	530.7	80.7	8.1	2.4	10.0	3.0	5.0	2.7
			2000 2099	7.0	( 1.6)	75.3	552.3	86.6	8.0	2.0	9.3	3.4	5.0	3.0
			1900 1999	10.0	( 2.2)	73.7	533.2	76.1	7.8	2.4	8.0	3.5	4.9	2.9
			1800 1899	23.0	( 5.2)	72.6	532.5	70.0	7.7	2.6	6.9	3.6	4.7	2.9
			1700 1799	22.0	( 4.9)	73.2	530.5	73.5	7.7	2.6	6.5	3.6	4.4	2.8
			1600 1699	37.0	( 8.3)	72.3	525.0	68.4	7.6	2.8	5.5	3.8	3.9	2.9
			1500 1599	79.0	( 17.7)	71.7	518.4	64.3	7.5	2.9	4.8	3.9	3.6	2.9
			1400 1499	98.0	( 22.0)	71.6	501.9	61.7	7.4	2.7	4.1	4.0	3.3	2.8
			1300 1399	44.0	( 9.9)	70.8	500.1	57.5	7.2	2.9	3.7	4.2	2.8	2.9
			1200 1299	57.0	( 12.8)	71.0	483.3	56.6	7.0	2.6	3.0	4.4	2.2	2.8
			1100 1199	42.0	( 9.4)	70.4	473.8	52.1	6.9	2.7	2.6	4.5	2.2	2.8
			1000 1099	7.0	( 1.6)	70.5	415.6	47.7	5.9	2.0	2.9	3.9	2.3	2.7
			900 999	10.0	( 2.2)	69.7	321.2	35.3	4.7	1.6	2.0	3.9	2.0	2.3
			800 899	5.0	( 1.1)	70.3	378.3	43.6	5.4	1.8	2.8	4.6	2.4	3.0
			700 799	1.0	( 0.2)	70.2	380.5	45.0	4.8	1.7	4.0	5.0	3.0	4.0
				446.0	( 12.7)	71.6	499.4	61.6	7.3	2.7	4.4	4.0	3.3	2.8
			1900 1999	1.0	( 4.2)	72.7	490.0	76.0	7.6	3.8	10.0	3.0	5.0	3.0
			1800 1899	2.0	( 8.3)	71.3	517.0	63.0	7.5	3.1	8.0	4.0	4.5	3.0
			1700 1799	2.0	( 8.3)	72.2	563.8	72.5	8.2	3.3	7.5	4.0	4.5	3.0
			1600 1699	4.0	( 16.7)	72.4	528.5	70.5	7.6	2.9	6.8	3.8	4.3	2.5
			1500 1599	2.0	( 8.3)	71.0	575.3	60.0	8.0	2.5	4.0	4.0	2.5	2.5
			1400 1499	4.0	( 16.7)	69.8	511.9	53.8	7.0	3.1	5.0	4.0	3.3	2.8
			1300 1399	1.0	( 4.2)	70.1	477.5	51.0	6.8	2.8	4.0	5.0	3.0	3.0
			1200 1299	6.0	( 25.0)	69.9	532.8	54.0	7.2	2.9	2.8	4.7	2.0	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	1.0	( 4.2)	70.4	514.0	57.0	6.3	2.3	2.0	5.0	2.0	2.0
			800 899	1.0	( 4.2)	69.7	285.0	34.0	4.2	1.5	2.0	4.0	2.0	2.0
				24.0	( 0.7)	70.8	518.2	59.6	7.2	2.9	5.0	4.2	3.2	2.7
			2000 2099	1.0	( 0.2)	74.3	606.0	87.0	9.1	3.1	12.0	3.0	5.0	3.0
			1900 1999	3.0	( 0.5)	73.4	552.0	79.0	7.9	2.8	8.7	4.0	5.0	2.3
			1800 1899	9.0	( 1.6)	73.8	556.6	78.0	7.9	2.2	8.8	3.8	4.9	2.4
			1700 1799	36.0	( 6.6)	72.1	531.6	65.1	7.9	2.7	6.9	3.9	4.3	2.6
			1600 1699	51.0	( 9.3)	71.5	530.2	63.2	7.6	2.8	6.1	3.6	4.1	2.6
			1500 1599	64.0	( 11.7)	71.2	515.3	59.5	7.5	2.7	5.4	3.8	3.8	2.7
			1400 1499	118.0	( 21.6)	70.7	512.7	56.9	7.4	2.9	4.4	4.0	3.2	2.7
			1300 1399	111.0	( 20.3)	70.4	498.6	55.0	7.1	2.9	3.9	4.1	2.9	2.6
			1200 1299	86.0	( 15.7)	69.9	483.1	51.3	6.8	2.9	3.2	4.3	2.4	2.5
			1100 1199	43.0	( 7.9)	69.0	489.2	47.2	6.8	3.2	2.9	4.5	2.2	2.4
			1000 1099	12.0	( 2.2)	69.0	403.4	41.8	5.6	2.7	2.8	4.5	2.0	2.7
			900 999	3.0	( 0.5)	69.0	285.7	33.0	4.2	2.0	1.7	5.0	1.7	2.7
			800 899	9.0	( 1.6)	69.6	307.4	36.4	4.2	1.7	1.9	5.2	1.8	3.4
			500 599	1.0	( 0.2)	67.8	388.0	33.0	3.6	1.6	2.0	5.0	2.0	4.0
				547.0	( 15.5)	70.6	500.4	56.0	7.1	2.8	4.4	4.1	3.1	2.6
			1600 1699	1.0	( 12.5)	71.2	565.0	63.0	7.9	3.0	6.0	4.0	4.0	3.0
			1400 1499	2.0	( 25.0)	70.8	565.5	63.5	8.3	3.6	4.0	4.0	3.0	3.0
			1300 1399	2.0	( 25.0)	69.3	582.0	57.0	8.1	4.0	4.5	3.5	3.5	3.0
			1200 1299	1.0	( 12.5)	67.8	619.0	56.0	8.2	5.1	3.0	5.0	3.0	3.0
			1100 1199	2.0	( 25.0)	67.8	581.5	53.0	7.9	5.0	3.0	5.0	2.5	3.0
				8.0	( 0.2)	69.3	580.3	58.3	8.1	4.2	4.0	4.3	3.1	3.0
			1700 1799	3.0	( 7.9)	72.3	526.7	65.3	7.9	2.6	6.3	3.7	4.3	2.7
			1600 1699	6.0	( 15.8)	71.4	512.2	62.0	7.2	2.7	6.0	3.8	4.0	3.0
			1500 1599	7.0	( 18.4)	71.1	494.0	59.7	7.3	3.0	5.4	3.9	3.9	2.9
			1400 1499	7.0	( 18.4)	70.6	539.6	57.7	7.6	2.9	3.6	4.0	3.0	2.7
			1300 1399	3.0	( 7.9)	68.8	503.0	52.0	6.8	4.0	4.0	4.7	3.3	3.0
			1200 1299	5.0	( 13.2)	70.0	514.6	51.6	7.4	2.8	3.4	4.4	2.6	2.2
			1100 1199	3.0	( 7.9)	69.9	422.3	48.0	5.9	2.6	3.0	4.7	2.0	2.3
			1000 1099	3.0	( 7.9)	67.7	447.0	37.0	6.3	3.4	2.7	4.7	2.0	2.7
			500 599	1.0	( 2.6)	68.7	292.0	30.0	4.1	1.9	2.0	6.0	2.0	4.0
				38.0	( 1.1)	70.4	496.6	55.0	7.1	2.9	4.4	4.2	3.2	2.7
			1400 1499	3.0	( 21.4)	69.9	491.7	54.0	7.1	3.4	5.3	4.3	4.0	3.0
			1300 1399	1.0	( 7.1)	69.1	489.0	51.0	6.7	3.7	3.0	5.0	2.0	3.0
			1200 1299	3.0	( 21.4)	70.2	399.5	46.0	5.8	2.3	3.3	3.7	2.7	3.0
			1100 1199	5.0	( 35.7)	68.3	497.9	46.8	6.2	3.4	3.0	4.6	2.2	3.0
			1000 1099	2.0	( 14.3)	68.2	432.0	41.0	5.9	3.5	2.5	4.5	2.0	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
				14.0	( 0.4)	69.1	465.4	47.6	6.3	3.2	3.5	4.4	2.6	2.9
			1700 1799	2.0	( 7.1)	73.0	548.9	69.5	8.8	2.7	8.0	3.5	4.5	3.0
			1600 1699	1.0	( 3.6)	72.6	479.0	73.0	6.6	2.9	9.0	4.0	5.0	3.0
			1500 1599	3.0	( 10.7)	71.7	518.0	69.7	7.3	3.4	7.3	4.0	4.3	3.0
			1400 1499	5.0	( 17.9)	71.5	516.0	66.4	7.7	3.6	5.2	3.8	3.6	3.0
			1300 1399	11.0	( 39.3)	70.9	505.0	58.5	7.2	2.9	4.3	3.8	3.2	2.9
			1200 1299	3.0	( 10.7)	71.1	503.7	61.7	7.5	3.4	3.0	4.7	2.0	3.0
			1100 1199	2.0	( 7.1)	69.5	512.3	49.5	7.2	3.0	2.5	4.0	2.0	3.0
			1000 1099	1.0	( 3.6)	68.3	581.0	49.0	9.5	5.0	3.0	4.0	2.0	3.0
				28.0	( 0.8)	71.1	513.7	61.8	7.5	3.2	4.9	3.9	3.3	3.0
			1700 1799	1.0	( 25.0)	71.8	524.2	64.0	7.0	2.2	5.0	4.0	4.0	3.0
			1400 1499	2.0	( 50.0)	69.8	519.9	57.5	7.0	3.5	3.5	4.0	3.0	3.0
			1200 1299	1.0	( 25.0)	67.7	504.6	50.0	6.4	4.6	3.0	5.0	2.0	3.0
				4.0	( 0.1)	69.8	517.1	57.3	6.8	3.4	3.8	4.3	3.0	3.0
			1800 1899	2.0	( 3.9)	73.9	507.8	72.5	8.3	2.4	7.5	3.0	4.5	2.0
			1700 1799	6.0	( 11.8)	73.2	498.5	65.5	8.0	2.0	5.2	4.0	3.5	2.2
			1600 1699	12.0	( 23.5)	71.9	498.7	59.9	7.6	2.4	4.3	4.0	3.3	2.2
			1500 1599	12.0	( 23.5)	70.5	453.6	48.7	7.0	2.5	2.9	4.6	2.3	2.4
			1400 1499	13.0	( 25.5)	70.6	456.5	51.5	6.8	2.6	2.5	4.9	2.2	2.2
			1300 1399	4.0	( 7.8)	70.0	459.6	47.0	6.7	2.4	2.3	5.5	2.0	2.0
			1100 1199	1.0	( 2.0)	68.2	520.0	49.0	7.3	4.4	3.0	4.0	2.0	2.0
			800 899	1.0	( 2.0)	71.3	328.0	47.0	5.0	1.6	2.0	7.0	2.0	2.0
				51.0	( 1.4)	71.2	471.7	54.8	7.2	2.4	3.5	4.5	2.7	2.2
			1600 1699	2.0	( 16.7)	71.7	467.8	55.0	7.9	2.5	6.0	3.5	4.0	2.5
			1500 1599	4.0	( 33.3)	71.0	524.1	59.0	7.9	3.0	4.3	4.0	3.0	3.0
			1400 1499	1.0	( 8.3)	70.5	444.0	56.0	6.6	3.4	4.0	4.0	3.0	3.0
			1200 1299	3.0	( 25.0)	69.7	484.0	51.0	6.7	3.0	2.7	4.3	2.0	3.0
			1100 1199	1.0	( 8.3)	70.5	437.0	50.0	6.4	2.4	2.0	4.0	2.0	3.0
			900 999	1.0	( 8.3)	71.6	315.0	47.0	5.0	1.4	3.0	4.0	2.0	4.0
				12.0	( 0.3)	70.8	473.4	54.3	7.1	2.8	3.8	4.0	2.8	3.0
			1800 1899	1.0	( 1.0)	72.3	580.4	77.0	7.4	3.1	8.0	3.0	5.0	3.0
			1700 1799	3.0	( 3.1)	73.2	503.5	65.3	7.6	1.4	6.7	3.7	4.3	3.0
			1600 1699	10.0	( 10.2)	72.0	517.7	66.2	7.2	2.6	6.4	3.9	4.0	2.9
			1500 1599	22.0	( 22.4)	71.3	505.5	59.2	7.1	2.4	5.0	3.9	3.6	2.9
			1400 1499	20.0	( 20.4)	71.4	501.9	60.1	7.4	2.7	4.2	4.2	3.0	3.0
			1300 1399	15.0	( 15.3)	70.6	517.4	59.1	7.3	3.1	3.5	4.3	2.7	2.9
			1200 1299	13.0	( 13.3)	69.8	492.8	52.9	7.1	3.4	2.9	4.4	2.4	2.7
			1100 1199	3.0	( 3.1)	69.3	533.7	56.3	7.3	3.9	3.7	4.3	2.7	3.0
			1000 1099	7.0	( 7.1)	70.5	421.1	48.3	6.3	2.2	2.7	4.3	2.3	3.0
			900 999	1.0	( 1.0)	70.2	398.7	40.0	5.6	1.2	2.0	5.0	2.0	2.0

							(kg)	(m2)	(m)	(m)				
					(%)									
			800 899	1.0	( 1.0)	70.7	356.5	41.0	5.3	1.2	3.0	4.0	2.0	3.0
			500 599	2.0	( 2.0)	68.5	238.5	27.5	2.5	1.3	1.5	6.0	1.0	4.0
				98.0	( 2.8)	71.0	493.6	57.7	7.0	2.7	4.2	4.2	3.1	2.9
			2100 2199	1.0	( 1.0)	73.1	534.6	76.0	8.0	3.0	10.0	4.0	5.0	3.0
			1900 1999	2.0	( 2.1)	72.7	464.9	64.0	7.3	2.2	8.0	4.0	5.0	3.0
			1800 1899	5.0	( 5.2)	72.9	466.1	64.6	7.6	2.3	7.4	3.8	4.6	3.0
			1700 1799	19.0	( 19.6)	71.4	471.0	59.1	7.1	2.7	6.1	3.9	4.0	2.9
			1600 1699	9.0	( 9.3)	71.6	520.0	65.2	7.6	3.1	4.8	3.9	3.8	2.9
			1500 1599	10.0	( 10.3)	70.8	489.9	59.7	7.1	3.3	5.1	4.0	3.7	3.0
			1400 1499	16.0	( 16.5)	70.1	498.3	55.6	7.3	3.5	4.2	3.9	3.1	3.0
			1300 1399	18.0	( 18.6)	69.4	510.4	54.1	7.5	4.0	3.7	4.2	2.7	2.9
			1200 1299	9.0	( 9.3)	69.1	477.1	49.6	6.6	3.5	2.7	3.9	2.2	3.0
			1100 1199	6.0	( 6.2)	68.5	445.3	46.3	6.1	3.8	2.3	4.2	2.0	2.8
			1000 1099	2.0	( 2.1)	68.2	439.5	38.5	6.3	3.3	2.5	5.0	2.0	2.5
				97.0	( 2.8)	70.5	487.9	56.7	7.2	3.3	4.6	4.0	3.3	2.9
			1500 1599	1.0	( 0.0)	70.8	476.3	58.0	7.0	3.2	6.0	5.0	4.0	3.0
			1600 1699	6.0	( 75.0)	70.7	517.0	56.3	8.1	3.2	2.8	4.2	2.7	3.0
			1300 1399	2.0	( 25.0)	69.8	512.1	52.5	7.2	3.1	2.5	5.0	2.0	2.5
				8.0	( 0.2)	70.5	515.8	55.4	7.8	3.2	2.8	4.4	2.5	2.9
			1600 1699	2.0	( 14.3)	71.5	456.8	54.5	7.3	2.4	5.0	4.0	4.0	2.5
			1400 1499	4.0	( 28.6)	71.0	410.6	51.8	6.5	2.6	4.3	4.3	3.0	3.0
			1300 1399	2.0	( 14.3)	70.6	398.8	52.0	6.0	2.9	4.0	4.0	3.0	2.5
			1200 1299	4.0	( 28.6)	71.0	396.6	50.3	6.2	2.3	3.3	4.3	2.8	3.0
			1100 1199	1.0	( 7.1)	71.5	379.4	53.0	5.8	2.0	3.0	5.0	2.0	3.0
			700 799	1.0	( 7.1)	70.8	362.2	44.0	5.0	1.2	3.0	5.0	2.0	3.0
				14.0	( 0.4)	71.0	405.9	51.3	6.3	2.4	3.9	4.3	2.9	2.9
			1700 1799	2.0	( 3.4)	71.8	489.4	63.0	7.7	3.1	6.5	4.0	4.5	3.0
			1600 1699	4.0	( 6.9)	71.0	472.7	57.8	7.2	3.1	5.5	4.0	3.8	2.8
			1500 1599	5.0	( 8.6)	70.7	506.5	58.8	7.8	3.6	5.0	4.0	3.6	2.8
			1400 1499	14.0	( 24.1)	70.8	483.5	57.3	7.3	3.1	4.1	3.8	3.1	2.6
			1300 1399	16.0	( 27.6)	70.0	495.3	55.3	7.2	3.6	3.2	4.0	2.6	2.8
			1200 1299	9.0	( 15.5)	68.6	426.7	42.3	6.3	3.5	2.8	4.1	2.0	2.8
			1100 1199	2.0	( 3.4)	68.3	511.0	44.0	7.2	3.5	3.0	4.5	2.0	3.0
			1000 1099	1.0	( 1.7)	68.6	304.0	28.0	4.4	1.7	3.0	4.0	2.0	2.0
			900 999	2.0	( 3.4)	67.8	404.4	37.5	5.7	3.5	2.0	4.5	2.0	2.5
			800 899	1.0	( 1.7)	69.7	300.2	29.0	4.6	0.8	2.0	6.0	1.0	3.0
			600 699	2.0	( 3.4)	69.7	284.4	35.5	3.7	1.3	2.0	6.0	1.0	3.0
				58.0	( 1.6)	70.0	464.5	51.9	6.9	3.2	3.7	4.1	2.7	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1400 1499	3.0	( 21.4)	71.8	434.2	57.0	7.0	2.5	4.0	4.0	3.3	2.7
			1200 1299	5.0	( 35.7)	70.2	484.1	56.8	6.9	3.4	3.6	4.0	3.2	2.8
			1100 1199	6.0	( 42.9)	68.8	516.8	48.7	6.3	3.0	2.2	4.3	2.0	3.0
				14.0	( 0.4)	69.9	487.4	53.4	6.7	3.0	3.1	4.1	2.7	2.9
			1900 1999	1.0	( 11.1)	71.9	436.0	61.0	7.3	3.1	7.0	4.0	5.0	3.0
			1800 1899	1.0	( 11.1)	71.9	445.8	55.0	6.3	1.4	7.0	4.0	4.0	3.0
			1600 1699	2.0	( 22.2)	70.7	477.4	56.0	6.7	2.6	4.5	4.0	4.0	3.0
			1400 1499	4.0	( 44.4)	72.0	457.2	59.8	6.8	2.1	4.3	4.0	3.0	3.0
			1000 1099	1.0	( 11.1)	68.7	429.2	40.0	5.2	2.1	2.0	6.0	2.0	3.0
				9.0	( 0.3)	71.3	455.0	56.3	6.6	2.3	4.7	4.2	3.4	3.0
			2200 2299	1.0	( 3.8)	72.8	513.8	66.0	7.6	1.9	10.0	3.0	5.0	3.0
			2000 2099	1.0	( 3.8)	72.5	515.4	70.0	8.4	3.4	8.0	4.0	5.0	3.0
			1900 1999	3.0	( 11.5)	71.3	549.4	71.7	7.8	4.0	8.0	3.7	5.0	3.0
			1800 1899	1.0	( 3.8)	69.9	420.0	57.0	7.2	4.8	8.0	4.0	5.0	3.0
			1700 1799	5.0	( 19.2)	71.4	511.8	65.0	7.5	3.3	6.0	4.0	4.2	2.8
			1600 1699	2.0	( 7.7)	73.2	465.8	63.5	8.1	2.2	6.0	4.0	4.0	3.0
			1500 1599	3.0	( 11.5)	71.8	474.3	59.7	7.2	2.4	4.3	4.0	3.7	3.0
			1400 1499	4.0	( 15.4)	71.0	507.4	58.8	7.9	3.1	3.8	4.5	3.0	3.0
			1300 1399	4.0	( 15.4)	70.6	480.1	51.8	7.4	2.7	4.0	4.5	3.0	3.0
			1200 1299	1.0	( 3.8)	70.8	467.2	54.0	7.7	3.1	2.0	4.0	2.0	3.0
			1000 1099	1.0	( 3.8)	68.7	323.4	33.0	4.4	2.0	3.0	4.0	2.0	3.0
				26.0	( 0.7)	71.3	490.5	60.3	7.5	3.0	5.4	4.1	3.8	3.0
			1700 1799	1.0	( 2.7)	73.5	458.0	63.0	7.7	1.6	7.0	4.0	4.0	3.0
			1600 1699	5.0	( 13.5)	72.2	452.0	62.4	6.7	2.3	6.0	4.2	3.8	2.6
			1500 1599	4.0	( 10.8)	71.5	440.3	57.5	6.8	2.5	3.8	3.8	3.0	2.3
			1400 1499	2.0	( 5.4)	69.0	431.5	44.5	5.8	2.9	3.5	4.5	3.0	2.5
			1300 1399	6.0	( 16.2)	70.9	386.6	49.0	6.1	2.3	3.7	4.3	2.7	2.8
			1200 1299	9.0	( 24.3)	70.5	403.2	47.9	6.0	2.3	2.7	3.9	2.2	2.7
			1100 1199	8.0	( 21.6)	70.7	365.4	45.9	5.5	1.9	2.6	4.3	2.0	2.8
			500 599	2.0	( 5.4)	68.4	246.4	26.0	2.9	1.3	2.5	6.0	1.5	4.0
				37.0	( 1.0)	70.8	397.5	49.7	6.0	2.2	3.5	4.2	2.6	2.7
			1800 1899	3.0	( 3.4)	71.6	512.7	69.3	7.6	3.8	8.3	3.7	5.0	3.0
			1700 1799	1.0	( 1.1)	70.8	473.6	60.0	6.7	3.2	7.0	4.0	4.0	3.0
			1600 1699	5.0	( 5.7)	71.7	508.3	66.4	7.5	3.3	6.6	4.0	4.0	3.0
			1500 1599	12.0	( 13.8)	71.7	508.3	62.3	7.7	2.8	5.1	3.9	3.8	2.9
			1400 1499	31.0	( 35.6)	70.2	506.3	55.1	7.3	3.2	4.2	4.2	3.2	2.7
			1300 1399	20.0	( 23.0)	69.7	479.9	51.3	6.9	3.3	3.5	4.2	2.7	2.8
			1200 1299	10.0	( 11.5)	68.7	515.6	50.8	6.8	3.8	3.1	4.5	2.3	2.9
			1100 1199	3.0	( 3.4)	69.3	468.5	48.3	6.5	3.1	3.0	4.7	2.3	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1000 1099	1.0	( 1.1)	69.5	494.4	56.0	6.5	3.7	2.0	5.0	2.0	2.0
			800 899	1.0	( 1.1)	68.2	405.3	30.0	5.9	2.1	2.0	5.0	2.0	2.0
				87.0	( 2.5)	70.2	498.9	55.4	7.2	3.2	4.3	4.2	3.1	2.8
			1700 1799	1.0	( 0.7)	70.7	493.0	55.0	6.8	2.4	7.0	3.0	4.0	2.0
			1600 1699	20.0	( 14.0)	71.8	492.8	64.0	7.5	3.1	6.0	4.0	4.1	2.6
			1500 1599	25.0	( 17.5)	71.8	502.3	67.2	7.2	3.1	5.8	4.1	4.0	2.9
			1400 1499	44.0	( 30.8)	70.9	501.0	60.5	7.3	3.3	3.7	4.1	3.1	2.8
			1300 1399	31.0	( 21.7)	70.7	495.4	59.3	7.2	3.3	3.7	4.1	3.1	2.8
			1200 1299	20.0	( 14.0)	70.7	499.2	59.9	7.3	3.4	2.6	4.3	2.1	2.9
			1100 1199	2.0	( 1.4)	70.8	477.6	61.5	7.0	3.6	3.0	4.5	2.5	3.0
				143.0	( 4.1)	71.1	498.2	61.8	7.3	3.2	4.3	4.1	3.3	2.8
			1700 1799	1.0	( 5.9)	75.1	495.5	78.0	7.8	1.5	7.0	4.0	4.0	3.0
			1600 1699	1.0	( 5.9)	71.2	505.1	65.0	7.7	3.8	8.0	4.0	5.0	3.0
			1400 1499	4.0	( 23.5)	70.5	472.7	56.5	6.5	3.0	4.8	3.8	3.3	3.0
			1300 1399	2.0	( 11.8)	70.2	425.5	47.5	6.3	2.5	3.0	5.0	2.0	2.5
			1200 1299	1.0	( 5.9)	69.0	472.2	44.0	6.5	2.9	3.0	4.0	2.0	3.0
			1100 1199	4.0	( 23.5)	69.3	407.2	42.5	5.7	2.5	2.5	3.8	2.0	3.0
			1000 1099	4.0	( 23.5)	69.8	345.9	40.8	4.4	1.6	2.3	4.5	2.0	3.0
				17.0	( 0.5)	70.2	425.1	49.5	5.9	2.5	3.6	4.1	2.6	2.9
			2000 2099	1.0	( 2.0)	74.2	534.8	77.0	8.0	2.1	9.0	3.0	5.0	3.0
			1800 1899	3.0	( 5.9)	71.3	486.3	60.3	7.1	2.8	7.3	4.0	4.7	3.0
			1700 1799	7.0	( 13.7)	71.4	511.9	63.6	7.3	3.0	6.1	3.9	4.0	3.0
			1600 1699	8.0	( 15.7)	71.1	507.2	62.0	7.4	3.3	5.6	4.0	4.0	3.0
			1500 1599	3.0	( 5.9)	71.6	535.8	69.0	7.5	3.4	4.7	3.7	3.3	3.0
			1400 1499	12.0	( 23.5)	70.5	518.8	60.4	7.0	3.1	4.1	4.1	3.2	3.0
			1300 1399	6.0	( 11.8)	69.4	513.1	59.3	6.6	4.0	3.7	4.0	3.0	2.8
			1200 1299	7.0	( 13.7)	69.9	478.9	51.4	6.8	3.0	3.0	4.4	2.4	3.1
			1100 1199	3.0	( 5.9)	69.1	468.7	48.3	6.2	3.0	2.7	4.3	2.0	3.0
			1000 1099	1.0	( 2.0)	71.1	363.8	50.0	5.4	2.0	3.0	5.0	2.0	3.0
				51.0	( 1.4)	70.6	503.3	59.6	7.0	3.2	4.6	4.1	3.3	3.0
			1700 1799	3.0	( 15.0)	71.4	551.2	71.7	7.9	4.1	6.7	4.0	4.0	3.0
			1600 1699	1.0	( 5.0)	69.9	543.4	63.0	7.5	4.2	5.0	4.0	4.0	3.0
			1500 1599	4.0	( 20.0)	71.8	546.2	67.8	7.6	3.0	5.5	3.8	3.5	2.8
			1400 1499	5.0	( 25.0)	70.1	585.1	64.2	8.1	4.1	4.2	4.2	3.0	3.0
			1300 1399	3.0	( 15.0)	69.7	474.3	52.0	6.5	3.2	3.3	4.3	3.0	3.0
			1200 1299	4.0	( 20.0)	70.7	409.3	54.0	5.8	2.7	3.0	4.3	2.3	2.8
				20.0	( 0.6)	70.7	518.4	62.1	7.3	3.5	4.5	4.1	3.1	2.9
			1700 1799	5.0	( 22.7)	70.8	503.4	63.4	7.7	4.1	6.0	3.4	4.2	3.0
			1600 1699	3.0	( 13.6)	72.2	489.6	68.7	7.0	3.0	5.3	4.3	4.0	3.0



					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	6.0	( 27.3)	70.0	460.6	58.0	6.7	4.0	4.8	4.2	3.7	3.0
			1400 1499	5.0	( 22.7)	71.0	473.7	56.6	7.5	3.1	3.8	3.6	3.0	3.0
			1300 1399	3.0	( 13.6)	70.2	496.1	56.3	7.2	3.4	3.7	4.0	3.0	3.0
				22.0	( 0.6)	70.7	482.1	60.1	7.2	3.6	4.8	3.9	3.6	3.0
			2000 2099	1.0	( 1.4)	73.4	520.8	71.0	8.0	2.2	9.0	4.0	5.0	3.0
			1900 1999	1.0	( 1.4)	74.9	528.2	80.0	8.0	1.7	9.0	3.0	5.0	3.0
			1700 1799	6.0	( 8.7)	72.2	506.7	66.2	7.2	2.5	7.2	4.0	4.7	2.8
			1600 1699	5.0	( 7.2)	71.3	493.7	59.8	7.0	2.5	5.8	4.0	3.8	3.0
			1500 1599	13.0	( 18.8)	70.9	461.0	56.6	6.5	2.7	4.8	3.9	3.5	2.6
			1400 1499	20.0	( 29.0)	70.3	476.0	53.9	6.7	2.8	3.5	4.2	3.0	3.0
			1300 1399	16.0	( 23.2)	69.9	443.5	49.1	6.2	2.7	2.9	4.5	2.3	2.8
			1200 1299	5.0	( 7.2)	69.3	432.9	45.2	6.4	3.1	2.8	4.2	2.0	2.6
			1100 1199	1.0	( 1.4)	68.8	343.6	34.0	5.6	2.7	4.0	4.0	3.0	3.0
			1000 1099	1.0	( 1.4)	68.9	286.1	30.0	3.6	1.3	2.0	5.0	2.0	3.0
				69.0	( 2.0)	70.6	463.2	54.1	6.6	2.7	4.2	4.2	3.1	2.8
			1600 1699	3.0	( 15.8)	71.9	449.1	57.0	6.9	2.1	4.7	4.0	4.0	2.7
			1400 1499	5.0	( 26.3)	70.1	475.0	51.8	6.6	2.7	3.4	4.2	2.8	2.8
			1300 1399	8.0	( 42.1)	70.4	480.0	52.0	6.9	2.6	3.4	4.1	2.5	2.3
			1200 1299	3.0	( 15.8)	68.6	490.4	52.0	6.8	4.4	2.7	4.3	2.3	3.0
				19.0	( 0.5)	70.3	475.5	52.7	6.8	2.8	3.5	4.2	2.8	2.6
			1700 1799	4.0	( 2.9)	72.5	557.3	71.8	8.3	3.0	7.3	3.8	4.3	2.8
			1600 1699	3.0	( 2.2)	71.5	482.0	61.0	7.2	2.9	5.3	4.0	3.7	3.0
			1500 1599	8.0	( 5.8)	70.9	529.0	57.4	8.3	3.2	5.4	4.1	3.8	3.0
			1400 1499	22.0	( 15.9)	70.5	511.2	56.2	7.5	3.0	4.5	4.3	3.4	3.0
			1300 1399	43.0	( 31.2)	70.1	488.4	53.2	7.2	3.2	3.7	4.4	2.9	2.9
			1200 1299	34.0	( 24.6)	69.5	482.7	49.0	7.2	3.3	3.1	4.5	2.3	3.0
			1100 1199	19.0	( 13.8)	68.9	489.3	46.5	7.0	3.5	2.9	4.7	2.2	2.9
			1000 1099	4.0	( 2.9)	67.8	496.5	39.0	7.5	3.8	3.0	4.3	2.0	3.0
			900 999	1.0	( 0.7)	70.3	322.4	39.0	4.7	1.4	2.0	5.0	2.0	3.0
				138.0	( 3.9)	69.9	494.0	52.2	7.3	3.2	3.8	4.4	2.8	3.0
			1400 1499	1.0	( 0.0)	69.7	474.0	53.0	6.9	3.5	3.0	4.0	3.0	3.0
			1800 1899	1.0	( 1.0)	71.3	597.6	66.0	9.0	3.5	8.0	4.0	5.0	3.0
			1700 1799	4.0	( 4.0)	72.7	538.0	72.0	8.2	3.1	5.5	3.8	4.0	3.0
			1600 1699	3.0	( 3.0)	73.2	506.4	76.3	7.7	3.2	5.3	3.7	4.0	3.0
			1500 1599	8.0	( 7.9)	71.8	481.0	62.3	7.2	2.7	4.1	3.9	3.0	3.0
			1400 1499	24.0	( 23.8)	70.6	514.3	59.3	7.6	3.5	3.2	3.9	3.0	2.9
			1300 1399	50.0	( 49.5)	70.4	501.4	57.8	7.3	3.5	2.7	4.1	2.3	2.9
			1200 1299	9.0	( 8.9)	69.3	491.7	53.1	7.1	3.9	2.9	4.2	2.2	2.9
			700 799	1.0	( 1.0)	69.1	190.5	23.0	3.0	1.0	1.0	7.0	2.0	3.0

[illegible]

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1700 1799	5.0	( 1.7)	71.0	594.4	66.6	8.5	3.6	6.8	3.8	4.2	3.0
			1600 1699	4.0	( 1.4)	71.0	584.5	63.3	8.2	3.1	5.8	4.0	3.8	2.8
			1500 1599	9.0	( 3.1)	70.1	563.2	57.4	7.8	3.3	4.8	3.9	3.8	2.9
			1400 1499	47.0	( 16.2)	70.5	548.0	55.5	8.0	2.8	4.3	4.0	3.3	2.7
			1300 1399	66.0	( 22.7)	69.9	546.7	54.2	7.7	3.1	3.6	3.9	2.9	2.9
			1200 1299	114.0	( 39.2)	69.6	535.8	51.2	7.3	2.8	3.0	4.1	2.3	2.7
			1100 1199	32.0	( 11.0)	68.7	540.6	48.3	7.2	3.3	2.8	4.2	2.1	2.7
			1000 1099	12.0	( 4.1)	68.2	554.0	46.7	7.1	3.4	2.7	4.5	2.0	2.8
			900 999	2.0	( 0.7)	66.7	560.5	39.5	7.5	4.3	2.5	3.5	2.0	3.0
				291.0	( 9.5)	69.7	544.2	52.6	7.5	3.0	3.5	4.1	2.7	2.8
			1700 1799	4.0	( 14.3)	72.0	546.3	66.0	8.0	2.7	6.0	3.8	4.0	2.3
			1600 1699	1.0	( 3.6)	69.9	755.0	76.0	8.8	4.2	7.0	4.0	4.0	3.0
			1500 1599	6.0	( 21.4)	70.5	538.7	54.7	7.9	2.8	5.2	3.8	3.7	2.8
			1400 1499	6.0	( 21.4)	70.2	513.5	49.5	7.0	2.2	3.7	3.8	2.8	2.5
			1300 1399	4.0	( 14.3)	70.0	545.5	56.8	7.7	3.4	3.5	4.0	2.8	2.8
			1200 1299	4.0	( 14.3)	68.7	540.5	47.8	6.9	3.0	3.0	4.5	2.5	2.5
			1100 1199	2.0	( 7.1)	68.8	571.5	49.5	6.7	2.6	3.0	4.0	2.5	3.0
			1000 1099	1.0	( 3.6)	64.8	530.0	39.0	6.4	5.8	3.0	4.0	2.0	3.0
				28.0	( 0.9)	70.0	545.4	54.3	7.4	2.9	4.3	4.0	3.1	2.6
			1600 1699	1.0	( 5.0)	71.1	500.0	63.0	8.3	4.1	5.0	4.0	4.0	3.0
			1500 1599	1.0	( 5.0)	71.9	548.0	61.0	8.2	2.2	5.0	4.0	4.0	3.0
			1400 1499	2.0	( 10.0)	70.0	509.5	47.5	7.8	2.6	4.5	4.0	3.5	3.0
			1300 1399	3.0	( 15.0)	70.4	558.3	58.7	7.9	3.2	4.3	4.0	3.3	2.3
			1200 1299	9.0	( 45.0)	69.6	532.9	51.4	7.4	3.0	2.8	4.4	2.2	2.6
			1100 1199	4.0	( 20.0)	67.9	586.3	48.3	7.5	3.7	3.0	5.0	2.0	3.0
				20.0	( 0.7)	69.6	544.1	52.5	7.6	3.2	3.5	4.4	2.6	2.7
			1600 1699	2.0	( 3.1)	70.8	522.9	53.0	7.4	2.0	7.0	4.0	4.0	3.0
			1500 1599	6.0	( 9.4)	70.5	558.4	56.3	8.1	3.0	5.5	3.8	4.0	2.7
			1400 1499	14.0	( 21.9)	69.6	578.8	52.7	8.2	3.2	5.1	3.6	3.8	2.9
			1300 1399	19.0	( 29.7)	69.3	572.7	50.4	8.3	3.3	4.2	4.2	3.2	2.8
			1200 1299	13.0	( 20.3)	69.1	554.5	48.2	8.0	3.3	3.4	4.1	2.8	2.9
			1100 1199	8.0	( 12.5)	68.5	567.3	48.1	7.8	3.7	3.1	4.0	2.5	2.9
			1000 1099	2.0	( 3.1)	69.0	525.3	39.5	8.2	2.6	2.0	3.5	2.0	3.0
				64.0	( 2.1)	69.4	565.3	50.5	8.1	3.2	4.2	4.0	3.2	2.9
			1300 1399	2.0	( 33.3)	69.7	501.1	47.5	6.3	2.0	3.5	3.0	3.0	2.5
			1200 1299	1.0	( 16.7)	70.6	432.1	46.0	6.2	1.6	5.0	4.0	3.0	3.0
			1000 1099	1.0	( 16.7)	71.6	423.3	49.0	6.8	1.5	3.0	5.0	2.0	2.0
			900 999	1.0	( 16.7)	70.1	540.0	52.0	7.1	2.3	4.0	4.0	3.0	3.0
			700 799	1.0	( 16.7)	65.9	530.0	35.0	6.1	3.8	2.0	4.0	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				6.0	( 0.2)	69.6	487.9	46.2	6.5	2.2	3.5	3.8	2.7	2.7
			1300 1399	2.0	( 7.1)	70.8	517.5	59.5	7.2	3.0	4.0	4.0	3.0	2.0
			1200 1299	5.0	( 17.9)	70.4	480.2	53.0	7.5	3.2	3.6	4.0	3.0	2.8
			1100 1199	8.0	( 28.6)	69.5	481.9	45.6	6.7	2.5	2.9	3.9	2.1	2.9
			1000 1099	13.0	( 46.4)	70.0	448.8	46.7	6.4	2.4	2.5	4.5	2.0	2.5
				28.0	( 0.9)	70.0	468.8	48.4	6.8	2.6	2.9	4.2	2.3	2.6
			1900 1999	2.0	( 0.9)	73.8	613.0	75.0	9.3	2.0	9.0	4.0	5.0	2.5
			1800 1899	4.0	( 1.7)	73.0	579.3	70.3	8.3	2.0	8.0	3.8	4.5	2.3
			1700 1799	6.0	( 2.6)	71.7	579.2	65.3	8.1	2.6	7.2	3.7	4.3	2.7
			1600 1699	16.0	( 6.9)	71.1	575.8	62.6	8.0	2.8	6.3	3.6	4.1	2.8
			1500 1599	21.0	( 9.0)	71.6	573.3	64.7	8.2	2.8	5.1	4.0	3.6	2.9
			1400 1499	66.0	( 28.3)	70.4	563.2	56.5	7.7	2.7	4.2	3.9	3.2	2.8
			1300 1399	40.0	( 17.2)	69.8	555.2	53.6	7.5	3.0	3.8	4.0	3.0	2.7
			1200 1299	47.0	( 20.2)	69.7	542.1	53.0	7.2	2.8	3.0	4.2	2.4	2.7
			1100 1199	22.0	( 9.4)	69.1	500.9	46.5	6.9	2.9	2.7	4.2	2.2	2.4
			1000 1099	5.0	( 2.1)	68.3	449.8	38.0	6.2	2.9	2.6	4.8	2.2	2.8
			900 999	2.0	( 0.9)	68.8	458.5	45.5	6.0	3.1	3.0	5.5	2.0	3.0
			700 799	1.0	( 0.4)	70.0	305.5	39.0	5.1	2.3	2.0	4.0	2.0	2.0
			500 599	1.0	( 0.4)	70.5	259.5	34.0	4.6	1.2	2.0	4.0	2.0	2.0
				233.0	( 7.6)	70.3	548.8	55.5	7.5	2.8	4.1	4.0	3.0	2.7
			2100 2199	1.0	( 0.2)	71.6	624.0	73.0	8.4	3.2	8.0	3.0	5.0	3.0
			2000 2099	1.0	( 0.2)	73.2	571.0	66.0	9.4	2.2	10.0	3.0	5.0	3.0
			1900 1999	4.0	( 0.8)	71.8	613.9	68.5	8.1	2.5	7.3	4.0	4.3	2.5
			1800 1899	6.0	( 1.2)	71.3	610.6	65.5	8.4	2.9	5.8	3.5	4.0	3.0
			1700 1799	23.0	( 4.4)	71.3	596.5	64.8	8.2	2.8	6.1	3.9	4.0	2.9
			1600 1699	42.0	( 8.1)	71.2	608.4	65.0	8.3	2.9	5.3	4.1	3.8	2.8
			1500 1599	80.0	( 15.4)	70.8	597.0	61.8	8.1	2.8	4.6	4.0	3.5	2.8
			1400 1499	130.0	( 25.1)	70.3	585.9	58.1	7.9	2.9	4.1	4.1	3.1	2.8
			1300 1399	80.0	( 15.4)	69.8	581.3	56.4	7.7	3.0	3.7	4.2	2.8	2.8
			1200 1299	99.0	( 19.1)	69.4	585.1	54.0	7.5	3.1	2.9	4.5	2.3	2.8
			1100 1199	37.0	( 7.1)	68.7	575.4	49.4	7.4	3.1	2.7	4.4	2.1	2.7
			1000 1099	11.0	( 2.1)	68.6	560.5	50.5	7.1	3.4	2.5	4.5	2.0	2.5
			700 799	3.0	( 0.6)	69.7	280.0	34.7	4.5	1.9	2.0	4.0	2.0	2.0
			600 699	1.0	( 0.2)	68.8	260.0	25.0	3.4	0.9	4.0	4.0	2.0	2.0
				518.0	( 16.9)	70.1	585.9	57.7	7.8	2.9	4.0	4.2	3.0	2.8
			2500	1.0	( 0.5)	73.6	541.0	70.0	10.0	3.1	11.0	3.0	5.0	3.0
			1900 1999	1.0	( 0.5)	74.0	563.0	80.0	8.1	2.3	7.0	3.0	4.0	3.0
			1800 1899	6.0	( 2.7)	72.8	581.7	71.0	7.8	1.9	6.5	3.3	4.7	2.8
			1700 1799	10.0	( 4.5)	71.7	561.7	62.3	8.1	2.4	5.9	3.7	4.1	2.9
			1600 1699	24.0	( 10.9)	71.8	563.6	64.9	8.0	2.5	5.6	3.5	4.1	2.9
			1500 1599	36.0	( 16.3)	71.4	550.0	63.7	7.5	2.7	4.9	3.7	3.7	2.8

					(%)		(kg)	(m2)	(m)	(m)				
			1400 1499	56.0	( 25.3)	70.8	545.9	59.2	7.5	2.7	4.0	4.0	3.3	2.7
			1300 1399	34.0	( 15.4)	70.4	536.0	56.6	7.3	2.8	3.2	4.1	2.5	2.8
			1200 1299	26.0	( 11.8)	69.9	516.9	53.9	7.0	3.0	3.0	4.2	2.3	2.8
			1100 1199	21.0	( 9.5)	69.8	490.0	49.6	6.6	2.5	2.4	4.5	2.0	2.6
			1000 1099	3.0	( 1.4)	70.5	375.0	43.3	4.8	1.1	2.0	3.7	2.0	2.0
			900 999	2.0	( 0.9)	69.5	343.0	36.5	4.7	1.6	2.5	3.5	2.0	2.5
			600 699	1.0	( 0.5)	70.8	219.5	35.0	3.2	0.5	2.0	5.0	2.0	2.0
				221.0	( 7.2)	70.9	534.4	58.7	7.4	2.6	4.1	3.9	3.1	2.8
			1800 1899	1.0	( 4.5)	71.7	605.0	72.0	7.8	3.0	8.0	3.0	5.0	3.0
			1600 1699	1.0	( 4.5)	70.6	582.0	67.0	8.1	4.0	9.0	3.0	5.0	3.0
			1500 1599	3.0	( 13.6)	70.5	606.8	63.3	8.9	3.9	6.0	3.7	4.0	3.0
			1400 1499	3.0	( 13.6)	69.8	583.5	55.7	8.2	3.3	5.0	4.3	3.7	3.0
			1300 1399	5.0	( 22.7)	70.3	552.6	56.8	7.7	3.0	3.2	4.4	2.8	2.8
			1200 1299	5.0	( 22.7)	70.9	502.1	56.8	6.9	2.5	3.0	4.4	2.2	2.0
			1100 1199	4.0	( 18.2)	70.8	440.8	50.5	5.9	1.8	2.5	5.0	2.0	2.5
				22.0	( 0.7)	70.6	536.1	57.5	7.5	2.9	4.1	4.3	3.0	2.6
			1800 1899	2.0	( 0.4)	71.9	676.5	69.5	8.9	2.3	7.5	4.0	5.0	2.5
			1700 1799	29.0	( 5.8)	71.1	584.8	62.0	8.3	2.8	6.6	3.9	4.2	2.4
			1600 1699	45.0	( 8.9)	70.8	586.9	60.3	7.9	2.5	5.8	4.1	4.0	2.5
			1500 1599	81.0	( 16.1)	70.5	575.1	58.6	7.6	2.7	5.1	3.9	3.6	2.5
			1400 1499	105.0	( 20.9)	70.3	575.6	57.7	7.5	2.7	4.3	4.1	3.2	2.4
			1300 1399	115.0	( 22.9)	69.7	554.9	54.2	7.2	2.8	3.8	4.3	2.9	2.3
			1200 1299	89.0	( 17.7)	69.6	544.0	51.5	7.0	2.6	3.0	4.3	2.3	2.3
			1100 1199	25.0	( 5.0)	68.8	540.2	49.0	6.8	3.0	2.8	4.4	2.2	2.4
			1000 1099	8.0	( 1.6)	68.5	487.4	43.1	6.4	3.0	2.6	4.3	2.0	2.6
			900 999	1.0	( 0.2)	70.4	340.0	42.0	4.0	0.9	1.0	6.0	1.0	3.0
			800 899	1.0	( 0.2)	68.5	293.0	30.0	3.2	1.3	2.0	4.0	2.0	3.0
			600 699	2.0	( 0.4)	69.2	278.5	31.0	3.4	1.1	1.5	5.5	1.5	3.5
				503.0	( 16.4)	70.1	561.8	55.6	7.4	2.7	4.3	4.2	3.1	2.4
			1100 1199	1.0	( 50.0)	68.1	563.0	44.0	7.7	3.5	2.0	5.0	2.0	3.0
			1000 1099	1.0	( 50.0)	67.5	561.0	46.0	8.7	5.1	2.0	5.0	2.0	3.0
				2.0	( 0.1)	67.8	562.0	45.0	8.2	4.3	2.0	5.0	2.0	3.0
			1600 1699	3.0	( 6.8)	71.1	592.3	63.3	7.6	2.5	5.3	4.0	3.7	2.7
			1500 1599	3.0	( 6.8)	70.2	558.3	56.0	7.4	2.6	4.7	3.7	3.7	2.7
			1400 1499	12.0	( 27.3)	70.7	546.7	56.3	7.4	2.4	4.2	4.2	3.1	2.5
			1300 1399	12.0	( 27.3)	69.4	564.8	52.1	7.7	3.1	3.7	4.1	3.0	2.8
			1200 1299	7.0	( 15.9)	69.1	552.7	48.1	7.4	2.9	3.6	3.7	2.7	3.0
			1100 1199	5.0	( 11.4)	68.6	495.4	42.2	6.8	2.9	3.0	4.4	2.2	2.8
			800 899	2.0	( 4.5)	70.1	331.5	33.0	5.2	1.0	2.0	5.0	2.0	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
				44.0	( 1.4)	69.8	540.9	51.7	7.3	2.7	3.8	4.1	2.9	2.7
			1600 1699	1.0	( 1.1)	71.2	523.0	55.0	8.2	2.4	5.0	3.0	4.0	3.0
			1500 1599	1.0	( 1.1)	67.7	711.0	58.0	7.7	3.8	6.0	3.0	4.0	3.0
			1400 1499	6.0	( 6.7)	70.7	538.0	56.8	7.7	2.8	4.0	4.0	3.3	2.8
			1300 1399	16.0	( 17.8)	70.0	533.9	52.3	7.4	2.7	3.5	4.1	3.0	2.5
			1200 1299	28.0	( 31.1)	69.4	521.8	47.2	7.0	2.5	3.1	4.4	2.3	2.8
			1100 1199	32.0	( 35.6)	69.3	518.1	47.9	6.7	2.5	2.6	4.5	2.1	2.3
			1000 1099	6.0	( 6.7)	68.2	495.7	45.3	6.5	3.5	2.3	4.8	2.0	2.2
				90.0	( 2.9)	69.5	524.1	49.1	7.0	2.6	3.0	4.3	2.4	2.5
			1800 1899	1.0	( 5.9)	70.0	544.5	68.0	7.9	5.2	12.0	3.0	5.0	3.0
			1600 1699	1.0	( 5.9)	72.9	564.0	71.0	8.9	2.9	8.0	3.0	5.0	3.0
			1500 1599	1.0	( 5.9)	70.3	621.0	68.0	8.4	4.2	8.0	3.0	5.0	3.0
			1400 1499	2.0	( 11.8)	70.3	524.5	54.5	7.1	2.6	6.5	3.5	4.0	3.0
			1300 1399	7.0	( 41.2)	70.2	510.2	54.3	7.0	2.8	4.1	3.3	3.0	2.9
			1200 1299	2.0	( 11.8)	69.4	480.8	49.0	6.2	2.7	4.0	2.5	2.5	3.0
			1100 1199	1.0	( 5.9)	67.8	570.0	49.0	8.0	4.6	4.0	4.0	3.0	3.0
			1000 1099	2.0	( 11.8)	68.0	541.5	47.5	7.2	3.9	2.5	4.0	2.0	3.0
				17.0	( 0.6)	69.8	527.3	55.2	7.2	3.2	5.1	3.3	3.3	2.9
			1500 1599	1.0	( 0.0)	72.1	461.0	47.0	7.9	1.1	3.0	4.0	3.0	2.0
			1800 1899	1.0	( 4.5)	73.1	572.2	67.0	9.0	1.9	7.0	4.0	4.0	3.0
			1700 1799	2.0	( 9.1)	71.1	529.2	64.0	7.0	3.0	6.5	4.0	4.0	3.0
			1600 1699	1.0	( 4.5)	71.6	467.0	63.0	6.4	2.7	7.0	4.0	4.0	3.0
			1500 1599	3.0	( 13.6)	70.2	511.3	56.0	7.0	3.0	5.0	3.3	4.0	3.0
			1400 1499	8.0	( 36.4)	69.8	507.6	51.4	6.8	2.8	3.4	3.9	3.0	2.9
			1300 1399	4.0	( 18.2)	70.0	501.7	52.0	6.7	2.6	3.5	3.8	3.0	3.0
			1200 1299	1.0	( 4.5)	70.3	483.0	51.0	6.6	2.3	3.0	4.0	2.0	3.0
			1100 1199	1.0	( 4.5)	73.8	541.0	72.0	8.5	2.0	12.0	3.0	5.0	3.0
			1000 1099	1.0	( 4.5)	70.8	402.0	47.0	5.8	1.8	3.0	6.0	2.0	4.0
				22.0	( 0.7)	70.5	505.7	55.2	6.9	2.6	4.6	3.9	3.3	3.0
			1700 1799	9.0	( 6.3)	71.6	532.8	62.2	7.6	2.5	6.6	3.8	4.4	2.6
			1600 1699	15.0	( 10.6)	71.0	562.5	58.9	7.7	2.4	5.7	3.5	4.0	2.7
			1500 1599	32.0	( 22.5)	70.9	530.7	57.5	7.2	2.3	4.4	3.8	3.4	2.8
			1400 1499	31.0	( 21.8)	70.5	539.7	58.1	7.2	2.7	4.3	4.0	3.3	2.8
			1300 1399	28.0	( 19.7)	69.9	539.9	53.9	7.3	2.9	3.8	3.9	3.0	2.8
			1200 1299	14.0	( 9.9)	69.4	525.0	51.7	6.9	3.0	2.9	4.1	2.2	2.6
			1100 1199	6.0	( 4.2)	68.8	539.8	48.3	6.7	2.8	3.0	4.0	2.2	2.8
			1000 1099	5.0	( 3.5)	70.9	526.7	56.4	7.0	2.1	2.8	4.2	2.2	2.6
			900 999	2.0	( 1.4)	69.5	501.8	50.0	6.5	2.6	2.5	4.5	2.0	3.0

					(%)	(kg)	(m2)	(m)	(m)					
				142.0	( 4.6)	70.4	537.3	56.3	7.2	2.6	4.2	3.9	3.2	2.7
			2100 2199	1.0	( 0.7)	75.3	662.4	84.0	11.3	2.5	10.0	3.0	5.0	3.0
			2000 2099	1.0	( 0.7)	70.9	544.0	55.0	7.7	2.1	8.0	4.0	5.0	3.0
			1800 1899	6.0	( 4.1)	72.0	533.9	63.8	7.6	2.3	7.2	4.0	4.5	2.7
			1700 1799	18.0	( 12.4)	71.1	571.0	61.8	7.7	2.5	6.7	3.7	4.2	3.0
			1600 1699	13.0	( 9.0)	70.7	543.3	57.4	7.7	2.7	5.3	4.0	4.0	2.7
			1500 1599	26.0	( 17.9)	70.9	548.1	58.5	7.8	2.7	5.0	3.8	3.7	3.0
			1400 1499	48.0	( 33.1)	69.8	544.6	54.7	7.3	3.0	4.1	4.1	3.2	2.8
			1300 1399	14.0	( 9.7)	69.8	518.5	51.1	7.0	2.7	3.4	4.1	2.8	2.9
			1200 1299	9.0	( 6.2)	69.1	547.6	53.0	7.3	3.5	3.0	4.3	2.3	2.9
			1100 1199	3.0	( 2.1)	68.7	490.0	44.3	5.9	2.5	2.3	4.3	2.0	2.7
			1000 1099	3.0	( 2.1)	70.0	437.2	47.3	5.4	1.8	2.3	4.3	2.0	2.3
			900 999	2.0	( 1.4)	68.8	511.4	47.5	6.1	2.7	3.0	4.5	2.5	3.0
			500 599	1.0	( 0.7)	69.8	331.7	38.0	3.9	1.0	2.0	5.0	1.0	3.0
				145.0	( 4.7)	70.3	541.1	56.1	7.4	2.8	4.7	4.0	3.4	2.9
			1700 1799	3.0	( 3.7)	71.9	629.5	70.0	9.2	3.1	4.3	3.3	3.3	3.0
			1600 1699	73.0	( 90.1)	69.4	557.2	52.0	7.6	3.2	2.6	4.4	2.4	2.9
			1500 1599	1.0	( 1.2)	69.5	650.0	60.0	7.4	2.8	3.0	4.0	3.0	3.0
			1300 1399	2.0	( 2.5)	69.7	557.8	52.5	7.3	2.6	2.5	4.0	2.5	3.0
			1200 1299	1.0	( 1.2)	71.2	536.0	58.0	7.7	2.4	3.0	4.0	3.0	3.0
			1000 1099	1.0	( 1.2)	68.4	508.0	43.0	7.5	3.6	2.0	4.0	2.0	3.0
				81.0	( 2.6)	69.5	560.1	52.8	7.7	3.2	2.7	4.4	2.5	2.9
			500 599	1.0	( 0.0)	70.6	380.3	49.0	3.5	0.8	2.0	5.0	1.0	5.0
			1600 1699	1.0	( 14.3)	71.4	505.0	55.0	7.6	2.0	4.0	3.0	3.0	3.0
			1400 1499	1.0	( 14.3)	72.5	456.8	59.0	7.3	1.8	5.0	4.0	3.0	2.0
			1300 1399	2.0	( 28.6)	70.2	478.1	50.5	7.0	2.6	3.0	4.5	3.0	3.0
			1200 1299	2.0	( 28.6)	71.0	444.0	55.0	6.3	2.4	3.0	4.0	2.0	3.0
			1100 1199	1.0	( 14.3)	70.8	355.8	48.0	5.0	1.9	3.0	4.0	2.0	3.0
				7.0	( 0.2)	71.0	451.7	53.3	6.6	2.2	3.4	4.0	2.6	2.9
			1700 1799	1.0	( 8.3)	68.8	697.6	63.0	8.6	4.2	9.0	4.0	5.0	3.0
			1600 1699	6.0	( 50.0)	70.1	609.3	62.7	7.6	3.1	5.5	4.2	3.7	2.7
			1400 1499	1.0	( 8.3)	71.8	507.2	58.0	7.2	1.7	3.0	4.0	2.0	2.0
			1200 1299	2.0	( 16.7)	68.8	530.5	48.5	7.2	3.5	3.0	4.0	2.0	3.0
			1100 1199	1.0	( 8.3)	69.1	427.0	40.0	5.6	2.0	4.0	5.0	2.0	3.0
			1000 1099	1.0	( 8.3)	68.5	413.7	33.0	4.8	1.3	2.0	4.0	2.0	2.0
				12.0	( 0.4)	69.7	563.5	55.6	7.2	2.9	4.8	4.2	3.1	2.7
			1200 1299	2.0	( 66.7)	70.0	496.0	50.5	7.9	3.3	3.5	4.0	3.5	3.0
			1000 1099	1.0	( 33.3)	70.2	379.4	40.0	5.3	1.2	2.0	5.0	2.0	2.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				3.0	( 0.1)	70.1	457.1	47.0	7.0	2.6	3.0	4.3	3.0	2.7
			2100 2199	1.0	( 3.0)	72.0	443.6	60.0	6.3	1.9	9.0	4.0	5.0	3.0
			1900 1999	1.0	( 3.0)	73.1	505.4	67.0	7.9	2.2	9.0	3.0	5.0	3.0
			1700 1799	5.0	( 15.2)	71.5	511.6	61.6	6.9	2.3	6.2	3.4	4.0	2.6
			1600 1699	3.0	( 9.1)	71.3	553.7	68.3	7.1	3.1	7.0	3.7	4.0	2.7
			1500 1599	5.0	( 15.2)	70.0	525.0	57.6	7.0	3.3	5.2	4.2	4.0	3.0
			1400 1499	7.0	( 21.2)	69.5	539.7	53.9	6.9	3.0	4.3	4.0	3.4	2.9
			1300 1399	5.0	( 15.2)	69.5	523.9	50.4	6.9	2.7	3.6	4.4	3.0	2.8
			1200 1299	4.0	( 12.1)	68.7	553.5	46.5	7.2	3.0	2.8	4.3	2.0	2.8
			1100 1199	2.0	( 6.1)	70.1	421.1	43.5	5.8	1.7	2.5	5.0	2.0	3.0
				33.0	( 1.1)	70.2	522.6	55.5	6.9	2.8	4.8	4.0	3.4	2.8
			1600 1699	4.0	( 9.5)	71.3	523.5	62.8	7.5	2.9	3.8	4.0	3.3	3.0
			1500 1599	8.0	( 19.0)	70.5	488.3	52.4	6.8	2.4	4.1	4.1	3.3	2.5
			1400 1499	12.0	( 28.6)	70.2	505.2	52.6	7.0	2.6	3.8	4.0	3.0	2.5
			1300 1399	5.0	( 11.9)	70.6	467.1	50.8	6.3	1.9	3.8	4.0	2.8	2.4
			1200 1299	10.0	( 23.8)	70.4	468.1	49.3	6.9	2.4	2.7	4.1	2.0	2.7
			1100 1199	3.0	( 7.1)	70.0	460.3	47.7	6.2	2.3	2.3	4.3	2.0	2.7
				42.0	( 1.4)	70.5	487.1	52.2	6.9	2.4	3.5	4.1	2.7	2.6
			1800 1899	1.0	( 3.3)	71.7	497.8	53.0	8.2	2.0	7.0	4.0	4.0	3.0
			1700 1799	1.0	( 3.3)	72.9	465.8	62.0	6.6	1.2	7.0	4.0	4.0	3.0
			1600 1699	4.0	( 13.3)	71.2	560.5	62.5	7.5	2.5	6.8	3.8	4.3	3.0
			1500 1599	4.0	( 13.3)	69.7	555.9	54.8	7.0	2.8	5.8	4.0	4.0	3.0
			1400 1499	7.0	( 23.3)	70.6	542.1	57.9	7.2	2.5	4.4	4.1	3.3	2.7
			1300 1399	8.0	( 26.7)	69.3	533.0	49.1	6.9	2.6	3.4	4.3	3.0	2.5
			1200 1299	4.0	( 13.3)	68.5	493.3	39.5	6.9	2.7	2.8	4.8	2.0	2.3
			1000 1099	1.0	( 3.3)	70.4	336.4	40.0	4.5	1.0	2.0	5.0	2.0	3.0
				30.0	( 1.0)	70.0	526.6	52.7	7.0	2.5	4.5	4.2	3.3	2.7
			1600 1699	2.0	( 9.5)	71.3	534.6	57.5	7.7	2.3	7.0	4.0	4.5	2.0
			1500 1599	2.0	( 9.5)	69.5	511.4	52.0	7.2	3.4	6.0	3.5	4.0	2.5
			1400 1499	5.0	( 23.8)	71.5	496.9	61.8	6.9	2.5	4.2	4.4	3.0	2.6
			1300 1399	7.0	( 33.3)	70.4	490.5	51.4	7.0	2.5	3.9	4.0	3.0	2.1
			1200 1299	4.0	( 19.0)	70.0	455.4	50.3	6.6	2.9	2.8	4.3	2.5	2.8
			1100 1199	1.0	( 4.8)	66.4	598.0	45.0	6.9	4.3	3.0	4.0	2.0	3.0
				21.0	( 0.7)	70.4	496.7	54.0	7.0	2.7	4.2	4.1	3.1	2.4
			1400 1499	1.0	( 20.0)	73.3	492.0	70.0	7.0	1.9	5.0	4.0	3.0	3.0
			1300 1399	2.0	( 40.0)	69.0	508.9	51.5	6.7	3.4	4.0	4.0	3.0	3.0
			1200 1299	1.0	( 20.0)	70.0	450.4	45.0	6.7	2.3	3.0	5.0	2.0	3.0
			1000 1099	1.0	( 20.0)	68.8	330.6	30.0	3.9	1.0	2.0	5.0	2.0	4.0
				5.0	( 0.2)	70.0	458.1	49.6	6.2	2.4	3.6	4.4	2.6	3.2



					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1800 1899	4.0	( 4.9)	72.7	589.5	69.8	8.2	2.0	7.5	3.8	4.5	2.8
			1700 1799	2.0	( 2.5)	72.0	563.8	69.0	7.4	2.4	6.5	3.5	4.0	3.0
			1600 1699	8.0	( 9.9)	70.7	573.5	64.8	7.5	3.3	5.8	3.9	4.0	2.8
			1500 1599	10.0	( 12.3)	71.4	534.3	63.2	7.4	2.7	5.2	3.9	3.8	2.9
			1400 1499	24.0	( 29.6)	69.6	535.0	55.0	6.8	3.0	4.0	4.1	3.1	2.9
			1300 1399	9.0	( 11.1)	69.6	525.7	52.9	6.8	2.8	3.4	4.1	2.9	2.9
			1200 1299	19.0	( 23.5)	69.9	461.0	47.4	6.0	2.0	2.9	4.3	2.2	2.9
			1100 1199	3.0	( 3.7)	69.6	479.9	48.7	6.3	2.5	2.7	5.0	2.0	3.0
			1000 1099	2.0	( 2.5)	70.3	385.8	43.0	4.8	1.1	2.5	5.0	2.0	3.0
				81.0	( 2.6)	70.2	518.0	55.5	6.8	2.6	4.2	4.1	3.1	2.9
			1700 1799	1.0	( 2.5)	69.7	521.4	56.0	6.4	3.0	6.0	4.0	4.0	3.0
			1600 1699	4.0	( 10.0)	69.8	534.0	54.0	7.2	3.1	6.3	3.8	3.8	2.8
			1500 1599	3.0	( 7.5)	70.6	493.8	55.0	6.8	2.6	5.0	4.0	3.7	3.0
			1400 1499	9.0	( 22.5)	70.4	527.4	56.3	6.9	2.5	4.6	4.1	3.2	2.9
			1300 1399	12.0	( 30.0)	68.8	554.4	49.0	7.1	3.1	3.3	4.1	2.7	2.8
			1200 1299	10.0	( 25.0)	68.7	505.9	45.6	6.5	2.9	3.0	4.5	2.2	2.6
			1100 1199	1.0	( 2.5)	68.2	458.7	36.0	5.9	2.2	2.0	5.0	2.0	3.0
				40.0	( 1.3)	69.4	526.4	50.6	6.8	2.9	4.0	4.2	2.9	2.8
			1900 1999	1.0	( 4.2)	72.6	665.0	76.0	9.0	2.5	10.0	4.0	5.0	3.0
			1800 1899	1.0	( 4.2)	71.0	497.8	53.0	7.5	2.2	7.0	4.0	4.0	3.0
			1700 1799	1.0	( 4.2)	71.1	497.0	60.0	7.3	3.0	6.0	4.0	4.0	3.0
			1600 1699	2.0	( 8.3)	71.5	500.8	63.0	7.0	2.6	5.0	4.0	4.0	3.0
			1500 1599	5.0	( 20.8)	70.7	533.0	58.4	7.3	2.7	5.0	3.6	3.8	3.0
			1400 1499	10.0	( 41.7)	69.2	539.1	53.2	6.9	3.2	4.3	4.0	3.5	2.9
			1300 1399	2.0	( 8.3)	69.0	448.4	45.0	6.8	3.5	4.0	4.0	3.0	3.0
			1200 1299	2.0	( 8.3)	68.0	472.3	43.5	5.3	3.0	3.0	5.0	2.0	2.5
				24.0	( 0.8)	69.9	523.3	54.8	7.0	3.0	4.8	4.0	3.5	2.9
			2000 2099	1.0	( 1.8)	75.1	654.4	88.0	8.6	1.5	10.0	4.0	5.0	3.0
			1900 1999	4.0	( 7.3)	72.0	594.9	67.0	8.5	2.6	8.0	4.0	4.8	3.0
			1800 1899	1.0	( 1.8)	70.0	554.9	59.0	7.0	3.1	8.0	4.0	5.0	3.0
			1700 1799	4.0	( 7.3)	71.3	585.9	66.0	8.1	3.0	7.3	4.0	4.5	3.0
			1600 1699	14.0	( 25.5)	70.8	535.3	60.1	7.4	2.9	5.9	3.9	3.9	2.9
			1500 1599	9.0	( 16.4)	71.0	559.7	61.8	7.3	2.5	4.0	4.0	3.2	3.0
			1400 1499	13.0	( 23.6)	70.1	492.7	52.2	6.7	2.6	3.5	4.2	2.7	2.8
			1300 1399	7.0	( 12.7)	70.3	473.2	53.7	6.1	2.4	2.9	4.3	2.1	2.7
			1200 1299	2.0	( 3.6)	70.0	404.9	48.5	4.4	1.7	3.0	4.5	2.0	2.0
				55.0	( 1.8)	70.8	527.1	58.7	7.1	2.6	4.9	4.1	3.4	2.9
			1400 1499	1.0	( 33.3)	71.1	496.5	66.0	6.7	3.4	5.0	4.0	3.0	3.0
			1300 1399	1.0	( 33.3)	72.3	511.3	66.0	6.8	2.0	3.0	4.0	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1200 1299	1.0	( 33.3)	71.3	553.9	59.0	6.8	1.5	3.0	4.0	2.0	2.0
				3.0	( 0.1)	71.6	520.6	63.7	6.8	2.3	3.7	4.0	2.3	2.7
			1700 1799	4.0	( 6.8)	70.8	594.6	61.0	8.4	3.0	5.8	4.0	4.0	3.0
			1600 1699	5.0	( 8.5)	71.0	556.2	59.8	7.8	2.7	6.4	4.2	4.0	2.6
			1500 1599	13.0	( 22.0)	70.6	600.7	62.6	7.6	2.7	4.5	4.1	3.5	2.9
			1400 1499	11.0	( 18.6)	69.9	560.6	55.4	7.3	2.9	4.4	3.9	3.3	3.0
			1300 1399	18.0	( 30.5)	69.8	546.2	54.4	7.2	2.9	3.6	4.2	2.8	2.8
			1200 1299	7.0	( 11.9)	69.1	519.4	47.6	6.9	2.9	3.1	4.1	2.3	2.9
			800 899	1.0	( 1.7)	70.8	349.7	41.0	4.5	0.6	2.0	4.0	2.0	2.0
				59.0	( 1.9)	70.1	558.5	56.3	7.4	2.8	4.2	4.1	3.1	2.8
			1800 1899	3.0	( 2.5)	70.8	608.3	65.0	8.0	3.1	8.3	4.0	4.7	2.7
			1700 1799	8.0	( 6.8)	71.6	576.1	66.0	7.7	2.6	6.1	3.8	4.1	3.0
			1600 1699	11.0	( 9.3)	70.7	576.8	62.3	7.8	2.9	4.9	3.9	3.6	2.8
			1500 1599	20.0	( 16.9)	70.7	584.9	63.5	7.8	3.1	4.6	4.0	3.5	3.0
			1400 1499	39.0	( 33.1)	70.6	570.9	60.1	7.5	2.7	4.0	4.1	3.2	2.9
			1300 1399	21.0	( 17.8)	69.9	577.3	58.9	7.2	2.9	3.0	4.2	2.5	2.9
			1200 1299	14.0	( 11.9)	69.8	580.0	58.6	7.2	3.1	2.7	4.4	2.1	2.9
			1100 1199	2.0	( 1.7)	68.8	623.5	60.0	7.5	4.0	3.0	4.5	2.0	3.0
				118.0	( 3.8)	70.5	578.2	61.0	7.5	2.9	4.1	4.1	3.1	2.9
			1700 1799	2.0	( 4.4)	71.7	547.6	63.0	7.8	2.5	7.0	4.0	4.5	2.5
			1600 1699	5.0	( 11.1)	71.9	519.1	62.4	7.8	2.6	5.6	3.6	3.8	2.4
			1500 1599	1.0	( 2.2)	71.5	526.3	60.0	8.0	2.8	5.0	4.0	4.0	3.0
			1400 1499	17.0	( 37.8)	70.1	533.7	54.3	7.4	2.9	3.9	4.1	3.1	2.6
			1300 1399	16.0	( 35.6)	70.0	531.2	54.4	7.1	2.9	2.7	4.2	2.1	2.6
			1200 1299	3.0	( 6.7)	69.7	503.8	50.3	6.5	2.5	2.3	3.3	2.0	2.3
			499	1.0	( 2.2)	69.1	272.6	26.0	3.5	0.6	3.0	4.0	2.0	2.0
				45.0	( 1.5)	70.3	523.8	54.9	7.2	2.8	3.7	4.0	2.8	2.6
			1600 1699	2.0	( 25.0)	71.4	497.3	61.0	7.5	2.9	5.0	3.5	4.0	2.5
			1500 1599	1.0	( 12.5)	70.5	580.2	65.0	6.8	2.9	4.0	4.0	3.0	3.0
			1400 1499	1.0	( 12.5)	70.2	498.0	57.0	6.3	2.8	4.0	4.0	3.0	3.0
			1300 1399	4.0	( 50.0)	70.6	500.9	55.5	7.0	2.6	3.0	4.3	2.5	3.0
				8.0	( 0.3)	70.7	509.5	58.3	7.0	2.8	3.8	4.0	3.0	2.9
			2500	1.0	( 0.0)	73.6	541.0	70.0	10.0	3.1	11.0	3.0	5.0	3.0
			2100 2199	3.0	( 0.1)	73.0	576.7	72.3	8.7	2.5	9.0	3.3	5.0	3.0
			2000 2099	3.0	( 0.1)	73.1	589.8	69.7	8.6	1.9	9.3	3.7	5.0	3.0
			1900 1999	13.0	( 0.4)	72.5	599.6	70.4	8.5	2.4	8.1	3.8	4.6	2.8
			1800 1899	37.0	( 1.2)	72.0	580.6	66.7	8.0	2.4	7.2	3.7	4.5	2.8
			1700 1799	138.0	( 4.5)	71.3	574.2	63.5	8.0	2.7	6.4	3.8	4.2	2.8

[illegible]

[illegible]