

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	1.0	(0.2)	77.9	463.0	78.0	8.3	1.6	12.0	4.0	5.0	3.0
			2800 2899	1.0	(0.2)	77.0	443.0	75.0	7.6	1.8	12.0	4.0	5.0	3.0
			2700 2799	1.0	(0.2)	76.9	430.0	73.0	8.2	2.4	12.0	4.0	5.0	3.0
			2600 2699	14.0	(2.8)	77.0	496.8	77.4	8.8	2.4	10.9	3.6	4.9	2.9
			2500 2599	9.0	(1.8)	76.7	480.7	75.4	8.7	2.5	10.8	3.7	5.0	3.0
			2400 2499	16.0	(3.2)	76.3	481.4	72.8	8.5	2.5	10.3	3.7	5.0	2.8
			2300 2399	30.0	(6.0)	76.4	479.7	73.7	8.3	2.4	10.1	3.8	5.0	2.7
			2200 2299	39.0	(7.8)	76.0	485.2	71.7	8.4	2.5	9.6	3.9	5.0	2.9
			2100 2199	38.0	(7.6)	75.5	481.4	69.0	8.3	2.7	9.3	4.0	5.0	2.8
			2000 2099	43.0	(8.6)	75.4	474.9	67.7	8.2	2.6	8.1	4.2	4.7	2.9
			1900 1999	41.0	(8.2)	74.5	477.4	63.6	8.1	2.9	7.5	4.0	4.5	2.8
			1800 1899	61.0	(12.2)	74.3	474.3	63.1	7.8	2.9	6.6	4.1	4.2	2.9
			1700 1799	34.0	(6.8)	74.3	444.4	58.9	7.7	2.6	5.9	4.2	3.9	2.9
			1600 1699	19.0	(3.8)	73.3	486.1	57.8	8.1	3.3	6.3	3.9	4.1	2.9
			1500 1599	14.0	(2.8)	73.9	437.8	58.2	7.3	2.7	5.5	4.7	3.6	3.2
			1400 1499	9.0	(1.8)	73.8	470.8	58.1	7.6	2.6	5.3	4.0	3.4	2.8
			1300 1399	12.0	(2.4)	73.5	439.5	52.3	7.2	2.2	5.3	4.5	3.2	3.8
			1200 1299	9.0	(1.8)	72.6	408.9	48.8	6.3	2.5	4.2	4.4	2.7	3.8
			1100 1199	18.0	(3.6)	72.5	385.9	45.7	6.0	2.2	3.6	4.8	2.3	3.8
			1000 1099	17.0	(3.4)	71.8	378.5	42.9	5.5	2.4	3.4	5.0	2.3	3.7
			999	73.0	(14.6)	71.6	306.5	36.6	4.4	1.9	3.1	5.5	2.0	5.1
				499.0	(8.5)	74.3	441.4	59.9	7.4	2.5	6.9	4.3	3.9	3.3
			3000	1.0	(0.8)	79.8	455.0	88.0	8.7	1.3	12.0	4.0	5.0	3.0
			2800 2899	2.0	(1.6)	77.9	413.0	73.0	8.5	1.6	11.5	4.0	5.0	2.5
			2700 2799	1.0	(0.8)	76.9	400.0	66.0	7.7	1.4	12.0	4.0	5.0	3.0
			2600 2699	3.0	(2.4)	77.0	475.0	77.7	8.6	2.5	11.0	3.7	5.0	2.7
			2500 2599	4.0	(3.2)	77.7	470.8	79.3	8.3	1.8	10.8	4.0	5.0	2.8
			2400 2499	3.0	(2.4)	76.3	483.7	74.7	8.4	2.7	9.3	3.7	5.0	3.0
			2300 2399	7.0	(5.6)	75.9	443.7	69.4	7.9	2.5	8.7	4.1	4.9	3.0
			2200 2299	8.0	(6.3)	76.7	485.6	73.8	8.4	2.1	9.3	3.8	4.9	2.8
			2100 2199	11.0	(8.7)	76.6	459.3	74.7	7.9	2.3	9.5	3.9	4.9	2.9
			2000 2099	8.0	(6.3)	75.3	469.6	65.6	8.2	2.5	7.8	3.8	4.5	2.6
			1900 1999	10.0	(7.9)	75.9	449.2	68.4	8.2	2.5	7.8	3.7	4.6	3.0
			1800 1899	15.0	(11.9)	75.0	482.2	64.5	8.7	2.9	7.3	4.0	4.5	3.0
			1700 1799	9.0	(7.1)	74.8	465.1	63.0	8.3	2.9	6.2	4.0	4.0	3.0
			1600 1699	7.0	(5.6)	73.9	455.1	59.1	7.9	3.1	5.0	4.4	3.4	3.0
			1400 1499	2.0	(1.6)	74.9	464.0	63.0	7.9	2.4	5.5	4.5	4.0	3.5
			1300 1399	8.0	(6.3)	74.3	344.1	53.8	6.0	2.0	5.0	4.9	3.0	3.5
			1200 1299	3.0	(2.4)	71.9	390.7	42.7	6.2	2.5	4.3	5.3	2.3	4.7
			1100 1199	4.0	(3.2)	72.4	348.8	41.0	5.5	1.8	4.5	5.3	3.0	4.3
			1000 1099	3.0	(2.4)	71.2	318.7	35.3	4.8	2.2	3.7	5.0	2.3	4.3
			999	17.0	(13.5)	71.5	329.7	36.2	5.2	2.2	3.7	5.1	2.4	5.2
				126.0	(2.1)	74.8	429.7	61.1	7.5	2.4	7.0	4.3	4.0	3.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	6.0	(2.3)	75.6	441.3	66.7	7.7	2.3	11.0	3.7	5.0	2.8
			2900 2999	1.0	(0.4)	75.1	399.0	63.0	7.8	3.0	9.0	4.0	5.0	3.0
			2800 2899	6.0	(2.3)	75.5	426.7	67.0	8.0	2.9	10.3	3.8	5.0	2.8
			2700 2799	5.0	(1.9)	75.5	447.4	65.8	7.8	2.3	10.0	4.2	5.0	2.6
			2600 2699	13.0	(4.9)	76.1	431.8	71.2	7.6	2.5	9.9	3.9	4.9	2.8
			2500 2599	11.0	(4.1)	75.8	443.6	71.7	7.5	2.7	9.9	3.7	4.9	2.6
			2400 2499	8.0	(3.0)	74.8	405.0	60.6	7.6	2.7	9.4	3.6	5.0	2.9
			2300 2399	14.0	(5.3)	74.9	438.2	64.9	7.4	2.7	8.5	4.2	4.6	2.6
			2200 2299	9.0	(3.4)	74.9	462.6	64.2	7.8	2.6	7.9	4.0	4.7	2.9
			2100 2199	10.0	(3.8)	74.9	404.5	62.7	7.2	2.7	8.4	4.1	4.7	2.7
			2000 2099	8.0	(3.0)	74.7	461.5	61.8	7.8	2.5	6.9	3.6	4.4	2.6
			1900 1999	13.0	(4.9)	74.3	425.0	59.5	7.7	3.0	6.9	4.0	4.3	2.8
			1800 1899	5.0	(1.9)	74.8	400.6	59.2	7.6	2.7	6.4	4.0	4.0	2.8
			1700 1799	4.0	(1.5)	73.9	436.8	55.3	7.7	2.6	5.8	4.0	3.8	2.8
			1600 1699	2.0	(0.8)	73.5	388.0	52.5	6.2	2.2	6.0	4.5	3.5	4.0
			1500 1599	1.0	(0.4)	73.2	384.0	49.0	7.1	2.8	2.0	5.0	2.0	3.0
			1400 1499	4.0	(1.5)	73.3	381.3	50.3	6.5	2.5	5.0	4.0	3.3	2.8
			1300 1399	4.0	(1.5)	74.6	365.0	59.0	6.5	2.5	5.8	4.8	3.5	2.8
			1200 1299	4.0	(1.5)	73.8	343.5	51.0	6.1	2.3	7.5	5.0	4.0	4.8
			1100 1199	4.0	(1.5)	73.9	378.0	56.5	6.0	2.4	5.3	5.0	3.0	4.0
			1000 1099	5.0	(1.9)	72.8	336.4	46.0	5.5	2.3	4.6	4.8	3.0	4.4
			999	129.0	(48.5)	71.4	275.0	34.6	4.0	1.9	3.0	5.2	2.0	5.1
				266.0	(4.5)	73.2	349.9	48.9	5.7	2.3	5.6	4.6	3.3	4.0
			3000	5.0	(1.4)	76.6	456.4	74.6	7.6	2.1	11.4	3.6	5.0	3.0
			2900 2999	3.0	(0.8)	76.5	407.8	68.3	7.9	2.2	10.7	3.7	5.0	3.0
			2800 2899	5.0	(1.4)	77.1	446.6	77.4	8.2	2.5	11.0	4.0	5.0	2.8
			2700 2799	7.0	(2.0)	77.5	461.6	80.1	8.5	2.5	11.0	3.7	5.0	2.7
			2600 2699	13.0	(3.6)	77.0	456.0	73.5	8.3	2.1	11.8	3.5	5.0	3.0
			2500 2599	21.0	(5.9)	77.2	453.6	77.3	8.3	2.4	10.3	3.7	5.0	3.0
			2400 2499	16.0	(4.5)	76.5	459.7	74.7	8.1	2.5	10.3	3.8	5.0	3.0
			2300 2399	31.0	(8.7)	75.7	481.3	72.3	8.4	3.1	9.8	3.5	4.9	2.8
			2200 2299	25.0	(7.0)	75.5	468.0	69.8	8.3	2.9	9.4	3.9	4.9	2.8
			2100 2199	21.0	(5.9)	75.0	469.2	67.1	8.2	3.0	8.6	3.7	4.9	2.9
			2000 2099	10.0	(2.8)	74.7	443.7	61.7	7.4	2.4	7.7	3.8	4.5	2.7
			1900 1999	16.0	(4.5)	75.0	451.7	62.4	7.8	2.3	7.6	3.9	4.5	2.9
			1800 1899	18.0	(5.0)	74.1	485.4	63.3	7.7	2.9	6.3	4.2	4.1	2.9
			1700 1799	16.0	(4.5)	74.3	437.7	58.4	7.7	2.7	6.8	3.8	4.1	2.9
			1600 1699	9.0	(2.5)	74.5	457.9	62.3	7.8	2.8	5.9	3.7	3.8	3.0
			1500 1599	8.0	(2.2)	73.7	472.1	58.3	7.4	2.6	6.4	3.9	4.1	2.9
			1400 1499	8.0	(2.2)	73.6	455.6	56.1	7.5	2.7	7.0	3.8	4.1	3.6
			1300 1399	15.0	(4.2)	73.3	415.3	51.8	6.9	2.5	5.1	3.9	3.5	3.1
			1200 1299	14.0	(3.9)	72.7	406.4	43.9	6.9	2.1	5.1	3.7	3.5	3.0
			1100 1199	15.0	(4.2)	71.7	387.9	41.6	6.3	2.8	4.3	4.0	3.1	3.1
			1000 1099	5.0	(1.4)	71.4	334.5	33.0	5.4	1.9	4.6	4.0	3.2	3.2
			999	77.0	(21.5)	71.7	305.3	33.8	5.0	1.8	3.3	4.6	2.4	4.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				358.0	(6.1)	74.3	419.3	57.7	7.2	2.4	7.1	3.9	4.0	3.3
			2600 2699	3.0	(21.4)	76.4	451.7	74.7	7.8	2.6	10.3	3.7	5.0	3.0
			1900 1999	2.0	(14.3)	75.0	495.5	73.0	7.8	3.3	7.0	4.5	4.0	3.0
			1800 1899	1.0	(7.1)	74.9	469.0	66.0	7.5	2.6	7.0	4.0	4.0	3.0
			1300 1399	1.0	(7.1)	73.7	465.0	56.0	7.2	2.1	5.0	5.0	3.0	4.0
			1100 1199	3.0	(21.4)	73.0	368.0	47.7	6.2	2.4	5.3	4.3	3.0	3.7
			1000 1099	1.0	(7.1)	71.7	309.0	36.0	4.7	1.8	5.0	4.0	3.0	5.0
			999	3.0	(21.4)	72.2	240.7	34.7	4.6	2.0	3.7	5.0	2.0	4.3
				14.0	(0.2)	73.9	386.8	55.4	6.5	2.4	6.4	4.4	3.4	3.6
			3000	83.0	(18.3)	76.9	464.0	75.5	8.3	2.2	9.7	3.7	4.9	3.0
			2900 2999	13.0	(2.9)	76.4	456.1	72.4	8.1	2.4	9.1	3.8	4.9	3.0
			2800 2899	27.0	(6.0)	77.4	480.7	80.8	8.2	2.2	10.3	3.6	4.9	2.9
			2700 2799	46.0	(10.2)	76.5	451.2	73.8	8.0	2.5	10.7	3.6	5.0	2.9
			2600 2699	53.0	(11.7)	76.2	465.8	73.2	8.3	2.7	10.3	3.6	4.9	2.9
			2500 2599	38.0	(8.4)	75.8	468.6	70.0	8.2	2.6	9.8	3.6	4.9	2.9
			2400 2499	33.0	(7.3)	75.7	455.8	69.5	8.0	2.7	9.5	3.6	4.9	2.9
			2300 2399	44.0	(9.7)	75.4	480.6	68.1	8.3	2.7	8.8	3.8	4.7	2.9
			2200 2299	28.0	(6.2)	74.9	444.2	64.5	7.8	2.8	8.5	4.1	4.7	2.9
			2100 2199	25.0	(5.5)	75.0	465.0	66.3	8.2	3.0	7.8	3.8	4.6	2.9
			2000 2099	18.0	(4.0)	74.5	476.4	65.2	8.0	3.1	7.2	3.9	4.4	3.0
			1900 1999	17.0	(3.8)	73.8	477.6	58.6	7.9	2.8	6.6	3.9	4.1	2.9
			1800 1899	5.0	(1.1)	73.7	460.6	55.8	8.1	2.9	7.0	4.0	4.4	2.8
			1700 1799	2.0	(0.4)	74.0	365.0	51.5	6.2	1.9	5.5	4.0	3.5	3.5
			1500 1599	1.0	(0.2)	72.2	440.0	50.0	6.8	3.1	6.0	5.0	4.0	3.0
			1400 1499	1.0	(0.2)	70.9	428.0	51.0	7.0	5.0	8.0	4.0	4.0	5.0
			1300 1399	3.0	(0.7)	73.9	364.5	49.7	6.1	1.7	5.3	4.3	3.3	2.7
			1200 1299	2.0	(0.4)	73.3	313.0	49.0	5.5	2.5	8.5	4.0	4.5	4.0
			1100 1199	4.0	(0.9)	71.7	339.8	38.3	5.6	2.4	4.8	4.3	3.3	3.5
			1000 1099	4.0	(0.9)	72.3	320.5	36.8	5.5	1.7	3.5	4.0	2.5	3.5
			999	6.0	(1.3)	71.8	327.3	39.8	5.0	2.2	4.0	4.8	2.8	4.5
				453.0	(7.7)	75.8	458.8	69.6	8.0	2.6	9.1	3.8	4.7	3.0
			2900 2999	1.0	(0.4)	75.2	379.2	64.0	6.6	2.5	7.0	5.0	4.0	3.0
			2700 2799	1.0	(0.4)	80.8	417.4	103.0	7.2	1.8	11.0	4.0	5.0	3.0
			2600 2699	4.0	(1.6)	76.3	445.6	77.0	7.3	2.7	9.5	3.5	5.0	3.0
			2500 2599	4.0	(1.6)	76.4	417.6	74.5	7.5	2.8	11.0	3.8	5.0	3.0
			2400 2499	4.0	(1.6)	75.7	452.0	69.5	7.3	2.2	9.8	3.5	5.0	2.8
			2300 2399	3.0	(1.2)	76.3	430.4	75.7	7.2	2.6	10.3	4.3	5.0	3.0
			2200 2299	4.0	(1.6)	76.8	454.0	74.3	7.7	1.9	10.5	4.0	5.0	2.8
			2100 2199	10.0	(4.0)	75.3	459.9	67.8	7.8	2.7	9.6	3.9	4.9	3.0
			2000 2099	15.0	(5.9)	75.4	443.7	67.7	7.6	2.7	9.1	3.8	4.7	2.9
			1900 1999	11.0	(4.3)	75.3	448.5	66.6	7.6	2.4	8.5	4.2	4.6	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1800 1899	21.0	(8.3)	75.1	439.1	64.5	7.5	2.5	8.6	4.1	4.8	2.9
			1700 1799	36.0	(14.2)	74.6	443.8	63.5	7.6	2.8	7.4	4.1	4.4	2.9
			1600 1699	25.0	(9.9)	74.2	451.3	61.7	7.5	2.9	5.8	4.0	3.8	2.6
			1500 1599	13.0	(5.1)	72.7	468.1	54.6	7.6	3.4	4.8	4.0	3.2	2.8
			1400 1499	5.0	(2.0)	72.9	418.6	51.6	6.7	2.7	5.8	4.2	3.6	2.8
			1300 1399	4.0	(1.6)	74.4	412.9	60.0	6.6	2.4	6.0	4.0	3.8	3.5
			1200 1299	6.0	(2.4)	74.5	423.6	61.7	6.5	2.3	4.8	4.8	3.0	3.5
			1100 1199	12.0	(4.7)	73.1	409.2	50.7	6.4	2.3	4.1	4.8	2.6	3.5
			1000 1099	11.0	(4.3)	72.5	376.2	45.9	5.9	2.3	4.2	4.9	2.6	3.9
			999	63.0	(24.9)	71.8	313.8	37.9	4.7	1.9	3.1	5.1	2.1	4.7
				253.0	(4.3)	73.9	407.2	56.4	6.7	2.5	6.2	4.4	3.6	3.4
			3000	1.0	(0.7)	74.7	448.0	66.0	6.5	2.3	12.0	4.0	5.0	3.0
			2800 2899	2.0	(1.3)	77.3	486.0	78.0	8.1	1.9	11.5	3.5	5.0	2.5
			2700 2799	1.0	(0.7)	75.6	469.0	68.0	8.2	2.5	10.0	4.0	5.0	3.0
			2600 2699	8.0	(5.4)	75.8	439.9	68.1	7.6	2.3	10.0	3.3	5.0	3.0
			2500 2599	8.0	(5.4)	76.2	450.4	71.3	7.9	2.4	10.0	3.9	5.0	2.6
			2400 2499	4.0	(2.7)	75.8	474.5	69.8	8.0	2.3	10.0	4.0	5.0	3.0
			2300 2399	18.0	(12.1)	75.7	458.1	65.4	8.3	2.3	9.0	3.9	4.9	2.8
			2200 2299	13.0	(8.7)	76.2	473.6	72.2	8.4	2.5	8.9	3.8	4.9	2.9
			2100 2199	9.0	(6.0)	76.3	487.9	76.0	8.5	2.8	9.3	4.0	5.0	2.7
			2000 2099	15.0	(10.1)	74.8	444.2	60.9	7.7	2.4	6.9	3.8	4.5	2.8
			1900 1999	14.0	(9.4)	74.7	446.4	62.2	7.6	2.5	6.7	4.1	4.3	2.7
			1800 1899	22.0	(14.8)	74.6	445.1	61.3	7.5	2.5	5.7	4.0	3.8	2.6
			1700 1799	10.0	(6.7)	75.2	425.8	62.9	7.4	2.3	6.1	4.2	3.8	2.9
			1600 1699	4.0	(2.7)	74.6	411.3	54.5	7.5	1.9	4.5	4.5	3.0	2.5
			1500 1599	4.0	(2.7)	73.0	427.5	50.5	7.0	2.6	3.5	4.8	2.5	2.5
			1400 1499	4.0	(2.7)	73.2	431.5	49.8	7.0	2.1	3.3	4.8	2.3	2.5
			1200 1299	1.0	(0.7)	71.9	495.5	44.0	7.3	2.2	4.0	4.0	3.0	4.0
			1100 1199	1.0	(0.7)	72.2	370.0	46.0	4.8	1.9	3.0	5.0	2.0	3.0
			1000 1099	2.0	(1.3)	73.0	432.0	50.0	7.0	2.4	3.0	4.5	2.0	3.0
			999	8.0	(5.4)	71.3	275.1	31.5	3.7	1.4	2.0	5.0	1.9	4.5
				149.0	(2.5)	75.0	440.8	62.5	7.6	2.4	7.2	4.1	4.2	2.9
			3000	1.0	(0.8)	77.5	427.0	75.0	8.0	1.9	12.0	4.0	5.0	3.0
			2900 2999	1.0	(0.8)	76.6	462.0	75.0	8.4	2.7	12.0	4.0	5.0	3.0
			2800 2899	1.0	(0.8)	77.8	467.0	88.0	7.4	2.4	11.0	4.0	5.0	3.0
			2700 2799	2.0	(1.5)	80.6	460.0	95.5	9.1	1.7	10.5	4.0	5.0	3.0
			2600 2699	1.0	(0.8)	76.6	463.0	79.0	8.6	3.3	10.0	4.0	5.0	3.0
			2500 2599	5.0	(3.8)	76.5	478.2	77.4	8.0	2.6	10.8	4.0	5.0	3.0
			2400 2499	3.0	(2.3)	74.4	432.3	58.7	7.3	2.3	9.3	4.0	5.0	2.7
			2300 2399	1.0	(0.8)	76.7	519.0	76.0	8.1	1.7	8.0	4.0	5.0	3.0
			2200 2299	4.0	(3.1)	74.5	487.5	63.8	7.6	2.4	9.0	4.0	4.8	3.0
			2100 2199	6.0	(4.6)	75.5	433.3	63.3	8.0	2.4	8.7	3.8	4.8	2.8
			2000 2099	8.0	(6.2)	74.1	463.9	62.5	7.8	3.3	7.5	3.9	4.6	2.9
			1900 1999	6.0	(4.6)	75.2	479.2	70.5	7.8	3.0	8.0	4.5	4.8	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	14.0	(10.8)	74.0	490.0	62.2	7.7	2.8	5.9	4.2	3.8	2.6
			1700 1799	15.0	(11.5)	73.9	468.4	59.0	7.6	2.7	4.8	4.3	3.3	2.7
			1600 1699	4.0	(3.1)	72.3	505.8	58.8	7.8	3.9	4.3	4.8	3.0	2.3
			1500 1599	1.0	(0.8)	73.8	418.0	45.0	8.7	2.3	3.0	5.0	2.0	3.0
			1400 1499	5.0	(3.8)	73.8	465.4	61.0	7.2	2.8	6.2	4.6	4.0	3.2
			1300 1399	4.0	(3.1)	73.6	424.8	55.3	7.4	3.0	4.3	4.5	3.3	2.8
			1200 1299	6.0	(4.6)	73.2	365.2	48.8	6.0	2.3	4.3	4.7	3.0	4.2
			1100 1199	4.0	(3.1)	73.7	377.0	49.5	6.5	2.0	4.0	5.3	2.3	3.8
			1000 1099	7.0	(5.4)	72.2	386.5	46.7	5.8	2.5	3.7	4.7	2.3	3.3
			999	31.0	(23.8)	71.8	289.1	36.3	4.2	1.6	2.5	5.2	1.8	4.5
				130.0	(2.2)	73.7	413.9	55.5	6.7	2.4	5.5	4.5	3.4	3.3
			3000	4.0	(2.3)	79.4	490.5	90.5	8.7	1.6	11.5	3.5	5.0	2.5
			2900 2999	1.0	(0.6)	76.9	401.0	74.0	8.1	2.8	11.0	3.0	5.0	3.0
			2800 2899	1.0	(0.6)	75.2	425.0	63.0	7.6	2.4	10.0	4.0	5.0	3.0
			2700 2799	4.0	(2.3)	77.3	425.5	74.8	8.0	2.1	11.5	3.0	5.0	3.0
			2500 2599	6.0	(3.4)	77.2	457.7	77.0	7.9	1.9	10.3	3.5	5.0	2.8
			2400 2499	12.0	(6.8)	77.1	456.4	77.3	8.3	2.4	10.4	3.6	5.0	3.0
			2300 2399	16.0	(9.0)	76.9	454.1	73.1	8.3	2.0	9.9	3.6	5.0	2.7
			2200 2299	14.0	(7.9)	75.6	458.1	67.3	7.9	2.3	8.4	3.5	4.9	2.8
			2100 2199	14.0	(7.9)	75.9	463.9	70.2	8.3	2.7	9.0	3.7	5.0	2.9
			2000 2099	18.0	(10.2)	75.5	470.3	67.9	8.0	2.5	8.1	3.7	4.7	3.0
			1900 1999	14.0	(7.9)	75.2	430.5	61.6	7.8	2.3	7.9	3.8	4.6	2.8
			1800 1899	19.0	(10.7)	74.5	446.6	60.5	7.7	2.6	6.3	4.2	4.0	2.8
			1700 1799	9.0	(5.1)	74.2	423.2	54.7	7.6	2.4	5.3	4.3	3.9	2.9
			1600 1699	2.0	(1.1)	75.3	335.5	52.0	7.2	1.7	4.5	4.5	3.0	3.0
			1400 1499	1.0	(0.6)	71.7	407.0	45.0	7.1	3.6	4.0	5.0	3.0	3.0
			1300 1399	1.0	(0.6)	74.8	447.0	63.0	6.7	1.8	5.0	5.0	3.0	4.0
			1200 1299	2.0	(1.1)	71.8	316.0	36.0	5.7	2.4	5.5	4.5	3.5	3.5
			1100 1199	3.0	(1.7)	72.6	394.7	43.7	6.3	2.0	4.7	5.0	2.7	4.0
			1000 1099	4.0	(2.3)	71.9	361.8	42.8	5.5	2.5	3.3	5.0	2.0	3.5
			999	32.0	(18.1)	71.8	280.8	34.6	4.0	1.4	2.5	5.4	1.9	4.8
				177.0	(3.0)	74.9	415.0	60.5	7.1	2.2	7.1	4.1	4.0	3.2
			2600 2699	2.0	(9.5)	76.3	450.8	73.0	8.0	2.5	11.5	3.0	5.0	3.0
			2400 2499	2.0	(9.5)	76.6	455.5	70.5	8.6	2.3	9.0	3.0	5.0	3.0
			2300 2399	1.0	(4.8)	75.7	442.5	75.0	8.3	3.9	10.0	3.0	5.0	3.0
			2200 2299	1.0	(4.8)	75.4	432.0	58.0	7.8	1.5	12.0	4.0	5.0	3.0
			2100 2199	3.0	(14.3)	74.5	451.2	61.3	8.1	3.0	8.0	3.7	4.3	3.0
			2000 2099	1.0	(4.8)	72.6	442.5	54.0	8.2	4.2	6.0	4.0	4.0	3.0
			1900 1999	4.0	(19.0)	73.0	477.6	57.3	8.6	4.0	6.8	3.5	4.3	3.0
			1800 1899	2.0	(9.5)	73.8	430.5	60.0	7.3	3.2	6.0	4.0	4.0	2.5
			1700 1799	1.0	(4.8)	72.2	478.0	47.0	7.7	2.8	3.0	5.0	2.0	3.0
			1400 1499	1.0	(4.8)	73.4	403.5	53.0	7.1	2.8	4.0	4.0	3.0	3.0
			999	3.0	(14.3)	71.1	247.3	29.0	3.8	1.7	2.0	5.0	1.7	4.3

					(%)		(kg)	(cm2)	(cm)	(cm)				
				21.0	(0.4)	73.9	422.8	56.9	7.5	2.9	6.9	3.8	3.9	3.1
			2800 2899	1.0	(1.0)	78.8	534.0	88.0	9.3	1.9	12.0	4.0	5.0	2.0
			2700 2799	1.0	(1.0)	79.9	571.0	107.0	9.0	2.5	12.0	3.0	5.0	3.0
			2600 2699	1.0	(1.0)	75.3	445.0	68.0	7.9	3.0	12.0	3.0	5.0	3.0
			2500 2599	2.0	(2.0)	77.8	431.5	77.0	7.8	1.6	11.0	3.5	5.0	2.5
			2400 2499	2.0	(2.0)	76.5	495.0	78.5	8.7	3.0	10.5	3.5	5.0	3.0
			2300 2399	2.0	(2.0)	78.5	493.5	88.5	8.7	2.2	9.5	3.5	5.0	3.0
			2200 2299	13.0	(12.7)	77.1	490.0	80.4	8.3	2.4	10.1	3.8	5.0	2.8
			2100 2199	7.0	(6.9)	75.9	489.7	69.1	8.4	2.2	9.7	4.1	5.0	2.7
			2000 2099	7.0	(6.9)	75.2	435.4	64.3	7.6	2.4	8.3	3.6	4.4	2.7
			1900 1999	12.0	(11.8)	74.6	450.3	63.6	7.6	2.7	7.8	3.9	4.5	2.5
			1800 1899	14.0	(13.7)	74.6	452.6	60.6	7.9	2.5	6.4	4.1	4.1	2.6
			1700 1799	9.0	(8.8)	73.7	444.0	56.8	7.2	2.7	7.0	4.2	4.2	2.8
			1600 1699	1.0	(1.0)	73.9	436.0	57.0	7.3	2.6	4.0	5.0	3.0	3.0
			1500 1599	2.0	(2.0)	72.5	395.0	47.0	6.8	3.0	5.0	4.0	3.5	3.0
			1400 1499	1.0	(1.0)	71.6	441.0	49.0	6.6	3.4	6.0	4.0	4.0	2.0
			1300 1399	1.0	(1.0)	72.4	439.0	46.0	6.9	2.3	4.0	5.0	3.0	3.0
			1100 1199	4.0	(3.9)	71.9	380.3	43.3	5.3	2.1	3.3	4.8	2.0	3.3
			1000 1099	4.0	(3.9)	72.0	361.3	43.0	5.6	2.5	4.0	5.0	2.5	4.0
			999	18.0	(17.6)	71.2	303.6	34.6	4.3	2.0	2.4	5.1	1.9	4.7
				102.0	(1.7)	74.3	426.5	59.5	7.0	2.4	6.8	4.2	3.9	3.1
			2300 2399	1.0	(25.0)	76.3	590.0	76.0	9.9	2.4	11.0	4.0	5.0	3.0
			2200 2299	2.0	(50.0)	75.1	545.5	72.5	8.9	3.2	8.0	3.5	5.0	3.0
			2100 2199	1.0	(25.0)	73.5	616.0	74.0	9.3	4.5	8.0	3.0	5.0	3.0
				4.0	(0.1)	75.0	574.3	73.8	9.3	3.3	8.8	3.5	5.0	3.0
			3000	2.0	(6.5)	75.3	433.0	67.0	7.4	2.6	11.5	4.0	5.0	3.0
			2400 2499	3.0	(9.7)	76.2	468.3	73.7	7.5	2.2	10.0	3.7	5.0	2.7
			2300 2399	2.0	(6.5)	76.3	449.5	70.5	7.5	1.9	10.0	4.0	5.0	3.0
			2200 2299	2.0	(6.5)	78.0	549.0	90.5	9.3	2.8	9.5	4.0	5.0	3.0
			2100 2199	1.0	(3.2)	75.1	427.0	60.0	8.1	2.4	8.0	4.0	5.0	3.0
			2000 2099	4.0	(12.9)	73.8	484.0	63.8	7.8	3.4	7.3	4.3	4.5	2.8
			1900 1999	5.0	(16.1)	75.2	495.4	68.4	8.2	2.7	6.8	4.2	4.0	2.8
			1800 1899	3.0	(9.7)	74.4	477.3	61.7	7.3	2.1	6.7	4.0	4.0	2.7
			1700 1799	1.0	(3.2)	72.5	423.0	48.0	7.7	3.4	4.0	3.0	3.0	3.0
			1600 1699	2.0	(6.5)	75.0	428.0	59.0	7.5	2.0	9.0	4.5	5.0	3.0
			1500 1599	2.0	(6.5)	74.5	440.0	59.0	7.5	2.2	7.5	4.0	4.5	3.0
			1400 1499	2.0	(6.5)	74.1	467.5	56.0	7.5	1.9	6.5	5.0	4.0	3.0
			1200 1299	1.0	(3.2)	73.1	431.0	47.0	7.4	2.2	4.0	5.0	2.0	3.0
			1100 1199	1.0	(3.2)	70.5	565.0	42.0	9.1	3.8	5.0	5.0	3.0	3.0
				31.0	(0.5)	74.9	471.9	64.6	7.8	2.5	7.8	4.2	4.4	2.9

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			3000	1.0	(50.0)	73.0	460.0	57.0	7.4	3.3	9.0	4.0	5.0	3.0
			999	1.0	(50.0)	69.7	260.0	25.0	3.4	2.2	3.0	5.0	2.0	4.0
				2.0	(0.0)	71.3	360.0	41.0	5.4	2.8	6.0	4.5	3.5	3.5
			2600 2699	2.0	(15.4)	76.8	449.8	74.5	7.8	2.1	11.0	3.0	5.0	2.5
			2500 2599	1.0	(7.7)	77.4	504.0	81.0	8.4	2.1	11.0	3.0	5.0	3.0
			2400 2499	2.0	(15.4)	75.6	506.8	76.0	7.9	3.0	10.5	3.0	5.0	3.0
			2300 2399	2.0	(15.4)	74.7	400.8	54.0	7.7	2.2	8.5	3.0	5.0	3.0
			2100 2199	2.0	(15.4)	75.2	420.8	62.0	6.8	1.9	6.0	3.5	4.0	2.5
			2000 2099	1.0	(7.7)	72.6	382.5	52.0	6.0	3.2	6.0	3.0	4.0	3.0
			1900 1999	1.0	(7.7)	74.4	552.0	72.0	8.3	3.4	6.0	3.0	4.0	3.0
			999	2.0	(15.4)	71.2	345.8	34.0	5.1	1.9	3.5	5.0	2.5	3.5
				13.0	(0.2)	74.7	437.4	62.0	7.2	2.4	7.8	3.4	4.3	2.9
			3000	2.0	(66.7)	76.0	580.5	78.0	9.5	2.9	9.0	4.0	5.0	3.0
			2700 2799	1.0	(33.3)	71.8	541.0	61.0	8.2	4.8	8.0	4.0	5.0	2.0
				3.0	(0.1)	74.6	567.3	72.3	9.1	3.5	8.7	4.0	5.0	2.7
			2700 2799	1.0	(10.0)	77.2	445.0	77.0	8.5	2.6	12.0	3.0	5.0	2.0
			2500 2599	3.0	(30.0)	77.8	469.5	81.3	8.1	1.9	11.7	3.7	5.0	2.0
			2400 2499	1.0	(10.0)	75.6	489.0	69.0	8.5	2.6	9.0	4.0	5.0	2.0
			2300 2399	2.0	(20.0)	76.8	459.0	71.5	8.1	1.7	8.0	3.5	4.5	2.0
			2100 2199	1.0	(10.0)	76.7	454.5	78.0	7.3	2.3	7.0	5.0	4.0	2.0
			1800 1899	1.0	(10.0)	76.0	377.0	58.0	7.7	1.6	5.0	3.0	4.0	2.0
			1500 1599	1.0	(10.0)	74.4	349.0	50.0	6.5	1.7	4.0	4.0	3.0	2.0
				10.0	(0.2)	76.7	444.1	71.9	7.9	2.0	8.8	3.7	4.5	2.0
			3000	3.0	(2.9)	75.8	465.7	68.3	7.9	2.2	10.7	4.0	5.0	2.3
			2700 2799	1.0	(1.0)	80.5	452.4	97.0	8.7	1.9	12.0	3.0	5.0	2.0
			2600 2699	3.0	(2.9)	76.5	480.5	74.0	8.4	2.3	11.0	3.3	5.0	2.3
			2500 2599	7.0	(6.7)	75.8	460.0	70.4	8.4	2.9	10.6	3.4	5.0	2.9
			2400 2499	17.0	(16.2)	75.1	455.3	68.0	8.0	3.1	9.5	3.6	4.9	2.8
			2300 2399	15.0	(14.3)	74.5	468.0	64.1	8.3	3.3	8.9	3.7	5.0	3.0
			2200 2299	13.0	(12.4)	74.4	462.1	60.4	8.2	2.8	7.7	4.1	4.6	2

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	28.0	(23.7)	77.0	422.7	70.9	8.8	2.4	10.5	3.4	5.0	2.7
			2900 2999	15.0	(12.7)	76.2	422.8	65.9	8.7	2.5	9.5	3.5	5.0	2.9
			2800 2899	24.0	(20.3)	75.3	433.3	65.9	8.0	2.9	9.3	3.8	5.0	2.9
			2700 2799	14.0	(11.9)	74.9	439.3	65.2	8.0	3.2	8.1	3.7	4.6	2.6
			2600 2699	12.0	(10.2)	74.6	420.4	59.4	8.0	2.8	6.9	4.2	4.2	2.7
			2500 2599	8.0	(6.8)	73.8	387.2	53.0	7.5	2.9	6.1	4.1	3.9	2.5
			2400 2499	1.0	(0.8)	71.9	321.2	39.0	6.4	3.1	5.0	4.0	4.0	3.0
			2200 2299	1.0	(0.8)	74.3	460.2	56.0	7.2	1.6	4.0	4.0	3.0	2.0
			2100 2199	2.0	(1.7)	73.5	402.7	55.0	6.5	2.6	4.5	4.5	3.0	2.5
			2000 2099	2.0	(1.7)	73.0	406.0	52.0	7.0	3.0	4.5	4.5	3.0	3.0
			1400 1499	1.0	(0.8)	71.8	374.2	39.0	6.4	2.5	4.0	4.0	3.0	4.0
			1200 1299	1.0	(0.8)	70.9	374.7	43.0	6.2	4.0	5.0	5.0	3.0	4.0
			1100 1199	2.0	(1.7)	72.5	359.1	42.0	6.0	2.1	4.0	4.5	3.0	2.5
			1000 1099	2.0	(1.7)	71.3	411.3	42.0	6.1	2.8	4.0	5.0	2.5	4.5
			999	5.0	(4.2)	71.2	296.2	31.8	5.7	2.7	2.6	4.8	2.0	5.4
				118.0	(2.0)	75.1	415.6	62.1	8.0	2.7	8.2	3.8	4.4	2.9
			2700 2799	2.0	(2.9)	78.3	582.5	89.5	10.1	2.4	12.0	3.5	5.0	2.5
			2600 2699	7.0	(10.1)	79.0	513.2	94.6	8.9	2.4	11.3	3.4	5.0	2.1
			2500 2599	4.0	(5.8)	77.3	493.9	80.5	8.8	2.5	11.0	3.5	5.0	2.5
			2400 2499	4.0	(5.8)	77.0	511.7	79.8	8.8	2.5	11.0	3.5	5.0	2.5
			2300 2399	17.0	(24.6)	76.3	495.6	76.6	8.7	3.1	10.5	3.5	5.0	2.6
			2200 2299	15.0	(21.7)	76.1	504.3	75.3	8.8	2.9	9.7	3.7	5.0	2.7
			2100 2199	5.0	(7.2)	75.8	408.6	65.4	7.3	2.2	9.2	3.8	4.8	2.2
			2000 2099	6.0	(8.7)	75.1	419.3	63.5	7.4	2.5	8.7	3.3	4.7	2.7
			1900 1999	3.0	(4.3)	74.8	488.1	63.0	8.6	2.6	6.7	4.0	4.0	3.0
			1800 1899	2.0	(2.9)	76.0	454.1	67.0	8.0	2.0	7.0	4.5	4.0	2.5
			1400 1499	1.0	(1.4)	73.8	273.1	38.0	5.9	1.2	4.0	3.0	3.0	2.0
			999	3.0	(4.3)	71.3	233.3	31.7	3.0	1.5	2.3	5.0	2.0	3.3
				69.0	(1.2)	76.2	473.5	73.6	8.3	2.6	9.5	3.6	4.7	2.6
			2500 2599	1.0	(1.1)	79.2	457.4	85.0	8.5	1.4	12.0	4.0	5.0	3.0
			2300 2399	6.0	(6.6)	76.8	419.3	71.8	7.8	2.0	9.7	3.7	5.0	2.8
			2200 2299	10.0	(11.0)	75.7	440.3	67.5	7.9	2.5	9.9	3.4	5.0	2.9
			2100 2199	9.0	(9.9)	75.7	472.6	69.0	8.2	2.6	9.8	3.7	4.9	3.0
			2000 2099	11.0	(12.1)	75.6	448.9	69.2	7.8	2.6	8.6	3.8	4.5	3.0
			1900 1999	11.0	(12.1)	74.5	453.9	61.0	7.9	2.7	6.9	3.9	4.1	2.9
			1800 1899	8.0	(8.8)	74.5	391.8	57.9	7.3	2.7	7.3	4.1	4.1	3.0
			1700 1799	5.0	(5.5)	73.0	423.8	50.6	7.6	3.0	6.0	4.2	3.6	3.2
			1600 1699	2.0	(2.2)	71.0	514.5	57.0	8.3	5.3	5.0	4.0	3.0	3.0
			1500 1599	2.0	(2.2)	72.7	346.9	44.0	6.7	2.9	4.5	4.0	3.5	3.0
			1400 1499	1.0	(1.1)	71.8	405.1	54.0	6.0	4.0	7.0	4.0	4.0	3.0
			1300 1399	3.0	(3.3)	73.1	410.9	52.0	6.0	2.2	5.3	4.7	3.3	3.7
			1200 1299	3.0	(3.3)	73.1	385.2	46.7	6.7	2.2	5.7	4.0	3.7	3.3
			1100 1199	2.0	(2.2)	72.2	392.1	38.0	7.5	2.5	2.5	4.5	2.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	4.0	(4.4)	71.2	425.5	39.3	6.9	2.8	3.5	4.5	2.0	3.8
			999	13.0	(14.3)	71.4	348.3	38.4	5.1	2.3	3.1	5.2	2.1	4.5
				91.0	(1.5)	74.1	421.4	57.6	7.2	2.6	7.0	4.1	3.9	3.3
			3000	110.0	(35.7)	76.7	470.9	75.1	8.5	2.5	11.1	3.9	5.0	2.8
			2900 2999	13.0	(4.2)	75.0	472.8	67.9	8.1	3.0	9.6	4.1	5.0	3.0
			2800 2899	27.0	(8.8)	75.1	459.0	64.4	8.0	2.6	9.0	3.8	4.9	2.9
			2700 2799	16.0	(5.2)	74.9	507.5	67.8	8.2	2.8	8.9	3.8	4.7	2.8
			2600 2699	28.0	(9.1)	74.8	484.7	65.9	8.0	2.7	8.1	3.9	4.6	2.8
			2500 2599	16.0	(5.2)	74.4	482.5	65.3	7.8	2.9	8.3	4.1	4.6	2.9
			2400 2499	34.0	(11.0)	74.4	455.9	62.4	7.8	2.9	9.1	3.6	4.8	2.8
			2300 2399	11.0	(3.6)	73.5	449.7	57.4	7.7	3.2	6.8	4.0	4.4	2.6
			2200 2299	12.0	(3.9)	74.0	473.7	61.2	7.8	2.9	8.8	3.8	4.8	2.7
			2100 2199	6.0	(1.9)	74.0	480.5	61.0	7.5	2.5	6.8	3.8	4.0	2.8
			2000 2099	5.0	(1.6)	75.0	455.3	64.2	7.6	2.4	7.6	4.4	4.4	3.0
			1900 1999	5.0	(1.6)	75.1	459.6	64.2	7.7	2.3	4.6	3.6	3.2	2.8
			1800 1899	8.0	(2.6)	73.7	469.5	58.4	7.5	2.7	6.1	4.3	3.9	2.9
			1600 1699	2.0	(0.6)	71.8	384.6	38.0	6.9	2.6	3.5	4.5	2.5	2.5
			1500 1599	1.0	(0.3)	73.5	448.0	53.0	7.7	2.6	6.0	5.0	4.0	3.0
			1300 1399	2.0	(0.6)	72.7	445.0	48.0	7.5	2.8	3.0	5.0	3.0	3.0
			1200 1299	3.0	(1.0)	72.3	513.0	51.0	8.2	3.1	4.0	5.0	2.7	3.3
			1000 1099	6.0	(1.9)	71.5	325.9	34.2	5.2	1.9	3.8	4.5	2.3	4.0
			999	3.0	(1.0)	71.9	301.3	37.0	5.0	2.0	2.3	5.0	2.0	3.3
				308.0	(5.2)	75.2	466.2	66.6	8.0	2.7	9.1	3.9	4.6	2.9
			3000	13.0	(27.7)	75.3	438.2	65.5	7.9	2.7	10.0	4.0	4.9	2.8
			2800 2899	6.0	(12.8)	77.3	432.0	75.8	8.1	2.1	11.8	3.7	5.0	2.8
			2700 2799	2.0	(4.3)	75.5	390.0	58.5	7.4	1.8	10.5	4.5	5.0	3.0
			2600 2699	4.0	(8.5)	74.9	516.6	69.5	8.8	3.3	8.3	3.8	4.8	3.0
			2500 2599	2.0	(4.3)	74.0	495.0	64.0	8.9	3.9	8.0	4.0	5.0	3.0
			2400 2499	4.0	(8.5)	74.5	398.1	56.5	7.3	2.3	5.5	4.0	4.0	2.8
			2300 2399	7.0	(14.9)	74.2	417.5	57.3	7.4	2.7	7.7	4.0	4.6	2.9
			2200 2299	1.0	(2.1)	73.9	507.5	63.0	8.8	3.6	5.0	4.0	4.0	3.0
			2000 2099	1.0	(2.1)	75.4	379.0	59.0	6.8	1.6	5.0	4.0	4.0	2.0
			1800 1899	1.0	(2.1)	74.6	427.0	65.0	6.4	2.4	3.0	4.0	3.0	2.0
			1700 1799	1.0	(2.1)	72.5	308.5	38.0	5.9	2.1	4.0	4.0	3.0	3.0
			1300 1399	1.0	(2.1)	76.1	360.5	63.0	6.4	1.4	4.0	4.0	3.0	3.0
			1000 1099	3.0	(6.4)	73.2	422.2	50.3	6.5	2.0	2.7	4.3	2.3	3.0
			999	1.0	(2.1)	72.9	326.0	46.0	5.2	2.1	2.0	5.0	2.0	3.0
				47.0	(0.8)	75.0	430.1	62.6	7.6	2.5	8.0	4.0	4.4	2.8
			2700 2799	3.0	(21.4)	76.4	482.1	73.0	8.6	2.4	11.0	4.0	5.0	3.0
			2600 2699	1.0	(7.1)	74.8	463.2	56.0	8.4	1.9	9.0	4.0	5.0	3.0
			2500 2599	1.0	(7.1)	73.1	476.3	65.0	8.5	5.0	7.0	5.0	4.0	3.0
			2400 2499	1.0	(7.1)	74.6	449.1	63.0	8.3	3.2	8.0	4.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2300 2399	3.0	(21.4)	74.4	443.0	59.3	7.4	2.3	7.3	4.0	4.7	2.7
			2200 2299	1.0	(7.1)	73.3	475.5	64.0	7.5	3.8	7.0	5.0	4.0	3.0
			2100 2199	1.0	(7.1)	75.1	439.0	59.0	7.4	1.6	5.0	5.0	3.0	2.0
			2000 2099	1.0	(7.1)	74.9	472.8	59.0	7.6	1.5	5.0	5.0	3.0	3.0
			1000 1099	1.0	(7.1)	72.4	202.0	34.0	3.9	1.6	2.0	3.0	2.0	2.0
			999	1.0	(7.1)	71.3	134.0	19.0	2.2	0.4	3.0	3.0	2.0	2.0
				14.0	(0.2)	74.4	420.5	58.3	7.3	2.4	7.2	4.1	4.1	2.7
			2600 2699	1.0	(11.1)	78.4	408.6	76.0	9.6	2.4	12.0	3.0	5.0	3.0
			2500 2599	1.0	(11.1)	74.9	428.3	63.0	9.2	3.9	9.0	3.0	5.0	3.0
			2400 2499	1.0	(11.1)	75.5	474.8	73.0	7.0	2.3	11.0	3.0	5.0	3.0
			2200 2299	1.0	(11.1)	76.3	481.7	68.0	8.7	1.9	6.0	3.0	4.0	3.0
			2100 2199	2.0	(22.2)	75.5	458.6	71.0	7.5	2.8	5.5	3.5	4.0	3.0
			1700 1799	1.0	(11.1)	73.8	488.0	55.0	9.3	3.3	5.0	4.0	3.0	3.0
			1500 1599	1.0	(11.1)	72.3	392.8	54.0	6.6	4.0	7.0	4.0	4.0	4.0
			1100 1199	1.0	(11.1)	72.8	418.2	48.0	6.1	1.8	5.0	4.0	3.0	3.0
				9.0	(0.2)	75.0	445.5	64.3	7.9	2.8	7.3	3.4	4.1	3.1
			3000	80.0	(38.5)	74.2	375.6	57.3	6.8	2.8	8.1	3.9	4.6	2.8
			2900 2999	4.0	(1.9)	77.3	511.3	83.5	8.5	2.6	12.0	3.5	5.0	2.8
			2800 2899	3.0	(1.4)	77.3	399.1	75.7	7.2	2.0	9.7	3.3	4.7	2.3
			2700 2799	5.0	(2.4)	75.4	394.6	65.4	7.4	2.8	8.0	4.0	4.2	2.6
			2600 2699	6.0	(2.9)	77.6	481.1	85.7	8.3	2.8	10.2	3.7	5.0	2.8
			2500 2599	17.0	(8.2)	75.5	455.7	69.1	8.1	2.9	9.4	3.6	5.0	2.8
			2400 2499	8.0	(3.8)	74.9	445.7	62.1	8.0	2.6	8.6	3.8	4.8	2.9
			2300 2399	18.0	(8.7)	75.9	456.4	70.2	8.0	2.6	9.3	3.6	4.9	2.5
			2200 2299	20.0	(9.6)	75.1	455.1	66.7	7.6	2.6	8.1	3.9	4.7	2.5
			2100 2199	9.0	(4.3)	74.9	477.8	67.8	8.5	3.4	7.8	3.7	4.8	2.9
			2000 2099	12.0	(5.8)	74.4	445.7	58.8	8.0	2.7	6.9	3.8	4.2	2.6
			1900 1999	8.0	(3.8)	74.4	470.6	62.5	7.6	2.6	6.6	4.1	4.0	2.8
			1800 1899	6.0	(2.9)	73.5	472.5	55.5	8.1	3.0	6.0	4.2	4.2	2.3
			1700 1799	4.0	(1.9)	72.7	474.7	56.8	7.6	3.6	5.3	4.3	3.3	2.8
			1500 1599	1.0	(0.5)	71.7	288.0	37.0	4.6	2.2	3.0	4.0	2.0	4.0
			1300 1399	1.0	(0.5)	74.1	478.2	61.0	7.2	2.3	6.0	5.0	4.0	5.0
			999	6.0	(2.9)	71.3	242.4	32.8	3.8	2.1	2.2	5.8	1.5	5.7
				208.0	(3.5)	74.7	419.0	62.1	7.4	2.8	8.0	3.9	4.5	2.8
			3000	1.0	(1.9)	75.4	396.3	67.0	7.1	2.8	8.0	4.0	5.0	3.0
			2900 2999	1.0	(1.9)	75.3	406.0	60.0	8.0	2.4	8.0	4.0	5.0	3.0
			2800 2899	2.0	(3.8)	77.9	468.4	86.5	8.7	3.0	10.0	3.0	5.0	3.0
			2700 2799	2.0	(3.8)	76.5	471.5	80.0	8.4	3.4	10.0	3.5	5.0	3.0
			2600 2699	4.0	(7.7)	76.6	448.2	79.0	7.9	3.0	10.5	3.0	5.0	2.8
			2500 2599	2.0	(3.8)	77.0	443.5	77.0	7.6	2.2	10.0	3.0	5.0	2.5
			2400 2499	8.0	(15.4)	76.4	447.0	69.4	8.4	2.3	8.4	3.3	4.9	3.0
			2300 2399	6.0	(11.5)	75.5	430.6	67.3	7.6	2.6	8.7	4.2	4.8	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	8.0	(15.4)	75.5	443.9	66.6	7.8	2.4	6.6	3.8	4.3	2.9
			2100 2199	1.0	(1.9)	76.6	504.8	81.0	8.3	2.8	6.0	4.0	4.0	3.0
			2000 2099	6.0	(11.5)	73.8	422.4	58.2	7.2	3.1	7.0	4.3	4.2	2.8
			1900 1999	4.0	(7.7)	73.9	418.1	56.8	7.8	3.2	6.3	4.0	4.3	3.0
			1400 1499	1.0	(1.9)	73.9	316.4	52.0	6.2	2.7	5.0	4.0	4.0	3.0
			1200 1299	2.0	(3.8)	72.8	422.5	51.5	6.5	2.5	4.0	4.0	3.0	3.0
			1000 1099	1.0	(1.9)	71.1	223.2	32.0	3.7	2.4	3.0	5.0	2.0	5.0
			999	3.0	(5.8)	72.2	248.1	29.7	4.1	0.8	2.7	5.3	1.7	4.3
				52.0	(0.9)	75.2	421.4	64.5	7.5	2.6	7.4	3.8	4.3	3.0
			2400 2499	1.0	(33.3)	75.0	392.2	60.0	7.7	2.7	9.0	4.0	5.0	3.0
			2300 2399	1.0	(33.3)	75.5	431.0	61.0	7.8	1.7	9.0	3.0	5.0	3.0
			2100 2199	1.0	(33.3)	73.2	449.8	59.0	7.4	3.5	7.0	4.0	5.0	3.0
				3.0	(0.1)	74.6	424.3	60.0	7.6	2.6	8.3	3.7	5.0	3.0
			3000	32.0	(43.8)	76.1	441.7	70.5	8.3	2.8	11.0	3.8	5.0	2.9
			2900 2999	7.0	(9.6)	75.8	415.0	67.3	8.1	2.8	11.1	4.0	5.0	3.0
			2800 2899	7.0	(9.6)	75.0	439.2	63.3	8.3	3.0	9.1	3.7	5.0	2.9
			2700 2799	9.0	(12.3)	74.5	417.4	58.8	8.0	3.0	8.6	4.1	4.7	2.9
			2600 2699	2.0	(2.7)	76.0	414.5	64.0	8.3	2.3	11.5	4.0	5.0	3.0
			2500 2599	3.0	(4.1)	77.0	476.7	81.0	8.2	2.7	11.3	4.3	5.0	2.7
			2400 2499	1.0	(1.4)	76.3	444.0	70.0	8.2	2.4	9.0	4.0	5.0	3.0
			2300 2399	2.0	(2.7)	77.0	476.5	77.5	7.9	2.1	10.5	4.5	5.0	2.5
			2200 2299	3.0	(4.1)	74.0	452.3	61.3	7.8	3.3	7.3	4.3	4.7	3.0
			2100 2199	1.0	(1.4)	73.2	459.0	52.0	8.6	3.3	6.0	4.0	4.0	3.0
			1500 1599	1.0	(1.4)	74.1	454.8	62.0	8.0	3.3	4.0	4.0	3.0	3.0
			1400 1499	1.0	(1.4)	75.3	417.0	61.0	7.1	1.7	8.0	5.0	4.0	3.0
			1300 1399	1.0	(1.4)	73.1	476.2	57.0	6.8	2.5	3.0	4.0	3.0	3.0
			1100 1199	1.0	(1.4)	73.3	365.4	47.0	7.1	2.7	6.0	5.0	4.0	6.0
			999	2.0	(2.7)	71.8	283.9	34.5	4.2	1.4	2.5	5.5	1.5	3.5
				73.0	(1.2)	75.5	433.2	66.1	8.1	2.8	9.8	4.0	4.7	2.9
			3000	5.0	(2.7)	77.4	476.7	85.4	8.3	3.0	11.4	3.4	5.0	3.0
			2800 2899	7.0	(3.8)	78.8	471.7	88.0	8.3	1.9	10.7	3.6	5.0	2.7
			2700 2799	3.0	(1.6)	76.3	472.1	76.0	8.0	2.7	9.3	4.0	5.0	3.0
			2600 2699	3.0	(1.6)	76.9	460.2	75.0	8.1	2.2	10.3	3.3	5.0	3.0
			2500 2599	5.0	(2.7)	75.9	470.5	71.0	8.1	2.6	9.6	4.2	5.0	3.0
			2400 2499	5.0	(2.7)	76.2	460.5	70.4	8.2	2.3	9.0	4.0	5.0	3.0
			2300 2399	7.0	(3.8)	76.1	460.1	72.4	7.7	2.3	8.7	4.3	4.7	2.9
			2200 2299	9.0	(4.9)	75.5	473.8	67.7	8.4	2.7	7.9	4.0	4.8	3.0
			2100 2199	16.0	(8.6)	75.4	476.6	69.9	8.1	2.8	8.7	4.1	4.8	2.9
			2000 2099	10.0	(5.4)	75.1	454.2	66.6	7.6	2.6	8.4	4.2	4.7	3.0
			1900 1999	12.0	(6.5)	75.2	451.5	66.9	7.6	2.6	7.5	4.2	4.3	3.1
			1800 1899	8.0	(4.3)	74.2	456.8	63.1	7.8	3.3	6.3	4.3	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	16.0	(8.6)	73.9	433.2	57.2	7.1	2.5	6.8	4.6	3.9	3.3
			1600 1699	6.0	(3.2)	72.5	462.7	52.8	7.4	3.2	4.8	4.5	3.0	3.2
			1500 1599	1.0	(0.5)	73.4	392.0	51.0	6.0	2.0	6.0	5.0	3.0	3.0
			1400 1499	2.0	(1.1)	73.7	466.3	56.5	7.8	2.8	4.5	4.5	3.0	2.5
			1300 1399	6.0	(3.2)	72.4	397.9	45.7	6.0	2.2	5.0	4.2	3.0	4.0
			1200 1299	2.0	(1.1)	72.8	384.1	49.0	5.5	1.9	3.5	4.5	2.0	3.5
			1100 1199	9.0	(4.9)	71.8	447.5	46.8	6.5	2.6	3.3	4.6	2.1	4.1
			1000 1099	17.0	(9.2)	71.7	399.3	42.9	5.7	2.3	3.4	4.5	2.4	4.2
			999	36.0	(19.5)	71.1	337.0	37.3	4.8	2.4	2.8	4.8	2.1	4.5
				185.0	(3.1)	73.9	427.0	57.7	6.9	2.5	6.2	4.3	3.6	3.5
			2700 2799	1.0	(2.1)	76.8	451.8	68.0	8.4	1.5	12.0	4.0	5.0	2.0
			2600 2699	4.0	(8.3)	76.4	446.9	71.5	8.7	2.8	11.0	3.3	5.0	2.8
			2400 2499	2.0	(4.2)	76.1	421.4	69.0	7.6	2.3	11.0	3.5	5.0	2.5
			2300 2399	7.0	(14.6)	75.8	411.6	67.7	6.6	1.9	9.1	3.7	5.0	2.3
			2200 2299	14.0	(29.2)	75.4	450.2	68.6	7.7	2.7	8.9	3.6	4.8	2.6
			2100 2199	6.0	(12.5)	74.5	423.4	62.5	6.9	2.6	8.5	3.8	4.7	2.5
			2000 2099	4.0	(8.3)	75.6	487.9	69.0	8.4	2.5	8.5	4.0	4.5	3.0
			1900 1999	2.0	(4.2)	75.2	396.0	61.5	7.0	2.1	6.0	4.0	4.0	2.5
			1800 1899	1.0	(2.1)	75.5	500.8	76.0	8.0	3.2	7.0	4.0	4.0	3.0
			1700 1799	3.0	(6.3)	74.1	374.6	50.7	7.1	2.1	4.3	4.0	3.7	3.0
			1600 1699	2.0	(4.2)	73.7	356.8	49.0	6.4	2.0	4.5	4.0	3.0	3.0
			1200 1299	1.0	(2.1)	72.1	387.0	48.0	5.9	3.0	5.0	5.0	3.0	3.0
			1100 1199	1.0	(2.1)	70.3	480.0	41.0	7.2	3.7	5.0	4.0	4.0	4.0
				48.0	(0.8)	75.2	432.4	64.9	7.4	2.5	8.4	3.8	4.6	2.6
			3000	7.0	(11.7)	74.8	480.5	67.4	7.4	2.6	8.6	4.4	4.7	2.9
			2800 2899	1.0	(1.7)	73.1	490.6	61.0	6.9	3.1	4.0	5.0	3.0	3.0
			2700 2799	1.0	(1.7)	76.7	505.2	90.0	7.6	3.5	12.0	4.0	5.0	3.0
			2600 2699	2.0	(3.3)	75.2	489.9	68.5	8.0	2.6	11.5	4.0	5.0	3.0
			2500 2599	4.0	(6.7)	76.2	472.4	77.8	8.1	3.2	11.0	3.8	5.0	2.8
			2400 2499	7.0	(11.7)	75.6	434.3	68.3	7.6	2.6	9.7	4.0	5.0	2.9
			2300 2399	7.0	(11.7)	76.1	396.7	67.7	7.2	2.2	10.0	3.6	5.0	2.7
			2200 2299	6.0	(10.0)	75.4	412.6	65.7	7.5	2.7	8.7	3.7	5.0	2.8
			2100 2199	3.0	(5.0)	75.4	431.2	63.7	8.1	2.6	8.0	4.0	4.7	3.0
			2000 2099	7.0	(11.7)	74.1	405.5	58.4	6.7	2.6	6.9	4.1	4.3	2.7
			1900 1999	4.0	(6.7)	75.0	395.3	63.5	6.5	2.3	6.0	4.0	4.3	2.8
			1800 1899	1.0	(1.7)	71.0	437.8	45.0	8.4	4.9	5.0	4.0	4.0	3.0
			1700 1799	6.0	(10.0)	74.7	417.8	59.7	7.7	2.7	5.7	4.0	4.0	2.8
			1000 1099	2.0	(3.3)	70.0	252.2	23.5	4.0	2.1	2.0	6.0	2.0	4.0
			999	2.0	(3.3)	71.9	286.3	36.5	3.5	1.1	2.5	4.5	2.0	4.0
				60.0	(1.0)	74.8	420.9	63.2	7.2	2.6	8.0	4.1	4.5	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2900 2999	1.0	(6.3)	76.3	470.0	76.0	9.4	3.8	12.0	4.0	5.0	3.0
			2600 2699	1.0	(6.3)	78.8	458.2	90.0	7.7	1.8	12.0	3.0	5.0	3.0
			2400 2499	3.0	(18.8)	76.8	506.3	81.7	8.6	2.9	11.0	3.0	5.0	3.0
			2300 2399	1.0	(6.3)	74.6	486.2	69.0	7.4	2.9	8.0	3.0	5.0	3.0
			2200 2299	2.0	(12.5)	75.9	480.4	79.0	8.3	3.6	9.5	4.0	5.0	3.0
			2100 2199	3.0	(18.8)	74.7	472.5	70.0	7.3	3.1	9.0	3.7	5.0	3.0
			2000 2099	1.0	(6.3)	78.2	455.0	84.0	8.0	1.9	7.0	4.0	4.0	2.0
			1900 1999	1.0	(6.3)	74.4	455.2	69.0	7.2	3.4	9.0	3.0	5.0	3.0
			1700 1799	1.0	(6.3)	73.0	578.0	61.0	10.9	4.7	8.0	5.0	4.0	4.0
			1300 1399	1.0	(6.3)	73.3	232.6	42.0	3.9	1.4	5.0	4.0	3.0	3.0
			999	1.0	(6.3)	70.4	307.0	30.0	4.2	2.1	2.0	5.0	2.0	4.0
				16.0	(0.3)	75.3	458.7	70.9	7.7	3.0	8.9	3.7	4.6	3.1
			2800 2899	2.0	(2.6)	77.5	432.9	79.0	7.8	2.3	12.0	4.0	5.0	2.5
			2600 2699	4.0	(5.2)	76.4	453.3	76.3	8.2	3.0	10.3	3.5	5.0	3.0
			2500 2599	8.0	(10.4)	75.9	457.2	72.1	8.0	2.8	9.5	3.3	5.0	2.8
			2400 2499	4.0	(5.2)	75.6	427.7	66.0	8.1	2.8	8.8	4.0	5.0	3.0
			2300 2399	8.0	(10.4)	76.3	441.9	74.3	7.9	2.9	8.3	4.0	4.9	3.0
			2200 2299	17.0	(22.1)	75.6	427.9	68.2	7.5	2.6	7.9	3.6	4.5	2.8
			2100 2199	8.0	(10.4)	74.5	472.0	66.3	7.9	3.2	7.8	3.9	4.6	3.0
			2000 2099	8.0	(10.4)	74.5	413.4	61.0	7.2	2.7	7.3	3.9	4.3	2.8
			1900 1999	5.0	(6.5)	74.4	432.4	59.8	7.3	2.5	6.4	4.2	4.2	2.8
			1800 1899	2.0	(2.6)	74.3	458.6	62.5	7.5	2.8	6.0	4.5	3.5	3.0
			1700 1799	3.0	(3.9)	74.1	431.5	56.7	7.7	2.6	4.3	4.0	3.3	3.0
			1600 1699	1.0	(1.3)	74.4	369.8	57.0	6.6	2.4	6.0	5.0	4.0	3.0
			1500 1599	1.0	(1.3)	73.4	339.8	49.0	6.3	2.6	4.0	4.0	3.0	3.0
			1400 1499	2.0	(2.6)	75.0	368.1	58.5	6.3	1.8	8.0	4.0	4.0	3.0
			1300 1399	1.0	(1.3)	72.2	325.0	38.0	5.3	1.7	3.0	4.0	2.0	3.0
			1200 1299	1.0	(1.3)	73.4	443.8	61.0	6.7	3.1	6.0	5.0	4.0	4.0
			1000 1099	2.0	(2.6)	72.3	312.9	38.5	5.0	1.7	4.0	5.0	2.0	3.5
				77.0	(1.3)	75.2	430.6	65.8	7.5	2.7	7.7	3.9	4.4	2.9
			3000	1.0	(2.3)	75.5	568.4	86.0	7.1	3.0	7.0	3.0	4.0	3.0
			2600 2699	4.0	(9.1)	77.8	436.8	79.0	8.1	2.0	10.5	3.3	5.0	2.8
			2500 2599	12.0	(27.3)	77.3	474.7	81.1	8.1	2.4	10.5	3.3	5.0	2.8
			2400 2499	6.0	(13.6)	76.2	409.8	71.5	6.9	2.2	9.5	3.7	5.0	2.5
			2300 2399	11.0	(25.0)	76.2	430.2	72.8	7.6	2.7	9.1	3.8	4.8	2.6
			2200 2299	2.0	(4.5)	73.3	463.6	70.5	7.5	5.0	10.0	3.0	5.0	3.0
			2100 2199	2.0	(4.5)	75.4	450.7	73.5	6.8	2.7	8.5	3.5	5.0	3.0
			2000 2099	2.0	(4.5)	74.0	469.1	63.5	7.8	3.4	6.5	4.0	4.0	3.0
			1900 1999	1.0	(2.3)	71.9	303.6	36.0	5.4	2.3	4.0	3.0	4.0	3.0
			1300 1399	2.0	(4.5)	72.9	281.2	41.5	4.8	1.8	4.0	4.0	3.0	3.0
			999	1.0	(2.3)	70.5	310.4	35.0	4.3	2.7	3.0	5.0	2.0	4.0

					(%)		(kg)	(m2)	(m)	(m)				
				44.0	(0.7)	76.0	435.1	72.1	7.4	2.6	9.0	3.6	4.7	2.8
			2700 2799	2.0	(8.0)	79.0	457.6	93.5	7.7	2.1	11.5	3.0	5.0	3.0
			2600 2699	1.0	(4.0)	74.2	500.0	71.0	8.1	4.0	10.0	3.0	5.0	3.0
			2400 2499	1.0	(4.0)	76.1	446.0	70.0	8.2	2.6	9.0	3.0	5.0	3.0
			2300 2399	4.0	(16.0)	75.9	398.8	72.5	7.1	3.0	9.3	3.8	4.8	2.8
			2200 2299	1.0	(4.0)	73.6	426.8	57.0	5.9	2.0	9.0	4.0	5.0	2.0
			2100 2199	2.0	(8.0)	74.3	409.1	61.5	8.0	3.7	7.5	3.5	4.5	3.0
			2000 2099	1.0	(4.0)	75.1	429.2	63.0	7.8	2.6	5.0	4.0	3.0	3.0
			1900 1999	1.0	(4.0)	72.6	409.0	48.0	7.8	3.5	5.0	5.0	4.0	3.0
			1800 1899	6.0	(24.0)	74.1	364.4	52.8	6.8	2.3	5.5	4.3	3.7	2.5
			1700 1799	1.0	(4.0)	74.4	414.7	56.0	7.7	2.6	4.0	4.0	3.0	3.0
			1600 1699	1.0	(4.0)	72.6	294.5	47.0	5.4	3.1	5.0	4.0	3.0	2.0
			1000 1099	2.0	(8.0)	72.8	328.4	50.5	4.8	2.5	2.0	5.0	2.0	3.0
			999	2.0	(8.0)	71.5	291.1	35.0	4.2	1.9	2.5	5.5	1.5	3.5
				25.0	(0.4)	74.5	387.0	60.0	6.8	2.7	6.6	4.1	3.8	2.8
			2800 2899	1.0	(10.0)	76.9	525.6	84.0	9.2	3.4	12.0	3.0	5.0	3.0
			2500 2599	1.0	(10.0)	76.0	488.4	77.0	8.3	3.3	11.0	3.0	5.0	3.0
			2400 2499	2.0	(20.0)	77.8	512.4	84.5	8.8	2.3	11.0	3.0	5.0	2.0
			2200 2299	2.0	(20.0)	74.7	482.2	64.0	8.1	2.8	8.0	3.0	5.0	2.5
			2000 2099	2.0	(20.0)	75.8	448.8	61.5	8.7	2.0	6.5	3.5	4.0	3.0
			1900 1999	1.0	(10.0)	73.8	457.2	58.0	8.0	3.0	6.0	3.0	4.0	3.0
			1300 1399	1.0	(10.0)	72.1	319.6	39.0	5.4	2.2	4.0	4.0	3.0	3.0
				10.0	(0.2)	75.5	467.8	67.8	8.2	2.6	8.4	3.2	4.5	2.7
			2600 2699	1.0	(0.9)	77.7	475.7	82.0	8.4	2.2	11.0	3.0	5.0	3.0
			2400 2499	3.0	(2.7)	77.1	457.2	81.0	7.8	2.5	10.7	3.0	5.0	3.0
			2300 2399	1.0	(0.9)	75.9	356.4	69.0	5.5	1.8	12.0	3.0	5.0	3.0
			2200 2299	4.0	(3.5)	76.2	478.9	72.0	8.4	2.5	9.0	3.8	5.0	3.0
			2100 2199	4.0	(3.5)	77.1	459.4	76.0	7.9	1.9	8.0	3.8	5.0	3.0
			2000 2099	4.0	(3.5)	74.7	393.3	58.5	6.9	2.2	7.3	4.0	4.5	3.0
			1900 1999	6.0	(5.3)	74.2	424.1	58.2	7.3	2.6	6.7	4.0	4.2	3.0
			1800 1899	5.0	(4.4)	74.9	451.6	65.2	7.5	2.6	6.0	3.8	4.2	3.0
			1700 1799	3.0	(2.7)	73.9	444.1	62.7	6.8	2.9	5.0	3.7	3.7	3.0
			1500 1599	5.0	(4.4)	74.5	375.4	58.0	5.8	1.8	6.0	4.2	3.4	3.4
			1400 1499	3.0	(2.7)	73.0	393.4	50.3	5.9	2.2	4.3	4.0	3.0	3.3
			1300 1399	4.0	(3.5)	73.6	443.3	59.5	6.9	2.8	4.8	4.0	3.0	3.3
			1200 1299	3.0	(2.7)	72.8	388.9	49.7	5.3	1.9	3.7	4.0	2.7	3.7
			1100 1199	12.0	(10.6)	72.2	397.4	47.7	5.8	2.6	2.9	4.3	2.1	3.9
			1000 1099	12.0	(10.6)	71.8	368.5	42.2	5.0	2.0	3.1	4.8	2.1	3.6
			999	43.0	(38.1)	71.0	301.6	33.0	4.2	2.0	2.4	4.8	1.9	4.6
				113.0	(1.9)	72.8	370.1	47.9	5.6	2.2	4.3	4.3	2.8	3.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	2.0	(0.9)	76.4	482.8	73.0	8.5	2.4	12.0	4.0	5.0	3.0
			2800 2899	2.0	(0.9)	78.0	494.3	86.0	8.4	2.3	11.0	3.5	5.0	3.0
			2700 2799	9.0	(4.2)	77.9	512.7	86.8	9.1	2.7	11.6	3.2	5.0	2.9
			2600 2699	10.0	(4.7)	77.4	477.8	78.2	8.4	2.0	11.0	3.7	5.0	2.8
			2500 2599	23.0	(10.7)	76.0	471.0	73.4	8.0	2.6	9.7	3.5	5.0	3.0
			2400 2499	27.0	(12.6)	76.4	465.9	76.6	8.1	2.8	9.9	3.6	5.0	3.0
			2300 2399	38.0	(17.7)	76.0	461.7	72.2	8.1	2.7	9.0	3.7	4.9	2.8
			2200 2299	20.0	(9.3)	75.2	454.4	68.7	7.9	3.0	8.1	3.8	4.7	3.0
			2100 2199	23.0	(10.7)	75.2	461.3	69.3	7.9	3.0	7.9	3.7	4.5	2.7
			2000 2099	21.0	(9.8)	74.0	449.5	62.0	7.4	3.1	7.0	4.0	4.2	3.0
			1900 1999	11.0	(5.1)	74.5	443.7	61.5	7.4	2.5	6.5	4.1	3.9	3.0
			1800 1899	7.0	(3.3)	75.0	463.1	66.4	7.6	2.5	5.1	4.1	3.6	2.9
			1700 1799	6.0	(2.8)	74.2	476.0	66.8	7.6	3.3	5.2	4.3	3.5	2.8
			1600 1699	5.0	(2.3)	74.2	453.3	59.4	7.3	2.4	3.6	4.2	2.8	3.0
			1500 1599	1.0	(0.5)	71.4	485.0	48.0	7.1	3.3	4.0	3.0	3.0	3.0
			1300 1399	1.0	(0.5)	73.9	393.5	56.0	6.3	2.3	4.0	4.0	3.0	4.0
			1200 1299	1.0	(0.5)	72.6	390.6	53.0	6.6	3.5	3.0	4.0	2.0	4.0
			1000 1099	5.0	(2.3)	71.8	380.7	42.4	5.1	1.9	2.8	4.6	2.0	3.4
			999	3.0	(1.4)	71.0	370.2	36.7	5.3	2.3	3.0	4.3	2.0	4.7
				215.0	(3.6)	75.5	460.3	69.6	7.8	2.7	8.3	3.8	4.5	2.9
			3000	1.0	(0.3)	80.7	458.7	100.0	9.0	2.2	12.0	4.0	5.0	3.0
			2700 2799	3.0	(1.0)	75.5	491.0	76.0	8.2	3.5	11.3	3.0	5.0	2.7
			2500 2599	2.0	(0.6)	75.5	422.8	68.0	7.3	2.5	9.5	4.0	5.0	3.0
			2400 2499	12.0	(3.9)	75.2	474.8	66.9	8.8	3.1	10.3	3.5	5.0	3.0
			2300 2399	6.0	(1.9)	76.4	458.9	71.8	8.3	2.4	9.3	3.5	5.0	2.8
			2200 2299	24.0	(7.8)	75.6	445.0	67.1	7.8	2.4	8.7	3.9	4.8	2.8
			2100 2199	29.0	(9.4)	75.2	434.9	64.4	7.6	2.4	8.7	3.9	4.8	3.0
			2000 2099	32.0	(10.4)	74.8	443.2	63.7	7.9	2.9	7.4	3.8	4.5	2.9
			1900 1999	41.0	(13.3)	74.8	437.0	61.5	7.8	2.6	7.0	4.0	4.2	3.0
			1800 1899	48.0	(15.6)	74.1	428.1	57.6	7.4	2.7	6.1	4.1	4.0	2.9
			1700 1799	41.0	(13.3)	73.7	409.0	53.8	7.2	2.6	5.1	4.1	3.5	2.9
			1600 1699	19.0	(6.2)	73.1	433.2	53.1	7.3	3.0	3.8	4.0	2.7	2.9
			1500 1599	3.0	(1.0)	73.2	384.6	49.0	6.7	2.6	4.0	4.7	2.7	3.0
			1400 1499	4.0	(1.3)	73.3	433.4	53.5	7.4	2.9	4.5	4.0	3.0	3.3
			1300 1399	2.0	(0.6)	73.5	414.4	58.0	6.1	2.6	7.0	4.0	4.0	3.0
			1200 1299	3.0	(1.0)	72.3	377.6	46.3	5.6	2.3	3.3	4.0	2.7	3.7
			1100 1199	10.0	(3.2)	72.4	388.2	47.4	5.7	2.3	3.9	4.3	2.8	3.7
			1000 1099	10.0	(3.2)	72.2	360.4	42.1	5.4	1.9	3.7	4.5	2.4	4.0
			999	18.0	(5.8)	71.6	295.9	35.7	4.4	1.9	2.7	4.7	2.1	4.9
				308.0	(5.2)	74.2	421.5	58.0	7.3	2.6	6.4	4.0	3.9	3.1
			3000	1.0	(0.9)	79.4	452.3	93.0	7.8	1.9	12.0	3.0	5.0	2.0
			2900 2999	1.0	(0.9)	76.9	401.0	71.0	7.3	1.8	12.0	3.0	5.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	4.0	(3.5)	77.0	458.1	79.8	7.2	2.0	11.5	3.8	5.0	3.0
			2500 2599	4.0	(3.5)	77.7	437.0	80.5	8.2	2.4	11.0	3.8	5.0	2.8
			2400 2499	12.0	(10.6)	76.2	463.7	74.9	7.7	2.5	10.2	3.3	5.0	2.8
			2300 2399	8.0	(7.1)	76.1	456.9	73.9	7.8	2.7	9.6	3.6	5.0	2.8
			2200 2299	17.0	(15.0)	75.5	453.7	69.4	7.8	2.8	8.5	4.0	4.9	2.9
			2100 2199	13.0	(11.5)	75.1	467.5	67.6	7.7	2.6	9.2	3.9	5.0	2.8
			2000 2099	18.0	(15.9)	74.8	441.6	63.7	7.8	2.8	7.7	4.2	4.4	2.8
			1900 1999	10.0	(8.8)	74.5	426.8	61.5	7.0	2.5	6.8	3.9	4.1	2.9
			1800 1899	10.0	(8.8)	74.3	468.4	63.3	7.5	2.7	6.5	3.6	4.1	2.9
			1700 1799	4.0	(3.5)	72.3	414.7	50.0	7.0	3.4	6.8	4.0	4.0	2.8
			1600 1699	3.0	(2.7)	73.6	461.6	60.7	7.0	2.8	6.0	4.3	4.0	3.0
			1500 1599	1.0	(0.9)	74.9	483.6	74.0	6.9	3.0	3.0	5.0	3.0	3.0
			1300 1399	1.0	(0.9)	71.6	446.7	50.0	5.6	2.8	5.0	4.0	4.0	3.0
			1100 1199	2.0	(1.8)	71.7	480.6	47.5	7.0	2.8	6.0	4.5	3.5	3.0
			1000 1099	2.0	(1.8)	73.5	412.3	53.5	6.3	2.0	4.0	4.0	3.0	3.0
			999	2.0	(1.8)	71.4	458.8	46.0	6.3	2.8	4.0	5.0	2.5	4.0
				113.0	(1.9)	75.1	451.5	66.8	7.5	2.7	8.2	3.9	4.5	2.9
			1100 1199	1.0	(12.5)	70.3	380.7	38.0	5.0	2.9	4.0	4.0	3.0	4.0
			1000 1099	2.0	(25.0)	70.1	308.1	29.0	4.3	2.3	2.5	4.5	2.0	3.5
			999	5.0	(62.5)	71.9	364.2	43.4	5.6	2.6	2.6	4.4	2.0	3.8
				8.0	(0.1)	71.3	352.3	39.1	5.2	2.5	2.8	4.4	2.1	3.8
			2900 2999	1.0	(0.2)	78.8	447.0	89.0	8.9	2.8	12.0	4.0	5.0	3.0
			2800 2899	3.0	(0.6)	76.3	433.1	72.7	7.7	2.5	11.3	3.7	5.0	2.7
			2700 2799	10.0	(2.1)	76.8	472.2	74.4	9.1	2.8	11.9	3.4	5.0	2.4
			2600 2699	13.0	(2.8)	76.8	480.1	77.1	8.6	2.7	11.3	3.9	5.0	2.8
			2500 2599	19.0	(4.1)	76.4	433.8	69.7	8.3	2.5	10.6	3.7	5.0	2.7
			2400 2499	31.0	(6.7)	75.7	433.0	65.9	8.0	2.5	9.5	3.6	5.0	2.6
			2300 2399	30.0	(6.4)	76.0	451.1	71.1	8.2	2.7	9.1	3.9	5.0	2.9
			2200 2299	16.0	(3.4)	75.7	434.6	66.3	8.0	2.5	8.4	3.8	4.9	2.6
			2100 2199	34.0	(7.3)	75.5	448.8	67.2	8.4	2.9	8.0	3.8	4.6	2.7
			2000 2099	15.0	(3.2)	74.9	452.5	62.5	8.4	2.8	6.9	3.6	4.2	2.7
			1900 1999	21.0	(4.5)	74.6	405.4	57.2	7.6	2.5	5.9	3.9	4.0	3.0
			1800 1899	18.0	(3.9)	74.5	432.5	61.1	7.6	2.8	5.3	3.9	3.7	2.7
			1700 1799	15.0	(3.2)	74.4	430.9	57.5	7.7	2.5	5.2	3.8	3.6	3.1
			1600 1699	6.0	(1.3)	73.9	438.4	58.0	7.0	2.5	5.5	3.7	3.7	3.0
			1500 1599	10.0	(2.1)	73.2	381.8	48.5	6.8	2.6	3.8	4.1	3.1	3.2
			1400 1499	16.0	(3.4)	73.1	415.2	54.7	6.3	2.7	5.5	4.3	3.4	3.8
			1300 1399	19.0	(4.1)	72.6	385.3	46.9	6.2	2.4	4.2	4.6	2.9	3.8
			1200 1299	17.0	(3.6)	72.5	383.8	47.0	5.8	2.3	3.6	4.6	2.6	3.5
			1100 1199	37.0	(7.9)	71.9	393.5	44.8	5.8	2.6	3.5	4.5	2.4	3.8
			1000 1099	43.0	(9.2)	72.7	389.2	49.0	6.1	2.5	4.3	4.4	2.8	3.7
			999	92.0	(19.7)	71.9	371.2	43.1	5.5	2.5	3.3	4.8	2.3	4.0

					(%)		(kg)	(m ²)	(m)	(m)				
				466.0	(7.9)	73.9	412.1	56.1	7.0	2.6	6.0	4.2	3.6	3.3
			3000	3.0	(0.6)	78.4	467.5	87.3	8.6	2.4	12.0	3.0	5.0	3.0
			2900 2999	1.0	(0.2)	80.4	433.9	97.0	9.0	2.5	11.0	4.0	5.0	3.0
			2800 2899	10.0	(2.1)	77.2	469.0	80.9	8.4	2.8	10.9	3.4	5.0	3.0
			2700 2799	14.0	(2.9)	78.7	485.6	90.2	8.5	2.3	11.5	3.6	5.0	2.8
			2600 2699	19.0	(3.9)	77.9	476.6	84.5	8.3	2.4	10.8	3.3	5.0	2.9
			2500 2599	14.0	(2.9)	77.1	457.9	76.1	8.6	2.5	10.2	3.5	5.0	2.9
			2400 2499	50.0	(10.3)	77.0	472.4	79.5	8.3	2.7	10.1	3.7	5.0	2.9
			2300 2399	41.0	(8.4)	76.5	475.6	74.9	8.5	2.6	9.8	3.8	5.0	2.9
			2200 2299	47.0	(9.7)	75.5	471.9	69.2	8.3	2.8	8.6	3.9	4.8	3.0
			2100 2199	34.0	(7.0)	74.9	470.9	66.7	8.2	3.0	7.9	3.9	4.6	2.9
			2000 2099	34.0	(7.0)	74.7	472.7	65.0	8.1	3.0	7.5	3.8	4.5	2.9
			1900 1999	32.0	(6.6)	74.3	481.7	65.7	7.9	3.3	6.5	3.9	4.1	3.0
			1800 1899	24.0	(4.9)	74.6	453.2	64.4	7.5	2.8	6.1	4.1	3.9	3.1
			1700 1799	19.0	(3.9)	73.3	457.1	57.8	7.2	3.0	4.6	4.3	3.2	3.0
			1600 1699	9.0	(1.9)	73.9	460.3	60.8	7.3	2.9	5.6	4.1	3.7	3.3
			1500 1599	16.0	(3.3)	73.4	459.3	58.3	7.0	2.8	5.3	4.1	3.5	3.4
			1400 1499	22.0	(4.5)	72.9	450.2	53.0	7.0	2.7	4.3	4.1	2.9	3.5
			1300 1399	24.0	(4.9)	72.8	452.7	52.9	6.7	2.5	4.5	4.2	2.8	3.3
			1200 1299	18.0	(3.7)	72.2	434.5	47.8	6.2	2.4	4.1	4.2	2.6	3.6
			1100 1199	23.0	(4.7)	72.1	425.1	47.6	6.3	2.6	3.4	4.3	2.4	3.5
			1000 1099	22.0	(4.5)	71.9	396.0	43.5	5.8	2.3	3.1	4.5	2.1	3.9
			999	10.0	(2.1)	71.7	333.0	37.3	5.1	1.9	2.7	4.7	2.0	4.0
				486.0	(8.2)	74.8	459.0	65.5	7.7	2.7	7.3	3.9	4.1	3.1
			3000	6.0	(50.0)	74.8	418.3	58.3	8.0	2.5	9.2	3.8	5.0	3.0
			2900 2999	1.0	(8.3)	75.0	338.0	53.0	6.2	1.4	7.0	4.0	4.0	3.0
			2800 2899	4.0	(33.3)	73.7	385.1	51.3	6.8	2.3	6.0	4.3	4.3	3.0
			2700 2799	1.0	(8.3)	72.1	428.0	46.0	6.9	2.8	6.0	5.0	4.0	3.0
				12.0	(0.2)	74.3	401.4	54.5	7.3	2.3	7.7	4.1	4.6	3.0
			3000	400.0	(6.8)	76.1	442.7	70.5	8.0	2.5	10.1	3.8	4.9	2.9
			2900 2999	65.0	(1.1)	76.1	442.0	69.9	8.2	2.6	9.9	3.8	5.0	2.9
			2800 2899	145.0	(2.5)	76.3	453.3	72.6	8.1	2.5	9.9	3.7	4.9	2.8
			2700 2799	169.0	(2.9)	76.5	462.9	74.5	8.2	2.6	10.3	3.7	4.9	2.8
			2600 2699	251.0	(4.3)	76.4	466.6	74.2	8.2	2.6	10.2	3.6	4.9	2.9
			2500 2599	266.0	(4.5)	76.2	459.4	72.5	8.1	2.6	9.9	3.7	4.9	2.8
			2400 2499	354.0	(6.0)	75.9	457.0	71.0	8.1	2.6	9.7	3.6	4.9	2.9
			2300 2399	429.0	(7.3)	75.9	460.5	70.5	8.1	2.6	9.2	3.8	4.9	2.8
			2200 2299	428.0	(7.3)	75.5	463.0	68.6	8.0	2.7	8.7	3.8	4.8	2.8
			2100 2199	379.0	(6.4)	75.3	460.9	67.5	8.0	2.8	8.4	3.9	4.7	2.8
			2000 2099	365.0	(6.2)	74.8	453.4	64.1	7.8	2.7	7.6	3.9	4.5	2.9
			1900 1999	349.0	(5.9)	74.6	451.0	62.5	7.8	2.7	7.0	4.0	4.3	2.9
			1800 1899	359.0	(6.1)	74.4	453.0	61.5	7.7	2.8	6.4	4.1	4.0	2.8
			1700 1799	280.0	(4.8)	74.0	436.9	57.9	7.5	2.7	5.8	4.1	3.8	2.9

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	1.0	(0.2)	76.8	557.4	70.0	9.6	1.3	12.0	4.0	5.0	2.0
			2800 2899	1.0	(0.2)	79.0	547.0	92.0	8.5	1.4	11.0	4.0	5.0	3.0
			2700 2799	7.0	(1.4)	78.8	551.8	88.7	9.5	1.8	11.6	3.4	5.0	2.6
			2600 2699	17.0	(3.4)	78.3	556.0	88.4	9.1	1.9	11.4	3.6	5.0	2.5
			2500 2599	22.0	(4.4)	77.1	547.0	79.6	9.1	2.0	11.2	3.5	5.0	2.4
			2400 2499	31.0	(6.1)	77.1	548.4	80.5	9.0	2.1	10.8	3.8	5.0	2.5
			2300 2399	39.0	(7.7)	76.1	536.3	73.3	8.7	2.2	10.3	3.6	5.0	2.5
			2200 2299	60.0	(11.9)	75.7	524.9	70.7	8.6	2.2	9.6	3.6	5.0	2.7
			2100 2199	62.0	(12.3)	75.4	512.5	67.9	8.4	2.2	9.1	3.9	5.0	2.7
			2000 2099	58.0	(11.5)	75.1	514.9	66.5	8.4	2.3	8.1	4.0	4.7	2.7
			1900 1999	47.0	(9.3)	74.9	515.4	65.2	8.5	2.4	7.1	3.8	4.3	2.8
			1800 1899	63.0	(12.5)	74.5	499.2	62.7	8.1	2.5	6.4	4.1	4.1	2.8
			1700 1799	53.0	(10.5)	74.2	501.2	59.8	8.0	2.3	5.4	4.2	3.7	2.7
			1600 1699	30.0	(5.9)	74.0	499.9	58.7	7.7	2.2	4.4	4.2	3.2	2.6
			1500 1599	4.0	(0.8)	73.0	462.0	53.5	7.3	2.7	4.0	3.8	3.0	2.8
			1400 1499	9.0	(1.8)	73.8	476.9	55.4	7.4	2.0	3.2	4.2	2.3	2.4
			999	1.0	(0.2)	72.8	270.0	32.0	4.6	0.5	2.0	5.0	2.0	2.0
				505.0	(7.6)	75.4	517.1	68.1	8.4	2.2	8.1	3.9	4.5	2.7
			3000	1.0	(0.8)	80.7	640.0	108.0	9.8	1.4	12.0	4.0	5.0	3.0
			2900 2999	1.0	(0.8)	80.1	650.0	110.0	9.7	2.1	12.0	4.0	5.0	3.0
			2700 2799	2.0	(1.6)	78.9	546.5	90.5	9.4	2.0	11.0	4.0	5.0	2.5
			2600 2699	2.0	(1.6)	77.0	519.0	73.5	9.2	1.7	12.0	3.0	5.0	2.0
			2500 2599	2.0	(1.6)	76.8	453.5	69.5	8.3	1.6	10.5	4.0	5.0	3.0
			2400 2499	3.0	(2.4)	77.1	584.7	84.3	9.4	2.6	10.0	4.0	5.0	2.3
			2300 2399	6.0	(4.7)	75.8	525.2	73.0	8.3	2.3	9.7	3.8	5.0	2.5
			2200 2299	10.0	(7.9)	76.9	522.2	76.7	8.8	2.1	9.7	3.8	5.0	2.7
			2100 2199	27.0	(21.3)	76.0	525.8	71.3	8.6	2.1	9.0	3.9	4.9	2.6
			2000 2099	6.0	(4.7)	75.6	534.5	69.5	8.4	2.0	8.0	3.8	4.7	2.8
			1900 1999	17.0	(13.4)	75.1	531.1	67.7	8.6	2.4	7.0	4.1	4.4	2.8
			1800 1899	21.0	(16.5)	74.7	495.6	62.5	8.0	2.1	5.9	4.0	3.9	2.6
			1700 1799	11.0	(8.7)	74.7	491.6	61.5	7.4	1.7	5.4	4.5	3.4	2.9
			1600 1699	6.0	(4.7)	73.8	519.4	60.3	8.0	2.6	4.5	4.0	3.3	2.8
			1500 1599	5.0	(3.9)	73.5	444.8	51.4	7.0	1.8	4.0	4.2	3.0	2.8
			1400 1499	2.0	(1.6)	72.1	447.5	47.0	6.7	2.5	3.5	4.5	2.5	2.5
			1300 1399	1.0	(0.8)	72.9	436.0	54.0	6.2	2.5	3.0	4.0	2.0	3.0
			1200 1299	2.0	(1.6)	73.9	402.0	53.0	6.0	1.6	2.5	4.5	2.0	3.0
			1100 1199	1.0	(0.8)	71.7	324.0	36.0	4.5	1.5	2.0	5.0	2.0	2.0
			1000 1099	1.0	(0.8)	70.6	384.0	34.0	4.9	1.8	2.0	6.0	2.0	2.0
				127.0	(1.9)	75.4	510.9	67.4	8.2	2.1	7.4	4.0	4.2	2.7
			3000	3.0	(1.8)	78.3	539.7	86.3	9.1	1.8	11.3	3.7	5.0	3.0
			2900 2999	4.0	(2.4)	78.5	567.5	91.3	9.1	2.0	11.3	4.0	5.0	2.8
			2800 2899	3.0	(1.8)	78.5	548.3	92.3	8.8	2.2	10.7	4.0	5.0	2.3
			2700 2799	6.0	(3.5)	77.4	543.8	82.7	9.0	2.3	10.2	4.2	5.0	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2600 2699	11.0	(6.5)	76.7	501.0	77.9	8.3	2.3	10.3	4.0	5.0	2.6
			2500 2599	12.0	(7.1)	75.1	509.3	68.0	8.4	2.6	8.7	3.9	4.8	2.7
			2400 2499	9.0	(5.3)	75.9	519.2	73.0	8.2	2.2	9.1	4.0	4.7	2.4
			2300 2399	26.0	(15.3)	76.1	501.2	71.7	8.3	2.1	9.6	4.0	4.9	2.7
			2200 2299	34.0	(20.0)	75.4	510.8	69.3	8.1	2.4	8.9	3.8	4.9	2.7
			2100 2199	14.0	(8.2)	75.5	515.1	69.1	8.6	2.5	8.1	4.3	4.7	2.6
			2000 2099	11.0	(6.5)	74.9	529.6	67.9	8.5	2.7	7.5	4.2	4.5	2.7
			1900 1999	14.0	(8.2)	75.1	483.5	64.1	8.1	2.3	6.9	4.1	4.3	2.6
			1800 1899	10.0	(5.9)	73.6	465.9	53.6	7.8	2.4	6.0	4.1	4.0	2.4
			1700 1799	4.0	(2.4)	74.0	523.3	60.8	8.3	2.6	5.0	4.5	3.5	2.5
			1600 1699	4.0	(2.4)	73.5	485.0	59.0	8.0	3.2	5.5	4.5	3.5	2.3
			1500 1599	1.0	(0.6)	72.1	497.0	55.0	6.9	3.1	5.0	4.0	3.0	3.0
			1400 1499	3.0	(1.8)	72.4	391.3	44.3	6.5	2.5	4.0	4.3	3.0	2.7
			999	1.0	(0.6)	70.6	237.0	24.0	3.0	1.1	2.0	5.0	2.0	3.0
				170.0	(2.6)	75.5	505.3	69.3	8.2	2.4	8.5	4.0	4.6	2.6
			3000	11.0	(1.5)	80.5	592.5	106.5	9.6	2.0	12.0	3.5	5.0	2.6
			2900 2999	7.0	(1.0)	78.5	555.0	91.1	8.9	2.0	11.3	3.6	5.0	2.7
			2800 2899	14.0	(1.9)	80.7	594.5	108.1	9.8	2.0	11.8	3.7	5.0	2.6
			2700 2799	28.0	(3.8)	78.7	573.8	93.2	9.3	2.0	11.4	3.8	5.0	2.6
			2600 2699	47.0	(6.5)	78.0	555.7	86.7	9.1	2.0	11.1	3.6	5.0	2.7
			2500 2599	42.0	(5.8)	77.2	557.6	83.5	8.9	2.2	10.8	3.5	5.0	2.8
			2400 2499	60.0	(8.2)	77.6	557.0	83.9	9.3	2.2	10.7	3.4	5.0	2.9
			2300 2399	93.0	(12.8)	76.8	534.5	78.2	8.7	2.1	10.2	3.4	5.0	2.9
			2200 2299	125.0	(17.2)	76.1	542.3	75.3	8.7	2.3	9.9	3.5	5.0	2.9
			2100 2199	94.0	(12.9)	75.7	528.9	71.3	8.7	2.4	9.3	3.5	5.0	2.9
			2000 2099	52.0	(7.1)	75.2	517.5	66.6	8.5	2.3	8.3	3.6	4.8	2.9
			1900 1999	55.0	(7.6)	74.9	506.6	64.4	8.2	2.3	7.3	3.8	4.4	2.7
			1800 1899	53.0	(7.3)	74.8	509.0	64.5	8.4	2.5	6.7	3.8	4.3	2.8
			1700 1799	28.0	(3.8)	74.3	496.0	59.9	8.2	2.4	5.9	3.7	3.9	2.9
			1600 1699	11.0	(1.5)	74.0	501.1	60.6	8.1	2.7	5.4	3.9	3.6	2.7
			1500 1599	4.0	(0.5)	74.2	410.5	56.0	6.9	2.1	5.5	3.8	3.5	2.3
			1400 1499	1.0	(0.1)	71.6	341.5	38.0	6.0	2.8	7.0	3.0	5.0	2.0
			1200 1299	1.0	(0.1)	73.5	370.0	50.0	5.0	1.3	5.0	4.0	3.0	3.0
			1000 1099	1.0	(0.1)	73.0	315.5	41.0	5.2	1.4	3.0	3.0	2.0	3.0
			999	1.0	(0.1)	71.6	177.5	23.0	3.6	1.1	2.0	3.0	2.0	2.0
				728.0	(11.0)	76.3	534.3	75.7	8.7	2.3	9.4	3.6	4.8	2.8
			2600 2699	1.0	(20.0)	78.0	538.0	81.0	9.4	1.7	12.0	4.0	5.0	3.0
			2400 2499	1.0	(20.0)	76.0	594.0	77.0	9.3	2.4	11.0	4.0	5.0	2.0
			2300 2399	2.0	(40.0)	76.8	549.0	82.5	8.8	2.5	11.5	4.0	5.0	3.0
			2100 2199	1.0	(20.0)	74.6	485.0	59.0	8.1	2.0	10.0	4.0	5.0	3.0
				5.0	(0.1)	76.4	543.0	76.4	8.9	2.2	11.2	4.0	5.0	2.8
			2800 2899	1.0	(0.6)	76.4	550.0	80.0	7.7	1.9	11.0	4.0	5.0	3.0
			2700 2799	8.0	(5.1)	78.8	545.9	91.0	9.0	1.8	11.8	3.4	5.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	9.0	(5.7)	78.9	543.3	91.0	9.3	2.0	11.9	3.3	5.0	2.9
			2500 2599	8.0	(5.1)	77.6	504.6	79.3	8.7	1.8	11.5	3.0	5.0	2.9
			2400 2499	13.0	(8.2)	76.4	508.6	73.5	8.4	2.0	10.6	3.5	5.0	2.6
			2300 2399	22.0	(13.9)	76.1	542.2	75.0	8.6	2.3	10.2	3.3	5.0	2.7
			2200 2299	34.0	(21.5)	75.9	516.1	70.5	8.6	2.2	9.7	3.5	5.0	2.8
			2100 2199	19.0	(12.0)	75.4	536.0	71.5	8.6	2.6	8.8	3.8	4.7	3.1
			2000 2099	16.0	(10.1)	74.8	537.2	67.9	8.5	2.6	8.3	3.6	4.6	2.8
			1900 1999	11.0	(7.0)	74.8	507.0	65.9	8.3	2.6	8.0	3.9	4.5	2.9
			1800 1899	6.0	(3.8)	73.7	508.0	57.8	8.0	2.5	6.2	4.0	4.0	2.7
			1700 1799	5.0	(3.2)	74.2	519.4	59.8	7.9	2.0	5.8	4.0	3.8	2.8
			1600 1699	3.0	(1.9)	74.2	444.3	54.0	7.5	1.9	4.7	4.3	4.0	2.7
			1500 1599	2.0	(1.3)	74.6	452.0	61.5	6.0	1.3	7.5	4.0	3.5	3.0
			1400 1499	1.0	(0.6)	76.0	563.0	71.0	9.0	1.8	5.0	3.0	3.0	2.0
				158.0	(2.4)	75.9	523.6	72.4	8.5	2.2	9.4	3.6	4.8	2.8
			2800 2899	1.0	(0.5)	80.6	627.0	108.0	9.2	1.4	12.0	4.0	5.0	3.0
			2700 2799	4.0	(2.0)	79.6	589.0	99.3	9.8	2.0	12.0	4.0	5.0	2.8
			2600 2699	3.0	(1.5)	79.6	551.7	94.0	9.4	1.5	11.3	4.0	5.0	3.0
			2500 2599	4.0	(2.0)	76.4	559.8	79.3	8.6	2.3	11.5	3.8	5.0	2.8
			2400 2499	6.0	(3.0)	77.3	549.7	81.3	8.7	1.9	11.3	3.7	5.0	2.5
			2300 2399	5.0	(2.5)	77.7	502.1	81.6	8.6	2.0	11.2	3.0	5.0	2.8
			2200 2299	9.0	(4.5)	76.0	538.8	71.4	9.1	2.2	10.8	3.7	5.0	2.9
			2100 2199	13.0	(6.5)	76.1	537.2	75.5	8.6	2.4	10.2	3.9	5.0	2.7
			2000 2099	25.0	(12.5)	75.9	522.5	71.2	8.5	2.2	9.6	3.9	4.8	2.6
			1900 1999	24.0	(12.0)	75.3	515.0	67.2	8.5	2.3	8.6	3.9	4.8	2.5
			1800 1899	32.0	(16.0)	75.4	515.5	68.0	8.4	2.2	8.7	4.0	4.8	2.7
			1700 1799	31.0	(15.5)	75.3	504.8	67.2	8.2	2.2	7.9	3.9	4.5	2.7
			1600 1699	32.0	(16.0)	74.2	497.8	60.9	8.0	2.5	6.1	4.1	4.0	2.8
			1500 1599	5.0	(2.5)	73.5	487.4	54.8	8.0	2.6	5.8	3.6	3.6	2.8
			1400 1499	4.0	(2.0)	73.0	520.0	56.8	7.8	2.7	5.0	5.0	3.3	2.5
			1300 1399	1.0	(0.5)	73.7	498.0	58.0	7.7	2.4	3.0	4.0	2.0	3.0
			1200 1299	1.0	(0.5)	75.3	402.0	56.0	7.3	1.4	3.0	5.0	2.0	3.0
				200.0	(3.0)	75.5	517.2	69.2	8.4	2.3	8.6	3.9	4.6	2.7
			3000	5.0	(0.9)	79.1	560.0	93.6	9.5	2.0	12.0	3.8	5.0	2.6
			2900 2999	7.0	(1.3)	78.9	554.6	91.7	9.3	1.9	11.9	4.0	5.0	2.7
			2800 2899	3.0	(0.6)	79.2	581.2	95.3	9.3	1.7	12.0	3.7	5.0	2.7
			2700 2799	11.0	(2.0)	78.1	575.3	89.5	9.4	2.2	11.4	3.8	5.0	2.6
			2600 2699	21.0	(3.9)	78.0	548.1	86.1	8.9	1.9	11.1	3.7	5.0	2.6
			2500 2599	25.0	(4.6)	77.9	566.7	87.2	9.2	2.1	10.9	3.8	5.0	2.6
			2400 2499	22.0	(4.1)	76.8	528.3	77.6	8.8	2.2	10.7	3.6	5.0	2.6
			2300 2399	42.0	(7.7)	76.5	533.2	75.3	8.9	2.1	10.0	3.8	5.0	2.6
			2200 2299	70.0	(12.9)	75.8	523.1	70.2	8.7	2.2	9.6	3.7	5.0	2.6
			2100 2199	43.0	(7.9)	74.8	531.9	65.6	8.6	2.5	8.7	3.8	4.9	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	73.0	(13.4)	74.9	524.4	66.5	8.4	2.4	7.9	4.1	4.6	2.6
			1900 1999	59.0	(10.9)	74.8	508.5	62.7	8.4	2.3	6.9	3.9	4.2	2.8
			1800 1899	71.0	(13.1)	74.4	470.7	59.1	7.8	2.2	6.2	4.0	3.9	2.5
			1700 1799	36.0	(6.6)	73.8	481.0	56.7	7.9	2.5	5.3	4.1	3.5	2.7
			1600 1699	22.0	(4.1)	74.1	477.3	57.5	7.7	2.2	4.3	4.1	3.0	2.7
			1500 1599	18.0	(3.3)	73.4	459.6	52.7	7.3	2.3	3.8	4.2	2.8	2.4
			1400 1499	9.0	(1.7)	72.5	394.9	41.9	6.4	1.9	4.4	3.8	3.0	2.4
			1300 1399	2.0	(0.4)	72.7	389.5	47.5	5.8	2.2	3.5	4.5	2.5	2.5
			1200 1299	1.0	(0.2)	73.7	420.5	53.0	6.2	1.7	3.0	4.0	2.0	3.0
			1100 1199	1.0	(0.2)	71.7	258.0	31.0	4.1	1.4	3.0	4.0	2.0	2.0
			1000 1099	1.0	(0.2)	71.9	312.0	37.0	4.2	1.4	3.0	5.0	2.0	2.0
			999	1.0	(0.2)	72.4	281.0	33.0	5.3	1.5	2.0	4.0	2.0	4.0
				543.0	(8.2)	75.4	510.7	67.4	8.4	2.3	8.0	3.9	4.4	2.6
			3000	7.0	(1.9)	80.1	603.1	105.0	9.7	2.2	11.7	4.0	5.0	2.6
			2900 2999	3.0	(0.8)	79.4	548.0	93.3	9.1	1.5	11.3	3.7	5.0	2.3
			2800 2899	6.0	(1.6)	79.7	581.3	99.2	9.5	1.8	11.3	3.8	5.0	2.8
			2700 2799	17.0	(4.5)	78.8	577.0	94.6	9.1	2.0	11.4	3.9	5.0	2.3
			2600 2699	21.0	(5.6)	77.2	571.3	84.4	9.0	2.3	10.8	3.8	5.0	2.6
			2500 2599	19.0	(5.1)	77.7	547.4	84.5	9.1	2.1	10.5	3.9	5.0	2.7
			2400 2499	17.0	(4.5)	76.7	577.1	80.2	9.1	2.3	10.5	3.9	5.0	2.7
			2300 2399	34.0	(9.1)	76.4	560.9	78.5	8.7	2.2	9.2	4.0	4.9	2.8
			2200 2299	38.0	(10.1)	76.3	551.6	78.1	8.6	2.4	8.8	4.0	4.9	2.7
			2100 2199	29.0	(7.7)	75.9	538.2	73.0	8.7	2.4	8.9	4.0	4.8	2.6
			2000 2099	26.0	(6.9)	74.9	532.6	67.5	8.4	2.4	7.3	4.1	4.4	2.7
			1900 1999	44.0	(11.7)	75.0	526.2	67.6	8.3	2.4	7.1	4.1	4.3	2.7
			1800 1899	43.0	(11.5)	74.5	517.5	64.3	8.0	2.4	6.0	4.0	3.9	2.7
			1700 1799	33.0	(8.8)	74.0	526.6	60.7	8.1	2.4	5.1	4.2	3.5	2.5
			1600 1699	22.0	(5.9)	73.3	491.7	54.3	7.6	2.4	3.9	4.0	3.0	2.6
			1500 1599	8.0	(2.1)	73.5	413.4	50.6	6.8	2.0	3.4	3.9	2.6	2.4
			1400 1499	5.0	(1.3)	73.2	433.4	53.0	6.3	2.1	3.6	4.6	2.4	2.4
			1300 1399	1.0	(0.3)	73.7	442.0	57.0	7.2	2.7	2.0	4.0	2.0	2.0
			1200 1299	2.0	(0.5)	73.7	299.8	42.5	5.7	1.4	3.5	4.0	2.5	3.0
				375.0	(5.7)	75.7	535.9	72.6	8.5	2.3	7.9	4.0	4.4	2.6
			3000	1.0	(0.2)	79.8	472.0	94.0	7.5	1.0	11.0	3.0	5.0	2.0
			2900 2999	2.0	(0.4)	79.0	594.5	94.0	9.6	1.7	12.0	3.5	5.0	2.5
			2800 2899	3.0	(0.6)	80.4	557.7	99.0	9.8	1.6	12.0	4.0	5.0	2.3
			2700 2799	9.0	(1.8)	79.9	530.6	95.4	9.0	1.5	11.6	3.6	5.0	2.7
			2600 2699	11.0	(2.2)	78.9	539.0	89.7	8.9	1.5	11.5	3.5	5.0	2.7
			2500 2599	19.0	(3.8)	78.0	486.3	80.8	8.4	1.6	10.4	3.6	5.0	2.6
			2400 2499	28.0	(5.6)	77.5	511.3	81.6	8.3	1.9	10.3	3.5	5.0	2.6
			2300 2399	18.0	(3.6)	77.1	506.0	76.3	8.5	1.8	10.3	3.8	4.9	2.8
			2200 2299	56.0	(11.2)	76.6	513.7	74.5	8.6	2.0	9.3	3.8	4.9	2.7
			2100 2199	64.0	(12.8)	75.8	506.8	69.9	8.4	2.2	8.3	3.8	4.8	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2000 2099	55.0	(11.0)	75.9	501.5	71.2	8.2	2.2	8.1	3.9	4.7	2.7
			1900 1999	54.0	(10.8)	75.7	486.3	67.2	8.1	2.0	7.1	4.1	4.3	2.6
			1800 1899	72.0	(14.4)	75.2	470.2	62.8	7.9	2.0	6.3	4.0	4.1	2.5
			1700 1799	56.0	(11.2)	74.9	452.8	59.3	7.7	1.9	5.3	3.9	3.6	2.5
			1600 1699	30.0	(6.0)	74.9	434.8	58.3	7.5	1.8	4.4	3.8	3.1	2.5
			1500 1599	14.0	(2.8)	74.2	449.6	56.4	7.3	1.9	4.2	4.3	3.0	2.4
			1400 1499	1.0	(0.2)	76.2	502.0	71.0	9.2	2.6	3.0	3.0	2.0	2.0
			1300 1399	4.0	(0.8)	73.8	433.3	54.5	7.3	2.3	2.8	4.5	2.0	2.3
			1200 1299	2.0	(0.4)	73.5	299.0	43.0	4.9	1.2	3.0	5.0	2.0	2.0
				499.0	(7.5)	76.0	487.2	69.3	8.1	2.0	7.7	3.9	4.3	2.6
			2700 2799	3.0	(1.8)	80.1	576.3	100.0	10.1	2.0	11.7	3.3	5.0	2.7
			2600 2699	6.0	(3.6)	78.8	576.7	94.0	9.1	1.9	11.7	3.3	5.0	2.8
			2500 2599	6.0	(3.6)	77.0	540.4	80.7	8.8	2.3	10.7	3.5	5.0	2.8
			2400 2499	3.0	(1.8)	78.3	547.0	87.3	8.9	1.7	10.0	4.0	5.0	2.7
			2300 2399	11.0	(6.5)	76.8	579.7	82.1	8.7	2.0	10.5	4.0	5.0	2.9
			2200 2299	16.0	(9.5)	76.5	553.1	77.9	8.9	2.2	10.0	3.6	5.0	2.8
			2100 2199	36.0	(21.3)	76.3	570.2	76.6	9.1	2.3	9.3	3.7	5.0	2.8
			2000 2099	26.0	(15.4)	75.7	572.0	73.7	8.7	2.2	8.6	4.1	4.8	2.8
			1900 1999	26.0	(15.4)	74.9	536.9	67.5	8.5	2.5	7.1	4.1	4.3	2.6
			1800 1899	24.0	(14.2)	74.3	545.7	63.0	8.3	2.3	6.4	4.3	4.0	2.7
			1700 1799	10.0	(5.9)	74.5	526.7	63.4	8.1	2.2	4.7	4.2	3.4	2.5
			1600 1699	1.0	(0.6)	74.3	491.0	59.0	7.3	1.6	5.0	5.0	3.0	2.0
			1200 1299	1.0	(0.6)	75.4	363.0	63.0	5.8	1.7	3.0	5.0	2.0	3.0
				169.0	(2.5)	75.9	555.5	73.7	8.7	2.2	8.4	3.9	4.6	2.7
			2700 2799	1.0	(0.7)	78.5	634.0	92.0	10.7	2.2	11.0	4.0	5.0	3.0
			2600 2699	4.0	(3.0)	79.7	557.5	99.0	8.4	1.4	11.8	3.5	5.0	2.5
			2500 2599	3.0	(2.2)	78.0	546.7	90.0	8.7	2.4	12.0	3.7	5.0	2.7
			2400 2499	7.0	(5.2)	78.8	556.9	91.0	9.2	1.8	11.0	3.7	5.0	2.6
			2300 2399	10.0	(7.4)	76.8	538.5	79.4	9.1	2.5	9.7	3.5	5.0	2.5
			2200 2299	13.0	(9.6)	75.8	529.8	73.6	8.1	2.2	9.4	4.0	4.8	2.6
			2100 2199	14.0	(10.4)	76.3	530.8	74.6	8.5	2.0	9.4	4.1	4.9	2.9
			2000 2099	16.0	(11.9)	75.6	525.2	71.1	8.3	2.3	7.9	4.0	4.6	2.5
			1900 1999	28.0	(20.7)	75.3	490.0	65.8	8.0	2.1	7.5	4.1	4.4	2.6
			1800 1899	18.0	(13.3)	74.9	523.2	67.0	8.3	2.5	6.2	4.2	3.8	2.6
			1700 1799	10.0	(7.4)	74.0	460.7	58.0	7.2	2.3	6.3	4.0	3.8	2.6
			1600 1699	4.0	(3.0)	71.8	411.0	43.5	6.0	2.3	6.0	4.0	3.5	2.5
			1500 1599	4.0	(3.0)	73.2	451.0	54.5	7.2	2.7	4.0	4.5	3.0	2.5
			1300 1399	1.0	(0.7)	71.8	422.0	45.0	4.2	1.0	2.0	5.0	2.0	2.0
			1100 1199	2.0	(1.5)	72.2	299.0	37.5	5.0	1.9	3.0	5.0	2.0	3.5
				135.0	(2.0)	75.6	509.0	70.1	8.1	2.2	8.0	4.0	4.4	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2700 2799	1.0	(1.8)	79.6	574.0	98.0	9.4	1.8	12.0	4.0	5.0	2.0
			2600 2699	6.0	(10.5)	77.0	555.2	79.7	8.7	1.9	11.7	3.3	5.0	2.7
			2500 2599	5.0	(8.8)	77.3	557.6	82.2	9.0	2.1	10.8	3.8	5.0	2.8
			2400 2499	4.0	(7.0)	76.0	541.0	70.8	9.0	2.1	10.5	3.8	5.0	2.5
			2300 2399	7.0	(12.3)	76.3	564.7	75.7	8.8	2.0	10.1	3.7	4.9	2.9
			2200 2299	11.0	(19.3)	75.8	533.7	71.6	8.4	2.1	9.9	3.7	5.0	2.9
			2100 2199	9.0	(15.8)	75.6	514.9	69.7	8.2	2.1	8.9	3.9	4.8	2.7
			2000 2099	2.0	(3.5)	75.5	480.0	67.0	7.8	2.0	9.0	4.0	5.0	3.0
			1900 1999	1.0	(1.8)	74.4	530.0	68.0	9.0	3.7	8.0	4.0	5.0	3.0
			1800 1899	7.0	(12.3)	74.0	517.0	62.7	7.5	2.5	5.6	4.1	3.9	2.6
			1700 1799	1.0	(1.8)	74.2	380.0	52.0	5.7	1.1	6.0	4.0	4.0	2.0
			1600 1699	1.0	(1.8)	73.9	421.0	50.0	6.4	1.1	5.0	4.0	3.0	2.0
			1500 1599	1.0	(1.8)	73.5	368.0	47.0	6.5	1.9	5.0	4.0	4.0	2.0
			1300 1399	1.0	(1.8)	72.3	310.0	39.0	4.8	1.7	3.0	4.0	2.0	2.0
				57.0	(0.9)	75.8	524.6	70.9	8.3	2.1	9.2	3.8	4.7	2.7
			3000	8.0	(30.8)	75.2	480.0	65.8	7.9	2.3	9.5	3.9	4.8	2.3
			2500 2599	1.0	(3.8)	75.9	487.0	64.0	9.3	2.2	10.0	3.0	5.0	3.0
			2300 2399	1.0	(3.8)	77.2	595.0	87.0	9.7	2.8	9.0	4.0	5.0	3.0
			2200 2299	2.0	(7.7)	76.6	554.5	78.0	9.1	2.3	9.5	4.0	5.0	3.0
			2100 2199	2.0	(7.7)	76.9	478.0	76.5	7.8	1.9	9.0	4.0	5.0	3.0
			2000 2099	1.0	(3.8)	74.5	500.0	64.0	8.3	2.8	8.0	4.0	5.0	3.0
			1900 1999	2.0	(7.7)	73.0	520.5	54.5	8.7	3.0	7.0	5.0	4.5	3.0
			1800 1899	3.0	(11.5)	74.3	510.7	61.7	7.6	2.1	6.7	4.0	4.0	2.3
			1700 1799	2.0	(7.7)	74.8	509.0	62.0	8.8	2.4	4.0	4.0	3.0	3.0
			1600 1699	3.0	(11.5)	73.7	501.0	59.3	8.3	2.9	4.0	4.3	3.0	3.0
			1500 1599	1.0	(3.8)	70.7	476.0	45.0	7.7	4.2	4.0	4.0	3.0	2.0
				26.0	(0.4)	74.9	502.2	65.0	8.3	2.5	7.6	4.0	4.3	2.7
			2800 2899	1.0	(7.7)	78.1	546.0	89.0	9.1	2.3	12.0	4.0	5.0	3.0
			2600 2699	1.0	(7.7)	76.6	417.5	74.0	6.4	1.7	12.0	3.0	5.0	2.0
			2500 2599	2.0	(15.4)	75.5	552.8	70.5	8.6	2.1	11.5	3.0	5.0	2.5
			2300 2399	4.0	(30.8)	76.6	552.9	75.5	9.3	2.1	9.8	3.5	5.0	3.0
			2200 2299	1.0	(7.7)	76.1	492.0	74.0	8.2	2.6	10.0	4.0	5.0	3.0
			2100 2199	2.0	(15.4)	74.6	535.3	64.5	8.1	2.2	7.0	3.5	4.0	3.0
			1800 1899	1.0	(7.7)	73.7	561.0	66.0	7.7	2.7	5.0	2.0	4.0	2.0
			1600 1699	1.0	(7.7)	79.8	575.5	96.0	9.3	1.2	12.0	3.0	5.0	2.0
				13.0	(0.2)	76.2	536.9	74.7	8.6	2.1	9.8	3.3	4.8	2.7
			2800 2899	1.0	(33.3)	76.6	621.0	74.0	10.3	1.8	10.0	4.0	5.0	3.0
			2500 2599	1.0	(33.3)	73.6	622.0	61.0	9.8	2.8	8.0	4.0	5.0	3.0
			2100 2199	1.0	(33.3)	74.8	577.0	64.0	9.5	2.3	7.0	4.0	4.0	2.0
				3.0	(0.0)	75.0	606.7	66.3	9.9	2.3	8.3	4.0	4.7	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	3.0	(23.1)	76.6	515.3	73.3	8.4	1.7	10.0	3.7	5.0	2.0
			2500 2599	2.0	(15.4)	77.7	511.3	77.5	9.1	1.7	12.0	3.0	5.0	2.0
			2300 2399	3.0	(23.1)	75.7	484.7	66.0	7.9	1.7	8.7	4.0	4.7	2.0
			2200 2299	2.0	(15.4)	75.4	541.5	74.0	8.2	2.6	7.5	4.0	4.5	2.0
			2100 2199	1.0	(7.7)	74.8	471.5	60.0	7.5	1.7	7.0	4.0	4.0	2.0
			1900 1999	2.0	(15.4)	74.8	442.0	55.5	7.3	1.3	7.0	3.0	4.0	2.5
				13.0	(0.2)	75.9	497.0	68.6	8.1	1.8	8.9	3.6	4.6	2.1
			3000	1.0	(0.9)	82.6	586.0	117.0	10.3	1.8	12.0	4.0	5.0	3.0
			2900 2999	1.0	(0.9)	78.8	522.6	90.0	8.8	1.8	12.0	3.0	5.0	3.0
			2800 2899	1.0	(0.9)	79.4	647.2	108.0	10.5	3.2	12.0	3.0	5.0	3.0
			2700 2799	7.0	(6.0)	77.5	568.6	85.1	9.4	2.3	11.9	3.3	5.0	2.7
			2600 2699	5.0	(4.3)	78.1	536.8	86.0	9.0	2.0	11.2	3.4	5.0	2.6
			2500 2599	26.0	(22.4)	76.0	523.3	73.4	8.5	2.4	11.0	3.8	5.0	2.7
			2400 2499	13.0	(11.2)	76.0	539.7	74.5	9.1	2.7	10.5	3.7	5.0	2.7
			2300 2399	19.0	(16.4)	75.8	533.5	72.3	8.7	2.4	9.9	4.1	5.0	2.9
			2200 2299	23.0	(19.8)	75.2	543.4	70.9	8.5	2.6	9.4	3.9	4.8	2.7
			2100 2199	9.0	(7.8)	74.0	531.8	61.6	8.4	2.6	7.9	4.3	4.7	2.8
			2000 2099	3.0	(2.6)	74.2	496.0	60.0	8.3	2.7	7.0	4.3	4.0	2.7
			1900 1999	3.0	(2.6)	72.9	565.3	58.0	8.7	3.1	6.0	4.0	4.0	2.7
			1800 1899	3.0	(2.6)	74.7	534.6	69.7	8.1	2.8	6.0	3.3	4.0	2.3
			1700 1799	1.0	(0.9)	72.1	666.0	69.0	8.9	4.3	7.0	4.0	4.0	3.0
			1600 1699	1.0	(0.9)	74.4	465.0	53.0	8.4	1.8	5.0	5.0	3.0	3.0
				116.0	(1.7)	75.7	537.8	72.9	8.7	2.5	9.9	3.8	4.8	2.7
			3000	116.0	(27.9)	76.9	493.1	72.0	9.6	2.4	10.9	3.4	5.0	2.7
			2900 2999	52.0	(12.5)	76.5	504.8	72.1	9.5	2.5	10.3	3.4	5.0	2.6
			2800 2899	75.0	(18.0)	75.6	492.7	68.4	8.8	2.6	9.7	3.6	5.0	2.6
			2700 2799	74.0	(17.8)	75.3	500.1	67.1	8.6	2.5	8.9	3.6	4.8	2.6
			2600 2699	63.0	(15.1)	74.8	479.0	61.5	8.5	2.5	7.5	3.8	4.3	2.6
			2500 2599	23.0	(5.5)	74.3	489.4	60.8	8.0	2.5	6.4	4.0	4.1	2.6
			2400 2499	1.0	(0.2)	75.9	516.1	69.0	8.1	1.5	8.0	5.0	4.0	2.0
			2300 2399	6.0	(1.4)	74.1	474.0	60.5	7.8	2.7	5.7	3.8	3.7	2.8
			2200 2299	2.0	(0.5)	73.2	404.6	49.0	7.5	2.9	4.0	3.5	3.0	3.0
			2000 2099	1.0	(0.2)	71.0	429.6	36.0	7.3	2.8	5.0	5.0	3.0	2.0
			1600 1699	1.0	(0.2)	71.9	476.8	46.0	8.4	3.5	3.0	4.0	2.0	3.0
			1400 1499	1.0	(0.2)	72.9	305.7	39.0	5.4	1.5	3.0	4.0	2.0	2.0
			999	1.0	(0.2)	71.3	208.6	24.0	4.4	1.7	2.0	4.0	2.0	2.0
				416.0	(6.3)	75.8	491.4	67.7	8.9	2.5	9.3	3.6	4.8	2.6
			2900 2999	1.0	(6.3)	78.3	632.9	88.0	10.7	1.9	12.0	3.0	5.0	3.0
			2400 2499	2.0	(12.5)	74.9	486.4	62.0	8.9	2.7	10.0	3.5	5.0	2.5
			2300 2399	1.0	(6.3)	75.6	498.7	67.0	9.2	2.6	9.0	4.0	5.0	3.0
			2200 2299	2.0	(12.5)	77.3	500.1	78.0	8.5	1.9	11.0	4.0	5.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2100 2199	3.0	(18.8)	75.6	575.8	73.7	8.7	2.2	9.7	3.7	5.0	2.3
			2000 2099	1.0	(6.3)	76.3	509.0	73.0	9.0	2.5	9.0	4.0	5.0	2.0
			1900 1999	1.0	(6.3)	73.9	508.0	59.0	8.7	2.9	6.0	4.0	4.0	2.0
			1800 1899	2.0	(12.5)	74.3	438.0	56.0	7.2	1.9	6.5	4.0	4.0	2.5
			1500 1599	3.0	(18.8)	74.0	477.5	57.3	7.1	1.9	4.0	4.3	2.7	2.7
				16.0	(0.2)	75.4	509.9	67.0	8.4	2.2	8.3	3.9	4.4	2.5
			2700 2799	1.0	(1.4)	79.3	599.6	91.0	10.7	1.8	12.0	3.0	5.0	3.0
			2500 2599	3.0	(4.1)	76.4	518.2	72.7	8.5	1.9	12.0	3.0	5.0	2.7
			2400 2499	5.0	(6.8)	76.8	508.9	73.6	8.5	1.7	11.6	3.4	5.0	2.6
			2300 2399	13.0	(17.8)	76.0	521.7	73.8	8.6	2.4	11.2	3.5	5.0	2.9
			2200 2299	9.0	(12.3)	75.4	519.4	70.1	8.3	2.4	9.1	3.4	4.8	2.9
			2100 2199	16.0	(21.9)	75.3	508.3	68.4	8.3	2.4	9.4	3.3	4.9	2.9
			2000 2099	9.0	(12.3)	74.4	482.2	62.6	7.5	2.3	8.4	3.6	4.7	2.9
			1900 1999	7.0	(9.6)	73.5	484.8	56.4	7.8	2.6	6.7	3.6	4.4	2.9
			1800 1899	3.0	(4.1)	74.6	437.4	59.7	6.9	1.9	6.3	4.0	4.0	2.7
			1700 1799	2.0	(2.7)	73.5	407.5	49.0	6.6	1.8	4.0	4.0	2.5	3.0
			1600 1699	4.0	(5.5)	73.0	447.9	51.0	6.8	2.2	4.0	3.8	2.8	2.5
			1400 1499	1.0	(1.4)	72.4	361.2	38.0	5.4	1.2	2.0	4.0	2.0	3.0
				73.0	(1.1)	75.1	497.3	66.3	8.0	2.3	8.9	3.5	4.6	2.8
			2000 2099	1.0	(50.0)	74.2	496.0	54.0	8.7	2.0	8.0	4.0	5.0	3.0
			1800 1899	1.0	(50.0)	74.5	454.0	53.0	8.4	1.9	6.0	5.0	4.0	3.0
				2.0	(0.0)	74.3	475.0	53.5	8.6	1.9	7.0	4.5	4.5	3.0
			3000	1.0	(2.9)	75.6	482.5	66.0	8.5	2.3	7.0	4.0	4.0	3.0
			2800 2899	1.0	(2.9)	75.7	530.0	63.0	9.4	1.7	9.0	4.0	5.0	3.0
			2700 2799	1.0	(2.9)	77.1	504.0	79.0	8.4	2.1	7.0	4.0	4.0	3.0
			2600 2699	6.0	(17.6)	75.0	534.8	67.5	8.8	2.6	7.2	3.8	4.3	3.0
			2500 2599	4.0	(11.8)	75.0	480.3	63.5	7.7	1.9	6.8	3.8	4.5	3.0
			2400 2499	6.0	(17.6)	74.9	519.4	64.7	8.1	2.0	6.8	4.0	4.3	3.0
			2300 2399	8.0	(23.5)	75.3	550.6	68.0	9.2	2.4	6.4	4.0	4.3	3.0
			2200 2299	5.0	(14.7)	73.9	518.2	61.4	8.3	2.8	5.4	4.0	4.0	2.8
			1900 1999	1.0	(2.9)	72.9	456.5	50.0	7.4	2.5	3.0	4.0	3.0	3.0
			1800 1899	1.0	(2.9)	71.6	502.0	52.0	7.6	3.8	5.0	4.0	4.0	3.0
				34.0	(0.5)	74.8	521.1	64.9	8.5	2.4	6.5	3.9	4.2	3.0
			3000	1.0	(1.8)	77.4	589.4	85.0	9.5	2.3	12.0	3.0	5.0	3.0
			2900 2999	1.0	(1.8)	73.3	552.6	68.0	9.0	4.5	10.0	4.0	5.0	3.0
			2800 2899	4.0	(7.3)	77.8	546.5	82.5	9.1	1.8	11.0	3.8	5.0	2.8
			2700 2799	8.0	(14.5)	76.1	508.3	69.3	8.6	1.9	10.8	3.5	5.0	2.8
			2600 2699	11.0	(20.0)	74.7	511.9	63.5	8.2	2.3	9.2	3.9	4.8	2.7
			2500 2599	4.0	(7.3)	74.5	517.6	63.0	7.8	2.0	9.3	3.8	5.0	2.8
			2400 2499	8.0	(14.5)	74.6	551.3	64.9	8.9	2.5	9.8	3.9	4.9	2.6
			2300 2399	2.0	(3.6)	73.2	574.9	60.5	8.4	2.8	9.5	3.5	5.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	11.0	(20.0)	73.6	487.5	55.9	7.9	2.5	6.3	4.0	3.9	2.5
			2100 2199	3.0	(5.5)	74.2	595.6	69.7	8.7	2.9	7.3	4.3	4.3	2.3
			2000 2099	1.0	(1.8)	74.6	558.2	67.0	8.0	2.1	4.0	4.0	3.0	3.0
			1800 1899	1.0	(1.8)	75.4	564.6	67.0	8.9	1.8	5.0	4.0	3.0	3.0
				55.0	(0.8)	74.8	526.0	65.2	8.4	2.3	8.9	3.8	4.6	2.7
			2500 2599	1.0	(9.1)	78.1	388.4	72.0	8.5	1.7	12.0	3.0	5.0	2.0
			2400 2499	1.0	(9.1)	78.2	538.4	87.0	8.4	1.5	12.0	3.0	5.0	3.0
			2200 2299	2.0	(18.2)	75.7	409.8	66.0	6.8	1.9	10.0	4.0	5.0	3.0
			2100 2199	1.0	(9.1)	75.7	448.6	67.0	7.3	1.9	9.0	4.0	5.0	3.0
			1900 1999	2.0	(18.2)	74.0	448.4	54.5	7.5	2.1	6.5	4.0	4.0	3.0
			1800 1899	1.0	(9.1)	74.9	441.4	63.0	6.9	1.9	6.0	3.0	4.0	3.0
			1700 1799	3.0	(27.3)	74.3	453.2	58.7	7.4	2.2	4.7	4.0	3.7	3.0
				11.0	(0.2)	75.4	444.8	64.2	7.5	2.0	7.8	3.7	4.4	2.9
			3000	203.0	(66.6)	74.5	423.5	60.1	7.1	2.4	8.7	3.7	4.7	2.6
			2900 2999	2.0	(0.7)	75.3	471.1	70.5	7.5	2.6	8.5	3.5	4.5	2.5
			2800 2899	4.0	(1.3)	75.3	461.1	70.5	7.5	2.8	7.8	3.8	4.0	2.8
			2700 2799	4.0	(1.3)	76.2	490.1	71.8	8.2	2.1	8.3	3.5	4.3	2.8
			2600 2699	6.0	(2.0)	75.3	453.3	65.7	7.5	2.1	8.5	4.0	4.2	2.7
			2500 2599	9.0	(3.0)	75.1	441.5	64.8	7.2	2.2	8.7	3.4	4.3	2.4
			2400 2499	10.0	(3.3)	75.8	544.8	75.0	8.7	2.7	10.8	3.4	5.0	2.3
			2300 2399	10.0	(3.3)	75.3	540.1	70.7	8.6	2.5	9.9	3.6	4.8	2.6
			2200 2299	19.0	(6.2)	74.9	537.5	69.0	8.7	2.8	9.3	3.5	4.9	2.4
			2100 2199	11.0	(3.6)	74.5	531.7	64.2	8.9	2.8	8.6	3.7	5.0	2.5
			2000 2099	11.0	(3.6)	74.1	495.7	58.4	8.0	2.2	6.9	3.8	4.1	2.5
			1900 1999	6.0	(2.0)	73.5	531.3	60.0	8.5	3.0	6.3	3.8	4.0	2.5
			1800 1899	4.0	(1.3)	72.9	539.3	50.5	8.7	2.4	5.3	4.0	3.8	2.0
			1700 1799	4.0	(1.3)	71.5	440.7	44.5	7.2	3.3	5.0	3.8	3.5	2.5
			999	2.0	(0.7)	72.4	324.1	42.5	4.2	1.4	2.0	5.0	1.0	2.5
				305.0	(4.6)	74.6	450.9	61.7	7.5	2.5	8.6	3.7	4.6	2.5
			2300 2399	2.0	(40.0)	76.8	437.3	69.5	7.8	1.6	9.0	3.0	5.0	2.5
			2200 2299	1.0	(20.0)	74.2	432.7	58.0	7.8	2.8	11.0	4.0	5.0	3.0
			2100 2199	1.0	(20.0)	75.2	374.4	59.0	5.8	1.2	5.0	4.0	4.0	3.0
			1900 1999	1.0	(20.0)	72.8	418.3	45.0	7.0	2.1	6.0	4.0	4.0	3.0
				5.0	(0.1)	75.2	420.0	60.2	7.2	1.8	8.0	3.6	4.6	2.8
			3000	3.0	(30.0)	79.7	567.3	103.3	8.3	1.7	11.7	3.3	5.0	3.0
			2600 2699	1.0	(10.0)	76.2	508.2	76.0	8.3	2.5	12.0	3.0	5.0	3.0
			2500 2599	1.0	(10.0)	77.4	501.0	76.0	9.3	2.0	9.0	3.0	5.0	3.0
			2400 2499	4.0	(40.0)	76.6	468.3	74.3	7.8	2.0	10.0	3.3	5.0	2.8
			2000 2099	1.0	(10.0)	75.1	394.8	60.0	7.2	2.2	6.0	4.0	4.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				10.0	(0.2)	77.4	497.9	81.9	8.1	2.0	10.2	3.3	4.9	2.9
			2800 2899	2.0	(9.5)	81.0	610.5	112.5	9.3	1.9	12.0	3.5	5.0	2.5
			2600 2699	2.0	(9.5)	78.7	593.9	93.5	10.3	2.6	12.0	3.5	5.0	2.5
			2500 2599	2.0	(9.5)	76.6	561.8	82.5	8.8	2.6	12.0	3.0	5.0	2.5
			2300 2399	3.0	(14.3)	75.9	593.4	78.0	9.2	2.6	10.0	3.0	5.0	2.7
			2200 2299	4.0	(19.0)	76.8	524.8	81.5	8.1	2.2	9.5	3.8	5.0	2.0
			2100 2199	5.0	(23.8)	75.3	538.2	73.0	7.8	2.3	9.4	4.2	4.8	2.8
			2000 2099	2.0	(9.5)	76.0	504.5	73.5	8.0	2.1	7.5	4.5	4.5	2.0
			1900 1999	1.0	(4.8)	75.0	505.0	68.0	7.1	1.8	9.0	5.0	5.0	2.0
				21.0	(0.3)	76.7	553.2	81.8	8.5	2.3	10.0	3.8	4.9	2.4
			3000	1.0	(2.0)	81.9	615.0	114.0	10.1	1.5	12.0	4.0	5.0	3.0
			2900 2999	1.0	(2.0)	80.3	597.0	98.0	10.5	1.7	12.0	4.0	5.0	3.0
			2800 2899	2.0	(3.9)	78.8	568.5	90.0	9.8	2.0	12.0	4.0	5.0	2.5
			2700 2799	1.0	(2.0)	81.6	581.0	116.0	8.5	1.4	12.0	4.0	5.0	3.0
			2600 2699	1.0	(2.0)	77.8	549.0	83.0	8.6	1.4	10.0	4.0	5.0	2.0
			2500 2599	2.0	(3.9)	77.4	548.9	83.0	8.2	1.5	11.5	3.5	5.0	2.0
			2400 2499	4.0	(7.8)	77.8	570.5	89.3	8.7	2.1	11.0	4.3	5.0	2.8
			2200 2299	9.0	(17.6)	75.9	530.3	71.7	8.6	2.1	9.6	3.9	5.0	2.8
			2100 2199	9.0	(17.6)	75.3	506.3	68.9	8.2	2.5	9.0	3.8	4.9	2.9
			2000 2099	8.0	(15.7)	75.9	505.3	70.0	8.4	2.1	7.8	3.9	4.4	2.8
			1900 1999	7.0	(13.7)	74.8	533.4	66.0	8.0	2.1	6.7	4.3	4.0	2.7
			1800 1899	5.0	(9.8)	74.6	501.3	59.2	8.1	1.9	6.2	4.4	4.2	2.4
			1700 1799	1.0	(2.0)	74.4	497.0	64.0	7.9	2.6	4.0	4.0	3.0	2.0
				51.0	(0.8)	76.2	528.8	73.7	8.5	2.1	8.8	4.0	4.6	2.7
			2600 2699	1.0	(3.4)	77.6	534.7	82.0	9.6	2.5	12.0	4.0	5.0	3.0
			2500 2599	2.0	(6.9)	77.2	517.4	79.5	8.8	2.1	12.0	3.5	5.0	3.0
			2400 2499	3.0	(10.3)	77.0	493.7	76.3	8.7	2.1	11.3	3.3	5.0	3.0
			2300 2399	5.0	(17.2)	75.4	518.1	70.6	8.3	2.5	9.6	3.2	5.0	3.0
			2200 2299	3.0	(10.3)	74.0	532.7	63.7	8.8	3.1	9.0	3.3	5.0	3.0
			2100 2199	4.0	(13.8)	74.8	474.1	65.0	7.8	2.6	7.5	4.0	4.5	3.0
			2000 2099	2.0	(6.9)	75.5	400.5	64.5	6.5	1.7	9.5	3.5	5.0	3.0
			1900 1999	4.0	(13.8)	74.1	461.8	61.8	7.1	2.5	8.3	3.8	5.0	3.0
			1800 1899	3.0	(10.3)	75.5	457.1	63.3	7.6	1.7	6.7	3.7	4.3	2.7
			1700 1799	1.0	(3.4)	75.2	455.4	64.0	7.6	2.2	7.0	4.0	4.0	3.0
			1400 1499	1.0	(3.4)	74.0	487.4	60.0	6.5	1.6	4.0	5.0	3.0	3.0
				29.0	(0.4)	75.3	486.1	67.7	8.0	2.3	8.9	3.6	4.8	3.0
			3000	1.0	(1.0)	74.6	603.8	78.0	9.3	4.0	12.0	3.0	5.0	3.0
			2800 2899	1.0	(1.0)	74.2	483.0	61.0	7.0	2.0	9.0	4.0	5.0	3.0
			2700 2799	4.0	(3.9)	77.9	501.6	85.3	8.2	2.0	12.0	3.5	5.0	2.0
			2600 2699	10.0	(9.8)	76.3	505.7	76.2	8.1	2.3	11.3	3.7	5.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	6.0	(5.9)	76.4	489.8	74.7	8.1	2.3	10.3	3.3	5.0	2.8
			2400 2499	10.0	(9.8)	76.0	499.8	73.4	8.1	2.3	10.5	3.6	4.9	2.8
			2300 2399	13.0	(12.7)	75.9	504.2	72.4	8.0	2.1	9.8	3.5	5.0	2.6
			2200 2299	14.0	(13.7)	75.7	511.1	71.6	8.2	2.3	9.8	3.8	5.0	2.6
			2100 2199	11.0	(10.8)	75.5	520.7	69.3	8.4	2.3	8.3	3.4	4.9	2.5
			2000 2099	16.0	(15.7)	75.0	528.0	68.1	8.4	2.5	7.8	4.1	4.6	2.8
			1900 1999	4.0	(3.9)	74.2	436.9	57.0	7.1	2.1	5.8	3.3	4.0	2.8
			1800 1899	3.0	(2.9)	74.0	429.6	54.7	7.0	2.0	4.7	4.3	3.3	3.0
			1700 1799	3.0	(2.9)	73.8	462.4	55.0	7.6	2.2	5.7	4.0	3.7	2.7
			1600 1699	2.0	(2.0)	72.4	434.9	49.5	6.3	2.5	4.0	4.5	3.5	3.0
			1500 1599	2.0	(2.0)	74.0	458.0	54.0	7.3	1.6	4.0	4.0	3.0	2.5
			1400 1499	1.0	(1.0)	75.6	426.8	62.0	7.0	1.4	3.0	5.0	2.0	3.0
			1200 1299	1.0	(1.0)	77.4	339.0	75.0	5.4	1.2	3.0	4.0	3.0	2.0
				102.0	(1.5)	75.5	499.5	69.8	8.0	2.3	8.9	3.7	4.7	2.7
			3000	2.0	(2.6)	81.7	570.6	119.5	9.2	2.5	12.0	3.0	5.0	3.0
			2900 2999	1.0	(1.3)	79.8	553.0	90.0	11.2	2.1	12.0	4.0	5.0	3.0
			2800 2899	4.0	(5.3)	79.0	597.1	94.8	9.8	2.0	12.0	3.0	5.0	2.8
			2700 2799	3.0	(3.9)	78.2	573.1	88.0	9.3	1.9	11.7	3.7	5.0	3.0
			2600 2699	2.0	(2.6)	79.8	572.6	99.5	9.8	2.0	11.5	3.5	5.0	2.5
			2500 2599	7.0	(9.2)	77.9	545.4	85.7	9.2	2.2	11.7	3.4	5.0	3.0
			2400 2499	2.0	(2.6)	77.4	518.8	85.5	8.3	2.4	12.0	3.5	5.0	3.0
			2300 2399	12.0	(15.8)	77.0	510.9	76.7	8.9	2.1	11.0	3.5	5.0	2.8
			2200 2299	11.0	(14.5)	76.1	547.8	77.3	8.7	2.5	10.2	3.5	4.9	2.8
			2100 2199	12.0	(15.8)	75.5	559.7	74.0	8.9	2.7	9.3	3.9	5.0	2.8
			2000 2099	12.0	(15.8)	75.0	532.6	68.4	8.6	2.6	8.4	4.2	4.8	2.4
			1900 1999	4.0	(5.3)	74.8	563.9	70.0	8.7	2.6	8.0	3.8	4.8	3.0
			1800 1899	3.0	(3.9)	74.5	587.9	67.7	8.5	2.2	6.3	4.0	4.3	3.0
			1600 1699	1.0	(1.3)	75.4	329.1	58.0	6.1	1.7	4.0	5.0	3.0	2.0
				76.0	(1.1)	76.6	544.9	78.4	8.9	2.4	10.0	3.7	4.9	2.8
			2800 2899	4.0	(5.7)	78.1	513.5	81.8	9.3	2.0	12.0	3.0	5.0	2.5
			2700 2799	1.0	(1.4)	77.6	532.1	84.0	8.4	1.9	11.0	3.0	5.0	2.0
			2600 2699	3.0	(4.3)	76.6	465.5	72.3	8.6	2.4	10.3	3.0	5.0	2.7
			2400 2499	6.0	(8.6)	77.7	550.6	84.8	8.9	2.0	11.2	3.7	5.0	2.5
			2300 2399	5.0	(7.1)	76.1	509.9	72.2	8.9	2.5	10.4	3.8	5.0	3.0
			2200 2299	9.0	(12.9)	75.1	528.8	68.3	8.8	2.7	9.4	3.8	5.0	2.8
			2100 2199	16.0	(22.9)	75.3	483.6	65.9	8.3	2.5	7.8	3.4	4.5	2.8
			2000 2099	5.0	(7.1)	75.1	464.9	62.2	7.9	2.1	6.8	3.8	4.2	2.6
			1900 1999	9.0	(12.9)	74.0	525.3	60.3	8.3	2.5	6.4	3.9	4.1	2.9
			1800 1899	6.0	(8.6)	73.4	495.0	60.7	7.5	3.0	5.3	3.8	3.7	2.8
			1700 1799	3.0	(4.3)	74.0	475.0	59.7	7.3	2.3	5.7	4.0	3.7	2.7
			1600 1699	2.0	(2.9)	72.9	490.0	54.0	6.5	1.9	5.0	4.5	3.5	3.0
			1400 1499	1.0	(1.4)	73.6	294.8	42.0	5.3	1.2	4.0	3.0	3.0	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				70.0	(1.1)	75.3	500.8	67.3	8.3	2.4	8.2	3.6	4.5	2.8
			3000	7.0	(15.9)	79.0	573.8	95.4	8.9	1.7	12.0	3.0	5.0	2.4
			2700 2799	2.0	(4.5)	80.3	565.5	105.0	8.6	1.6	12.0	3.0	5.0	2.5
			2600 2699	1.0	(2.3)	77.8	503.4	91.0	7.6	2.5	10.0	3.0	5.0	3.0
			2500 2599	11.0	(25.0)	76.9	547.0	83.6	8.1	2.2	11.1	3.2	5.0	2.6
			2400 2499	9.0	(20.5)	76.1	515.2	75.8	8.3	2.5	10.6	3.2	5.0	2.7
			2300 2399	5.0	(11.4)	76.8	515.8	80.8	8.2	2.3	11.0	3.0	5.0	3.0
			2200 2299	6.0	(13.6)	75.0	521.6	72.0	7.9	2.8	9.0	3.2	4.8	2.7
			2100 2199	2.0	(4.5)	74.8	489.8	61.5	7.5	1.7	6.0	3.0	4.0	3.0
			2000 2099	1.0	(2.3)	73.6	485.9	65.0	7.8	3.7	6.0	3.0	4.0	3.0
				44.0	(0.7)	76.8	533.6	81.7	8.2	2.3	10.5	3.1	4.9	2.7
			2200 2299	2.0	(25.0)	75.8	467.1	59.5	9.2	1.9	8.5	4.0	5.0	2.5
			2000 2099	2.0	(25.0)	74.2	450.9	54.0	7.9	2.0	7.5	4.5	4.5	2.0
			1900 1999	3.0	(37.5)	73.5	423.6	53.3	7.0	2.4	5.3	4.3	4.0	2.3
			1700 1799	1.0	(12.5)	71.8	405.4	38.0	7.2	2.5	4.0	4.0	3.0	3.0
				8.0	(0.1)	74.0	439.0	53.1	7.8	2.2	6.5	4.3	4.3	2.4
			2500 2599	1.0	(5.3)	74.8	530.8	71.0	7.9	2.8	10.0	3.0	5.0	3.0
			2300 2399	2.0	(10.5)	75.8	531.5	68.0	8.5	1.6	11.0	3.5	5.0	3.0
			2200 2299	3.0	(15.8)	74.6	468.8	63.0	7.8	2.6	8.3	3.0	5.0	2.7
			2100 2199	3.0	(15.8)	75.9	547.9	77.7	8.9	3.0	8.7	4.0	5.0	2.7
			2000 2099	4.0	(21.1)	73.8	462.5	52.8	8.1	2.3	6.8	3.8	4.0	2.8
			1900 1999	3.0	(15.8)	74.6	454.8	61.0	7.7	2.4	6.0	3.0	4.0	2.3
			1800 1899	1.0	(5.3)	73.5	474.6	49.0	7.0	1.2	4.0	3.0	3.0	2.0
			1700 1799	2.0	(10.5)	73.3	416.8	53.0	6.0	2.0	6.0	3.0	4.0	2.0
				19.0	(0.3)	74.6	482.4	62.0	7.9	2.3	7.6	3.4	4.4	2.6
			3000	1.0	(1.0)	81.0	570.2	100.0	10.5	1.5	12.0	4.0	5.0	3.0
			2700 2799	1.0	(1.0)	77.9	560.0	83.0	10.3	2.3	12.0	4.0	5.0	3.0
			2600 2699	2.0	(1.9)	77.0	541.4	78.5	9.6	2.5	12.0	3.0	5.0	2.5
			2500 2599	8.0	(7.6)	77.8	528.5	84.0	8.8	2.0	11.0	3.8	5.0	2.6
			2400 2499	8.0	(7.6)	76.9	498.7	76.6	8.2	1.9	10.8	3.5	5.0	3.0
			2300 2399	19.0	(18.1)	76.1	516.0	73.4	8.3	2.1	9.6	3.7	4.9	2.9
			2200 2299	15.0	(14.3)	75.4	505.5	69.9	8.2	2.4	9.2	3.7	5.0	2.8
			2100 2199	13.0	(12.4)	74.3	476.3	60.5	7.4	2.1	7.8	3.7	4.8	2.9
			2000 2099	20.0	(19.0)	74.5	482.6	64.0	7.5	2.3	6.8	3.8	4.3	2.9
			1900 1999	5.0	(4.8)	73.5	460.2	57.4	7.1	2.7	6.6	3.6	4.0	2.8
			1800 1899	7.0	(6.7)	73.7	456.9	55.0	7.1	2.1	5.4	3.9	3.9	2.9
			1700 1799	6.0	(5.7)	73.4	439.2	55.0	6.9	2.5	4.7	4.3	3.0	2.8
				105.0	(1.6)	75.3	493.3	68.0	7.9	2.2	8.4	3.7	4.6	2.9
			3000	2.0	(0.8)	80.5	611.5	108.5	10.0	2.2	12.0	3.5	5.0	3.0
			2900 2999	3.0	(1.2)	79.5	537.6	95.7	8.8	1.6	12.0	3.0	5.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	6.0	(2.4)	79.7	525.6	98.2	8.4	1.6	12.0	3.5	5.0	3.0
			2700 2799	9.0	(3.6)	79.0	539.4	90.9	9.3	1.9	11.9	3.2	5.0	2.7
			2600 2699	12.0	(4.8)	77.2	543.7	81.3	8.7	2.0	11.5	3.3	5.0	2.6
			2500 2599	24.0	(9.7)	77.3	524.7	82.7	8.7	2.3	10.7	3.6	5.0	2.9
			2400 2499	38.0	(15.3)	76.0	515.9	74.5	8.3	2.4	10.2	3.8	5.0	2.9
			2300 2399	43.0	(17.3)	75.2	518.0	70.6	8.1	2.5	9.1	3.7	5.0	2.9
			2200 2299	34.0	(13.7)	74.9	523.1	68.2	8.3	2.6	8.6	3.9	4.9	2.9
			2100 2199	24.0	(9.7)	74.6	514.9	66.0	7.9	2.4	7.6	3.9	4.4	2.8
			2000 2099	19.0	(7.7)	74.3	484.8	61.6	7.8	2.5	7.1	3.9	4.2	2.9
			1900 1999	12.0	(4.8)	73.8	513.5	63.1	7.7	2.8	6.4	3.9	4.2	3.0
			1800 1899	14.0	(5.6)	74.0	499.0	60.9	7.9	2.6	5.3	4.0	3.6	2.9
			1700 1799	7.0	(2.8)	73.4	475.1	57.6	7.2	2.5	4.1	4.4	3.0	3.0
			1600 1699	1.0	(0.4)	71.6	504.9	57.0	7.7	4.5	4.0	4.0	3.0	3.0
				248.0	(3.7)	75.6	516.8	72.1	8.2	2.4	8.9	3.8	4.7	2.9
			3000	4.0	(2.2)	80.3	586.6	102.0	9.3	1.4	12.0	3.0	5.0	3.0
			2900 2999	1.0	(0.5)	77.0	549.9	77.0	9.7	2.2	12.0	3.0	5.0	3.0
			2800 2899	7.0	(3.8)	78.6	532.6	89.6	8.9	1.9	11.9	3.6	5.0	2.9
			2700 2799	4.0	(2.2)	78.4	506.7	86.0	8.7	1.9	11.5	3.8	5.0	3.0
			2600 2699	3.0	(1.6)	77.8	508.4	82.7	8.4	1.8	11.7	4.3	5.0	2.7
			2500 2599	13.0	(7.1)	76.5	533.5	76.5	8.8	2.3	10.5	3.3	5.0	3.0
			2400 2499	18.0	(9.8)	76.0	523.8	73.0	8.4	2.2	10.3	3.7	5.0	2.9
			2300 2399	12.0	(6.5)	76.4	529.9	76.8	8.5	2.2	10.3	3.8	4.9	2.8
			2200 2299	9.0	(4.9)	74.8	495.7	65.9	7.9	2.4	8.7	4.0	4.9	3.0
			2100 2199	15.0	(8.2)	74.8	481.5	65.0	7.7	2.4	8.0	3.7	4.7	2.9
			2000 2099	24.0	(13.0)	74.8	479.5	63.3	7.8	2.3	7.4	3.8	4.4	2.8
			1900 1999	26.0	(14.1)	74.3	468.8	59.5	7.5	2.2	6.6	4.1	4.0	2.8
			1800 1899	11.0	(6.0)	73.9	441.0	53.1	7.4	2.0	5.5	3.9	3.5	2.7
			1700 1799	21.0	(11.4)	73.9	455.8	54.8	7.3	2.1	4.7	4.2	3.2	2.9
			1600 1699	12.0	(6.5)	72.4	433.2	45.9	7.2	2.6	4.0	4.3	2.8	2.9
			1500 1599	2.0	(1.1)	74.2	406.9	52.0	6.4	1.4	3.5	4.0	2.0	2.0
			1200 1299	1.0	(0.5)	72.2	370.3	39.0	4.2	0.5	3.0	4.0	2.0	3.0
			999	1.0	(0.5)	72.4	205.0	29.0	3.7	0.8	2.0	4.0	2.0	3.0
				184.0	(2.8)	75.1	485.3	65.4	7.9	2.2	7.8	3.9	4.2	2.9
			3000	2.0	(1.4)	80.1	486.4	96.0	7.8	1.0	12.0	3.0	5.0	3.0
			2900 2999	1.0	(0.7)	77.9	564.1	93.0	8.7	2.6	12.0	3.0	5.0	3.0
			2800 2899	1.0	(0.7)	77.7	512.6	82.0	8.6	1.9	12.0	3.0	5.0	3.0
			2700 2799	6.0	(4.1)	79.5	552.0	98.0	8.6	1.7	12.0	3.2	5.0	3.0
			2600 2699	14.0	(9.5)	78.8	569.3	93.2	9.2	1.9	11.9	3.4	5.0	2.9
			2500 2599	16.0	(10.8)	77.5	530.6	81.5	8.7	1.8	11.7	3.6	5.0	2.8
			2400 2499	9.0	(6.1)	76.7	522.2	78.4	8.3	2.2	11.0	3.6	5.0	3.0
			2300 2399	11.0	(7.4)	76.0	507.3	73.1	8.0	2.1	10.3	3.5	5.0	3.0
			2200 2299	24.0	(16.2)	75.2	496.1	67.3	7.9	2.3	9.8	3.5	5.0	3.0
			2100 2199	13.0	(8.8)	74.4	496.4	63.2	7.9	2.5	9.2	3.5	5.0	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	13.0	(8.8)	74.5	489.3	64.1	7.5	2.4	8.5	3.8	4.7	3.0
			1900 1999	13.0	(8.8)	74.2	491.4	62.2	7.2	2.1	7.2	3.8	4.3	2.9
			1800 1899	13.0	(8.8)	74.2	471.4	59.9	7.4	2.3	6.8	3.9	4.4	3.0
			1700 1799	8.0	(5.4)	73.4	468.8	56.8	7.0	2.4	5.4	4.0	3.8	3.0
			1600 1699	2.0	(1.4)	74.0	476.1	56.5	7.5	2.0	4.0	4.0	3.0	3.0
			1500 1599	2.0	(1.4)	73.0	455.9	48.0	7.3	1.9	4.0	3.5	3.0	3.0
				148.0	(2.2)	75.8	506.4	71.6	8.0	2.1	9.4	3.6	4.7	3.0
			2800 2899	3.0	(13.0)	80.2	561.3	101.0	9.7	2.1	12.0	4.0	5.0	2.3
			2700 2799	3.0	(13.0)	79.6	557.0	98.7	9.3	2.2	11.7	4.0	5.0	2.3
			2600 2699	4.0	(17.4)	77.9	562.0	85.3	9.5	2.1	11.3	4.0	5.0	2.5
			2500 2599	6.0	(26.1)	78.3	564.3	88.2	9.3	2.0	11.0	4.0	5.0	2.5
			2400 2499	4.0	(17.4)	78.1	561.3	87.3	9.3	2.0	9.8	4.0	5.0	2.0
			2300 2399	1.0	(4.3)	77.4	513.0	77.0	8.9	1.8	11.0	4.0	5.0	3.0
			2200 2299	1.0	(4.3)	76.6	507.0	75.0	7.8	1.6	11.0	4.0	5.0	3.0
			2100 2199	1.0	(4.3)	77.1	525.0	78.0	9.7	2.7	9.0	5.0	5.0	3.0
				23.0	(0.3)	78.4	555.6	89.0	9.3	2.1	11.0	4.0	5.0	2.4
			3000	1.0	(0.2)	79.3	541.3	93.0	9.6	2.0	12.0	4.0	5.0	3.0
			2800 2899	6.0	(1.4)	79.2	506.1	89.8	8.9	1.7	11.8	3.8	5.0	2.2
			2700 2799	21.0	(4.8)	77.3	500.1	78.7	8.8	2.1	11.9	3.7	5.0	2.5
			2600 2699	34.0	(7.7)	76.3	502.0	71.1	8.9	2.3	11.2	3.4	5.0	2.4
			2500 2599	43.0	(9.8)	76.3	487.5	70.9	8.5	2.2	10.5	3.5	5.0	2.6
			2400 2499	51.0	(11.6)	76.1	488.5	70.4	8.6	2.3	9.5	3.7	5.0	2.5
			2300 2399	45.0	(10.2)	75.8	500.2	70.3	8.4	2.3	9.2	3.8	5.0	2.7
			2200 2299	31.0	(7.0)	75.5	473.6	64.5	8.2	2.1	8.0	3.7	4.7	2.7
			2100 2199	36.0	(8.2)	75.2	475.8	64.3	8.2	2.3	7.5	3.8	4.6	2.6
			2000 2099	58.0	(13.2)	75.0	488.4	64.5	8.1	2.4	6.7	3.8	4.3	2.7
			1900 1999	43.0	(9.8)	74.8	492.6	63.5	8.3	2.4	6.0	3.7	4.0	2.6
			1800 1899	21.0	(4.8)	74.3	456.0	59.1	7.6	2.4	4.9	3.9	3.5	2.6
			1700 1799	18.0	(4.1)	74.0	488.3	58.8	7.9	2.5	4.5	3.8	3.4	2.8
			1600 1699	9.0	(2.0)	74.1	466.5	58.3	7.5	2.3	3.6	4.0	3.0	2.4
			1500 1599	3.0	(0.7)	72.9	433.3	51.3	7.3	2.9	3.3	4.0	2.7	3.0
			1200 1299	2.0	(0.5)	72.4	329.9	41.5	4.7	1.6	3.0	4.0	2.0	3.0
			1000 1099	18.0	(4.1)	75.5	535.1	72.9	8.1	2.3	7.7	3.8	4.4	3.0
				440.0	(6.6)	75.6	488.7	67.4	8.3	2.3	8.2	3.7	4.5	2.6
			3000	1.0	(0.4)	80.2	641.4	105.0	10.0	1.6	12.0	3.0	5.0	2.0
			2900 2999	2.0	(0.7)	79.0	561.8	91.5	10.2	2.3	12.0	3.0	5.0	2.5
			2800 2899	5.0	(1.9)	77.3	585.4	84.2	9.6	2.4	12.0	3.4	5.0	2.6
			2700 2799	12.0	(4.5)	78.6	563.7	89.6	9.4	1.9	11.9	3.4	5.0	2.7
			2600 2699	4.0	(1.5)	78.3	542.0	86.3	8.7	1.4	11.3	3.8	5.0	2.5
			2500 2599	8.0	(3.0)	77.1	552.5	81.4	8.8	2.1	11.0	3.5	5.0	2.6
			2400 2499	8.0	(3.0)	76.8	551.1	78.4	9.2	2.3	11.0	3.3	5.0	2.3
			2300 2399	24.0	(9.0)	76.1	531.2	74.9	8.4	2.2	10.2	3.5	5.0	2.8

							(kg)	(m2)	(m)	(m)				
					(%)									
			2200 2299	31.0	(11.6)	76.0	533.9	73.9	8.7	2.4	9.3	3.8	5.0	2.9
			2100 2199	38.0	(14.2)	74.9	513.4	67.1	8.2	2.5	8.7	3.6	4.9	2.8
			2000 2099	36.0	(13.5)	74.5	531.7	64.7	8.6	2.7	7.7	3.7	4.5	2.9
			1900 1999	43.0	(16.1)	74.7	512.0	65.8	8.2	2.6	6.8	3.8	4.2	2.9
			1800 1899	35.0	(13.1)	74.1	502.4	62.4	7.9	2.7	5.7	4.2	3.7	2.8
			1700 1799	14.0	(5.2)	73.1	521.4	58.8	8.0	3.1	4.9	4.0	3.4	2.7
			1600 1699	4.0	(1.5)	73.0	508.1	55.5	7.8	2.7	4.3	4.3	2.8	2.8
			1500 1599	2.0	(0.7)	73.5	434.6	51.5	7.2	2.2	6.0	4.0	3.5	4.5
				267.0	(4.0)	75.2	525.1	69.4	8.4	2.5	8.2	3.7	4.5	2.8
			3000	21.0	(75.0)	74.4	468.3	61.0	7.6	2.3	9.0	3.9	4.9	3.0
			2900 2999	2.0	(7.1)	74.1	463.8	58.5	7.5	2.5	6.5	4.0	4.0	3.0
			2800 2899	4.0	(14.3)	73.3	431.1	53.0	6.8	2.4	6.8	4.3	4.3	3.0
			2700 2799	1.0	(3.6)	73.6	382.5	51.0	5.8	1.6	6.0	4.0	4.0	3.0
				28.0	(0.4)	74.2	459.6	59.3	7.4	2.3	8.4	3.9	4.7	3.0
			3000	405.0	(6.1)	75.9	468.4	69.3	8.2	2.3	9.8	3.6	4.9	2.6
			2900 2999	92.0	(1.4)	77.3	525.5	79.4	9.3	2.3	10.7	3.5	5.0	2.6
			2800 2899	164.0	(2.5)	77.3	524.2	80.9	8.9	2.3	10.5	3.7	4.9	2.7
			2700 2799	260.0	(3.9)	77.5	534.7	82.6	9.0	2.1	10.7	3.6	4.9	2.6
			2600 2699	348.0	(5.2)	77.0	527.3	78.6	8.8	2.1	10.4	3.6	4.8	2.6
			2500 2599	393.0	(5.9)	76.8	525.0	77.7	8.6	2.1	10.4	3.6	4.9	2.7
			2400 2499	424.0	(6.4)	76.7	528.9	77.3	8.7	2.2	10.4	3.6	5.0	2.7
			2300 2399	584.0	(8.8)	76.2	527.4	74.5	8.6	2.2	9.8	3.7	5.0	2.8
			2200 2299	761.0	(11.5)	75.8	523.9	71.6	8.5	2.3	9.3	3.7	4.9	2.7
			2100 2199	677.0	(10.2)	75.4	519.3	69.1	8.4	2.4	8.7	3.8	4.8	2.8
			2000 2099	617.0	(9.3)	75.1	512.2	66.6	8.3	2.4	7.8	3.9	4.5	2.7
			1900 1999	582.0	(8.8)	74.8	504.5	64.4	8.2	2.4	7.0	3.9	4.3	2.7
			1800 1899	562.0	(8.5)	74.5	493.6	62.0	8.0	2.3	6.3	4.0	4.0	2.7
			1700 1799	375.0	(5.7)	74.2	486.7	59.3	7.8	2.3	5.4	4.0	3.6	2.7
			1600 1699	209.0	(3.2)	73.9	476.7	57.1	7.6	2.3	4.7	4.1	3.3	2.7
			1500 1599	81.0	(1.2)	73.6	448.4	53.6	7.2	2.2	4.2	4.1	3.0	2.6
			1400 1499	40.0	(0.6)	73.2	436.1	50.4	6.8	2.1	3.9	4.2	2.7	2.5
			1300 1399	11.0	(0.2)	73.2	420.0	51.5	6.4	2.2	2.8	4.4	2.1	2.4
			1200 1299	14.0	(0.2)	73.9	351.9	49.7	5.5	1.4	3.1	4.4	2.2	2.8
			1100 1199	4.0	(0.1)	72.0	295.0	35.5	4.7	1.7	2.8	4.8	2.0	2.8
			1000 1099	21.0	(0.3)	75.0	506.9	67.8	7.6	2.2	7.0	4.0	4.1	2.9
			999	8.0	(0.1)	72.0	253.4	31.3	4.1	1.2	2.0	4.4	1.8	2.6
				6632.0	(100.0)	75.6	509.9	69.8	8.3	2.3	8.5	3.8	4.6	2.7
			</											

[illegible]