

					(%)		(kg)	(m2)	(m)	(m)				
			1800 1899	2.0	( 0.4)	74.9	581.3	86.5	8.8	2.6	8.5	3.5	5.0	3.0
			1700 1799	6.0	( 1.2)	73.0	541.5	72.2	8.3	2.8	7.2	3.8	4.5	2.8
			1600 1699	6.0	( 1.2)	72.2	559.6	72.2	8.3	3.5	7.3	3.8	4.3	2.7
			1500 1599	21.0	( 4.3)	71.7	538.6	64.4	8.1	3.1	5.5	4.1	3.8	2.7
			1400 1499	39.0	( 8.0)	71.3	515.9	60.1	7.8	2.9	4.3	4.1	3.3	2.8
			1300 1399	51.0	( 10.4)	70.5	527.9	56.9	7.9	3.2	4.2	4.3	3.1	2.9
			1200 1299	111.0	( 22.7)	70.4	508.8	54.7	7.6	3.1	3.7	4.4	2.8	2.8
			1100 1199	139.0	( 28.4)	70.1	497.0	52.5	7.4	3.1	3.0	4.5	2.1	2.7
			1000 1099	40.0	( 8.2)	69.5	476.7	48.0	6.9	3.1	2.8	4.8	2.0	2.8
			900 999	19.0	( 3.9)	69.3	495.3	49.0	7.2	3.4	3.1	4.6	2.1	2.9
			800 899	24.0	( 4.9)	70.2	438.1	48.4	5.8	2.0	2.3	5.0	2.0	3.6
			700 799	18.0	( 3.7)	69.4	408.5	41.9	5.2	2.0	2.3	5.7	2.0	3.9
			600 699	14.0	( 2.9)	69.0	416.7	42.2	4.9	2.1	2.4	5.4	2.0	4.5
				490.0	( 13.9)	70.3	497.7	53.8	7.3	3.0	3.5	4.5	2.6	2.9
			1600 1699	4.0	( 4.9)	71.8	496.3	62.3	7.7	2.8	5.5	4.0	4.0	3.0
			1500 1599	7.0	( 8.5)	71.7	513.0	64.6	8.0	3.3	6.1	3.9	4.0	2.7
			1400 1499	8.0	( 9.8)	71.2	496.5	56.5	7.3	2.5	4.9	4.0	3.4	2.8
			1300 1399	24.0	( 29.3)	70.7	490.9	54.3	7.6	3.0	3.8	4.0	2.9	2.9
			1200 1299	12.0	( 14.6)	69.7	482.9	48.4	7.7	3.5	3.5	4.2	2.7	2.7
			1100 1199	13.0	( 15.9)	70.5	471.9	52.2	6.9	2.6	2.5	4.5	2.1	2.6
			1000 1099	1.0	( 1.2)	69.7	525.0	54.0	7.9	3.8	3.0	5.0	2.0	2.0
			900 999	1.0	( 1.2)	67.8	341.0	26.0	4.8	2.1	3.0	6.0	2.0	2.0
			800 899	3.0	( 3.7)	70.5	347.7	46.0	4.7	1.9	3.7	5.0	2.3	3.3
			700 799	3.0	( 3.7)	68.7	345.7	34.7	4.3	1.9	3.0	5.0	2.0	3.3
			600 699	6.0	( 7.3)	68.6	317.2	32.7	3.8	1.8	1.8	5.2	1.8	4.0
				82.0	( 2.3)	70.4	464.7	51.6	7.0	2.8	3.8	4.3	2.8	2.9
			1600 1699	3.0	( 8.8)	72.6	499.7	67.3	7.5	2.6	5.3	3.7	3.7	2.3
			1500 1599	2.0	( 5.9)	70.8	542.5	60.0	8.0	3.4	5.5	4.0	4.0	3.0
			1400 1499	9.0	( 26.5)	70.9	493.8	55.7	7.6	3.0	4.4	3.8	3.1	2.3
			1300 1399	3.0	( 8.8)	70.7	536.3	56.7	8.0	2.9	3.7	3.7	3.0	2.0
			1200 1299	9.0	( 26.5)	70.6	476.7	53.8	7.3	3.0	3.1	4.3	2.3	2.6
			1100 1199	6.0	( 17.6)	70.3	513.7	55.3	7.3	3.1	2.8	4.2	2.0	2.8
			1000 1099	1.0	( 2.9)	68.4	477.0	48.0	6.7	4.1	2.0	5.0	2.0	3.0
			800 899	1.0	( 2.9)	68.8	189.0	26.0	2.5	1.4	2.0	5.0	2.0	3.0
				34.0	( 1.0)	70.7	490.4	55.4	7.4	3.0	3.7	4.1	2.7	2.5
			1700 1799	4.0	( 4.0)	73.5	547.4	76.8	8.2	2.8	8.3	3.5	4.8	2.8
			1600 1699	4.0	( 4.0)	72.0	579.3	67.3	8.3	2.6	7.5	3.3	5.0	3.0
			1500 1599	10.0	( 9.9)	72.0	535.5	61.3	8.4	2.6	6.2	3.8	4.0	2.7
			1400 1499	8.0	( 7.9)	70.2	562.5	60.9	8.1	3.7	5.4	3.6	4.0	3.0
			1300 1399	12.0	( 11.9)	70.3	541.1	58.7	8.0	3.6	5.1	3.9	3.7	2.8
			1200 1299	15.0	( 14.9)	70.8	529.8	59.5	7.7	3.1	4.7	3.7	3.4	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1100 1199	16.0	( 15.8)	70.1	526.8	51.9	7.9	3.1	3.9	3.9	3.0	2.8
			1000 1099	19.0	( 18.8)	69.5	499.4	51.2	7.0	3.3	2.9	4.3	2.4	2.6
			900 999	8.0	( 7.9)	68.1	525.9	43.4	7.5	3.8	3.0	4.6	2.3	2.9
			800 899	2.0	( 2.0)	70.5	441.6	49.5	6.7	2.5	3.0	4.0	2.0	3.0
			700 799	2.0	( 2.0)	69.8	477.0	43.0	6.5	1.8	3.5	4.0	3.5	3.0
			500 599	1.0	( 1.0)	70.4	334.5	38.0	5.0	1.2	2.0	4.0	2.0	2.0
				101.0	( 2.9)	70.3	525.7	55.9	7.7	3.2	4.5	4.0	3.3	2.8
			1400 1499	1.0	( 0.0)	71.5	502.0	66.0	7.5	3.5	5.0	5.0	3.0	3.0
			1500 1599	1.0	( 9.1)	73.6	436.1	66.0	7.4	2.0	6.0	3.0	4.0	2.0
			1400 1499	2.0	( 18.2)	70.6	432.9	52.0	6.8	3.0	6.0	4.0	4.0	2.0
			1200 1299	1.0	( 9.1)	71.5	422.8	50.0	7.0	1.9	4.0	4.0	3.0	2.0
			1100 1199	2.0	( 18.2)	69.5	418.9	42.0	6.5	2.6	3.0	4.0	2.0	2.0
			1000 1099	2.0	( 18.2)	69.7	456.8	46.0	6.8	2.8	4.0	4.0	3.0	2.5
			900 999	3.0	( 27.3)	68.9	365.3	37.0	5.7	2.7	3.0	4.3	2.0	3.0
				11.0	( 0.3)	70.1	415.6	46.1	6.5	2.6	4.1	4.0	2.8	2.4
			1800 1899	2.0	( 1.2)	72.7	518.5	72.5	7.3	2.9	7.0	4.0	4.5	2.5
			1700 1799	1.0	( 0.6)	72.4	657.0	77.0	9.7	3.6	8.0	4.0	5.0	3.0
			1600 1699	2.0	( 1.2)	72.4	520.5	67.5	8.5	3.2	6.5	4.0	4.5	2.5
			1500 1599	7.0	( 4.0)	72.3	508.9	65.9	7.8	2.7	5.9	3.9	3.9	2.7
			1400 1499	14.0	( 8.1)	71.1	512.5	59.6	7.9	3.2	4.9	4.0	3.6	2.7
			1300 1399	28.0	( 16.2)	70.7	513.4	57.9	7.7	3.3	4.5	4.2	3.3	2.6
			1200 1299	47.0	( 27.2)	70.4	502.1	56.0	7.5	3.3	4.0	4.4	2.9	2.5
			1100 1199	32.0	( 18.5)	70.3	483.6	53.5	7.3	3.1	3.2	4.2	2.3	2.4
			1000 1099	29.0	( 16.8)	69.8	481.8	52.1	7.2	3.4	2.9	4.4	2.0	2.5
			900 999	6.0	( 3.5)	69.0	504.5	49.7	7.2	3.6	2.8	4.2	2.0	3.0
			800 899	1.0	( 0.6)	71.6	608.0	69.0	8.4	3.0	3.0	5.0	2.0	3.0
			700 799	1.0	( 0.6)	68.8	367.0	33.0	4.9	1.7	2.0	6.0	2.0	6.0
			600 699	3.0	( 1.7)	68.2	354.3	31.7	3.8	1.6	2.7	5.7	2.0	4.7
				173.0	( 4.9)	70.5	496.9	55.6	7.4	3.2	3.9	4.3	2.8	2.6
			1800 1899	4.0	( 1.8)	75.7	534.3	87.0	8.8	2.5	10.5	3.5	5.0	2.8
			1700 1799	2.0	( 0.9)	72.0	527.0	61.5	8.3	2.5	6.0	3.5	4.5	2.5
			1600 1699	12.0	( 5.4)	72.0	485.1	60.7	7.7	2.6	6.3	4.1	4.0	2.7
			1500 1599	15.0	( 6.7)	71.1	494.7	56.5	7.7	2.8	5.9	3.8	3.9	2.6
			1400 1499	52.0	( 23.2)	71.4	489.7	57.0	7.6	2.6	4.2	4.2	3.2	2.7
			1300 1399	46.0	( 20.5)	70.7	503.2	55.2	7.7	3.0	4.0	4.2	3.0	2.8
			1200 1299	49.0	( 21.9)	70.2	486.9	51.1	7.3	2.9	3.5	4.3	2.6	2.6
			1100 1199	31.0	( 13.8)	70.3	464.6	51.6	7.1	3.0	3.0	4.5	2.1	2.5
			1000 1099	7.0	( 3.1)	69.6	415.8	42.7	6.2	2.5	2.9	4.1	2.1	2.4
			900 999	6.0	( 2.7)	71.0	395.3	48.0	6.4	2.1	2.7	4.7	2.0	2.3
				224.0	( 6.4)	70.9	484.8	54.7	7.5	2.8	4.1	4.2	2.9	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	5.0	( 2.5)	73.7	485.0	69.0	7.7	1.9	7.2	3.8	4.4	2.2
			1600 1699	11.0	( 5.4)	72.3	506.1	62.8	8.2	2.6	6.3	3.8	4.1	2.7
			1500 1599	11.0	( 5.4)	71.2	525.1	62.5	7.5	3.0	5.4	3.8	3.7	2.8
			1400 1499	36.0	( 17.8)	71.2	494.2	56.9	7.7	2.8	4.3	4.2	3.2	2.9
			1300 1399	47.0	( 23.3)	71.0	513.5	56.6	7.8	2.8	4.1	4.4	3.0	2.8
			1200 1299	47.0	( 23.3)	70.5	496.2	54.0	7.4	2.9	3.4	4.3	2.5	2.9
			1100 1199	30.0	( 14.9)	69.5	503.6	51.2	7.3	3.4	2.9	4.3	2.2	2.7
			1000 1099	9.0	( 4.5)	69.3	489.3	49.0	6.6	3.0	2.8	4.4	2.0	2.3
			900 999	1.0	( 0.5)	69.6	314.5	34.0	4.7	1.5	2.0	5.0	2.0	2.0
			800 899	1.0	( 0.5)	71.3	386.0	58.0	4.0	1.6	2.0	5.0	2.0	5.0
			700 799	3.0	( 1.5)	68.9	356.0	36.3	4.7	2.1	2.0	5.7	2.0	5.0
			600 699	1.0	( 0.5)	69.3	331.0	35.0	3.9	1.3	2.0	5.0	2.0	5.0
				202.0	( 5.7)	70.7	498.2	55.4	7.5	2.9	4.0	4.3	2.9	2.8
			2400 2499	1.0	( 0.2)	73.9	507.0	78.0	7.9	2.9	10.0	3.0	5.0	3.0
			2300 2399	1.0	( 0.2)	75.0	608.0	98.0	8.2	3.4	11.0	3.0	5.0	3.0
			2200 2299	1.0	( 0.2)	75.3	510.0	89.0	7.5	2.6	9.0	3.0	5.0	3.0
			2100 2199	1.0	( 0.2)	74.5	542.0	74.0	8.2	1.3	8.0	3.0	5.0	3.0
			2000 2099	1.0	( 0.2)	73.0	551.0	73.0	8.1	2.7	10.0	3.0	5.0	3.0
			1900 1999	5.0	( 1.2)	73.4	538.2	74.0	8.2	2.6	7.6	3.2	4.6	3.0
			1800 1899	12.0	( 2.8)	73.3	538.0	73.9	7.8	2.5	7.1	3.3	4.7	2.8
			1700 1799	19.0	( 4.5)	73.0	532.9	71.5	7.8	2.4	6.5	3.4	4.3	2.7
			1600 1699	45.0	( 10.7)	72.5	530.6	69.0	7.8	2.6	5.9	3.5	4.1	2.8
			1500 1599	86.0	( 20.4)	71.9	511.3	63.5	7.6	2.6	4.7	3.8	3.7	2.8
			1400 1499	118.0	( 28.0)	71.5	513.4	60.6	7.6	2.7	4.0	4.0	3.2	2.7
			1300 1399	55.0	( 13.0)	70.9	506.1	57.1	7.4	2.8	3.5	4.2	2.8	2.7
			1200 1299	49.0	( 11.6)	70.6	486.0	55.9	7.0	3.0	2.9	4.3	2.3	2.8
			1100 1199	19.0	( 4.5)	69.4	475.1	47.9	6.4	2.9	2.7	4.3	2.2	2.7
			1000 1099	6.0	( 1.4)	70.2	352.8	41.7	5.2	1.8	2.3	4.3	2.0	2.0
			900 999	3.0	( 0.7)	70.6	392.3	44.7	5.4	1.3	3.0	4.7	2.3	2.3
				422.0	( 12.0)	71.5	508.0	61.4	7.4	2.7	4.4	3.9	3.3	2.8
			1700 1799	2.0	( 6.7)	72.5	451.0	69.0	7.2	3.3	10.0	3.5	5.0	3.0
			1500 1599	1.0	( 3.3)	73.7	536.0	75.0	8.3	2.5	5.0	4.0	3.0	2.0
			1400 1499	5.0	( 16.7)	71.5	495.9	60.0	7.4	2.7	4.6	4.0	3.2	2.8
			1300 1399	2.0	( 6.7)	70.8	512.5	56.0	7.5	2.7	4.0	4.5	3.0	2.5
			1200 1299	1.0	( 3.3)	71.3	507.0	56.0	7.7	2.3	4.0	4.0	3.0	3.0
			1000 1099	2.0	( 6.7)	71.3	358.5	46.5	6.4	2.1	2.5	4.5	2.0	2.0
			900 999	9.0	( 30.0)	70.3	300.8	35.4	5.6	1.8	2.2	4.7	2.0	2.0
			800 899	6.0	( 20.0)	70.5	281.4	37.5	5.2	2.0	2.0	4.7	2.0	2.0
			700 799	2.0	( 6.7)	69.5	291.0	34.5	4.2	1.6	2.5	5.0	2.0	3.0
				30.0	( 0.9)	70.9	371.5	46.2	6.2	2.2	3.4	4.4	2.5	2.3
			1900 1999	3.0	( 0.7)	74.3	561.0	80.7	8.7	2.6	9.7	3.7	5.0	2.0
			1800 1899	5.0	( 1.2)	74.5	595.8	86.4	8.6	2.7	9.6	3.8	5.0	2.4

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1700 1799	27.0	( 6.2)	72.6	533.7	68.8	8.1	2.7	7.0	3.6	4.3	2.5
			1600 1699	44.0	( 10.2)	72.1	515.9	65.1	7.7	2.7	6.4	3.6	4.1	2.5
			1500 1599	30.0	( 6.9)	72.0	531.9	65.7	7.9	2.8	6.1	3.9	3.9	2.6
			1400 1499	61.0	( 14.1)	71.5	519.2	61.1	7.7	2.8	4.7	4.0	3.3	2.7
			1300 1399	76.0	( 17.6)	71.1	508.2	58.0	7.5	2.8	4.0	4.1	3.0	2.5
			1200 1299	65.0	( 15.0)	70.5	500.2	55.6	7.3	3.1	3.9	4.4	2.8	2.5
			1100 1199	82.0	( 18.9)	70.4	478.4	52.6	7.0	2.8	3.0	4.4	2.1	2.5
			1000 1099	26.0	( 6.0)	69.5	467.5	48.3	6.8	3.2	2.9	4.4	2.0	2.4
			900 999	3.0	( 0.7)	70.2	293.3	42.3	4.1	1.9	2.0	5.0	2.0	2.7
			800 899	3.0	( 0.7)	69.2	373.3	38.3	4.7	1.8	2.0	5.0	2.0	3.7
			700 799	3.0	( 0.7)	69.7	292.0	34.0	3.9	1.1	2.0	5.0	1.7	3.3
			600 699	5.0	( 1.2)	68.7	307.8	31.8	3.8	1.7	2.0	5.0	1.8	4.0
				433.0	( 12.3)	71.1	499.6	58.2	7.4	2.8	4.4	4.1	3.0	2.6
			1700 1799	1.0	( 8.3)	71.7	468.0	53.0	7.8	2.1	8.0	4.0	5.0	3.0
			1600 1699	1.0	( 8.3)	73.6	652.0	83.0	9.7	3.2	7.0	3.0	5.0	3.0
			1500 1599	1.0	( 8.3)	70.9	547.0	59.0	7.6	2.6	5.0	4.0	4.0	3.0
			1400 1499	3.0	( 25.0)	71.8	533.7	61.3	7.8	2.3	4.7	4.3	3.0	3.0
			1300 1399	2.0	( 16.7)	71.8	536.5	63.5	7.5	2.5	4.5	4.0	3.0	3.0
			1200 1299	4.0	( 33.3)	70.3	499.8	50.0	7.2	2.4	3.3	4.0	2.5	3.0
				12.0	( 0.3)	71.4	528.3	58.8	7.7	2.5	4.7	4.0	3.3	3.0
			2200 2299	1.0	( 2.9)	75.6	575.0	93.0	9.2	3.2	10.0	4.0	5.0	3.0
			1800 1899	2.0	( 5.7)	72.8	529.5	66.5	7.7	1.9	8.5	4.0	5.0	3.0
			1700 1799	5.0	( 14.3)	72.5	519.0	64.6	7.8	2.2	7.8	4.0	4.8	2.6
			1600 1699	8.0	( 22.9)	71.7	516.8	62.6	7.8	2.8	6.0	3.8	4.0	2.6
			1500 1599	2.0	( 5.7)	72.2	486.0	61.0	7.6	2.4	7.0	4.0	4.0	3.0
			1400 1499	3.0	( 8.6)	72.0	521.7	61.7	8.2	2.6	4.7	4.0	3.3	3.0
			1300 1399	10.0	( 28.6)	69.8	514.3	50.3	7.8	3.2	3.9	3.7	3.0	3.0
			1200 1299	2.0	( 5.7)	72.0	421.0	56.0	6.1	1.6	3.0	4.5	2.0	3.0
			1100 1199	1.0	( 2.9)	68.6	476.0	45.0	7.1	3.9	3.0	5.0	2.0	3.0
			800 899	1.0	( 2.9)	69.9	256.0	34.0	4.0	1.5	2.0	4.0	2.0	2.0
				35.0	( 1.0)	71.4	503.3	58.6	7.6	2.7	5.5	3.9	3.6	2.8
			1400 1499	1.0	( 14.3)	70.6	486.0	55.0	6.8	2.6	6.0	4.0	4.0	3.0
			1300 1399	1.0	( 14.3)	71.4	438.0	57.0	5.6	1.8	5.0	5.0	3.0	3.0
			1200 1299	2.0	( 28.6)	70.8	380.0	48.0	5.5	1.9	4.0	4.0	3.0	2.5
			1100 1199	1.0	( 14.3)	71.1	350.0	47.0	5.0	1.5	3.0	4.0	2.0	3.0
			1000 1099	1.0	( 14.3)	70.8	427.0	52.0	5.9	2.1	3.0	5.0	2.0	3.0
			600 699	1.0	( 14.3)	68.4	236.0	24.0	3.1	1.3	3.0	5.0	2.0	3.0
				7.0	( 0.2)	70.6	385.3	47.3	5.3	1.9	4.0	4.4	2.7	2.9
			1600 1699	1.0	( 3.4)	71.7	545.5	68.0	7.5	3.1	8.0	4.0	5.0	3.0
			1500 1599	5.0	( 17.2)	72.3	521.0	67.8	7.6	2.8	6.8	3.6	4.4	3.0
			1400 1499	10.0	( 34.5)	71.5	507.7	63.8	7.4	3.0	5.9	3.8	3.9	2.9
			1300 1399	10.0	( 34.5)	70.8	536.5	61.9	7.7	3.4	4.3	3.8	3.2	2.9

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1200 1299	3.0	( 10.3)	70.9	537.3	58.0	8.3	3.2	3.0	3.7	3.0	3.0
				29.0	( 0.8)	71.3	524.3	63.4	7.6	3.1	5.3	3.8	3.7	2.9
			2300 2399	2.0	( 5.0)	76.8	528.8	87.5	9.1	1.6	9.5	3.0	5.0	2.5
			2200 2299	1.0	( 2.5)	73.0	470.5	60.0	8.6	2.2	6.0	3.0	4.0	3.0
			1900 1999	2.0	( 5.0)	70.0	522.0	51.5	7.8	3.0	4.0	3.5	3.0	2.5
			1800 1899	8.0	( 20.0)	71.6	457.8	56.0	7.1	2.3	4.4	4.3	3.1	2.4
			1700 1799	2.0	( 5.0)	71.3	426.8	53.0	6.6	2.4	2.5	4.0	2.5	2.5
			1600 1699	16.0	( 40.0)	70.9	450.0	51.3	6.8	2.2	2.9	4.4	2.5	2.6
			1500 1599	5.0	( 12.5)	70.8	459.6	50.4	6.7	2.1	2.6	4.6	2.0	2.8
			1400 1499	2.0	( 5.0)	70.3	444.8	47.5	6.1	1.9	2.0	5.0	2.0	2.5
			1200 1299	1.0	( 2.5)	70.3	340.0	37.0	5.0	1.1	2.0	4.0	2.0	2.0
			1100 1199	1.0	( 2.5)	68.7	366.5	33.0	5.3	2.1	3.0	5.0	2.0	3.0
				40.0	( 1.1)	71.3	454.5	53.2	6.9	2.2	3.5	4.3	2.7	2.5
			1900 1999	1.0	( 4.2)	74.5	534.4	78.0	8.5	2.2	9.0	3.0	5.0	3.0
			1800 1899	2.0	( 8.3)	74.7	514.1	78.0	8.3	2.1	7.0	4.0	4.5	3.0
			1700 1799	4.0	( 16.7)	70.9	508.5	56.3	8.2	3.2	5.3	3.8	4.0	3.0
			1600 1699	2.0	( 8.3)	71.9	492.0	59.0	7.8	2.4	6.0	3.0	4.0	3.0
			1500 1599	1.0	( 4.2)	72.7	482.0	68.0	8.4	3.3	5.0	3.0	4.0	3.0
			1400 1499	6.0	( 25.0)	70.7	500.3	58.3	7.4	3.1	4.0	3.8	3.3	2.8
			1300 1399	2.0	( 8.3)	71.8	479.0	62.5	7.4	2.9	4.0	4.0	3.0	3.0
			1200 1299	3.0	( 12.5)	70.3	494.8	56.0	7.0	3.1	3.0	4.3	2.7	3.0
			1000 1099	3.0	( 12.5)	69.4	348.7	40.3	5.3	2.6	2.3	4.7	2.0	3.0
				24.0	( 0.7)	71.3	481.4	58.7	7.4	2.9	4.5	3.9	3.4	3.0
			1700 1799	5.0	( 4.9)	73.0	480.3	67.4	7.4	2.3	9.0	3.4	4.6	2.6
			1600 1699	18.0	( 17.5)	72.0	526.9	64.8	7.9	2.8	6.1	3.8	4.1	2.8
			1500 1599	29.0	( 28.2)	71.6	507.5	60.1	7.9	2.8	5.7	3.9	3.9	2.8
			1400 1499	21.0	( 20.4)	71.0	511.6	57.1	7.7	2.9	4.2	3.9	3.2	2.9
			1300 1399	8.0	( 7.8)	71.0	500.7	57.6	7.1	2.6	3.0	4.3	2.4	2.9
			1200 1299	9.0	( 8.7)	70.0	510.2	52.3	7.2	2.8	3.2	4.4	2.4	3.0
			1100 1199	9.0	( 8.7)	70.3	484.2	52.9	6.9	2.7	3.1	4.8	2.2	2.9
			900 999	3.0	( 2.9)	69.8	352.3	39.3	5.0	1.9	2.7	5.0	2.0	3.0
			800 899	1.0	( 1.0)	69.2	281.0	33.0	4.7	2.3	2.0	5.0	2.0	3.0
				103.0	( 2.9)	71.2	501.3	58.3	7.5	2.7	4.8	4.0	3.4	2.9
			2000 2099	3.0	( 2.9)	72.8	556.4	79.7	8.2	3.8	9.0	3.7	5.0	3.0
			1900 1999	3.0	( 2.9)	72.3	521.1	71.3	7.7	3.2	9.0	3.7	5.0	3.0
			1800 1899	1.0	( 1.0)	70.0	495.8	53.0	7.0	3.0	6.0	3.0	4.0	3.0
			1700 1799	6.0	( 5.7)	72.7	489.6	66.2	7.3	2.3	7.7	3.5	4.2	3.0
			1600 1699	5.0	( 4.8)	70.6	439.4	52.2	6.8	2.8	5.0	3.8	3.6	2.8
			1500 1599	11.0	( 10.5)	71.1	454.5	56.0	7.1	2.9	5.3	4.1	3.5	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	25.0	( 23.8)	70.7	524.3	58.9	8.0	3.4	4.9	3.8	3.5	2.7
			1300 1399	25.0	( 23.8)	70.4	485.7	55.8	7.4	3.4	3.8	4.1	2.9	3.0
			1200 1299	16.0	( 15.2)	69.8	494.5	52.9	7.4	3.5	3.2	4.4	2.6	2.8
			1100 1199	8.0	( 7.6)	70.0	464.9	53.9	6.4	3.2	2.6	4.3	2.1	2.8
			1000 1099	2.0	( 1.9)	67.5	495.6	36.5	7.8	4.1	3.0	4.0	2.0	3.0
				105.0	( 3.0)	70.6	492.7	57.1	7.4	3.3	4.6	4.0	3.2	2.8
			1500 1599	3.0	( 27.3)	71.1	515.2	65.3	7.5	3.6	6.0	3.7	4.0	2.7
			1400 1499	1.0	( 9.1)	70.1	522.0	58.0	7.4	3.6	5.0	4.0	4.0	2.0
			1300 1399	3.0	( 27.3)	68.9	570.6	51.7	8.0	3.7	4.3	4.0	3.0	2.7
			1100 1199	2.0	( 18.2)	69.3	548.3	58.5	7.8	4.6	2.5	3.5	2.0	2.5
			1000 1099	2.0	( 18.2)	68.3	506.5	47.0	7.3	4.2	2.5	4.5	2.0	2.0
				11.0	( 0.3)	69.5	535.4	56.4	7.6	3.9	4.2	3.9	3.0	2.5
			1700 1799	4.0	( 25.0)	72.8	549.7	68.0	8.6	2.5	5.5	4.3	4.0	3.0
			1600 1699	8.0	( 50.0)	69.8	545.7	52.0	8.0	3.2	3.6	4.1	3.1	3.0
			1400 1499	2.0	( 12.5)	69.0	468.4	47.0	7.0	3.7	4.0	4.5	3.5	2.5
			1300 1399	1.0	( 6.3)	68.8	490.3	40.0	7.9	3.3	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 6.3)	70.0	503.5	50.0	7.9	3.1	3.0	4.0	3.0	3.0
				16.0	( 0.5)	70.4	530.9	54.5	8.0	3.1	4.1	4.2	3.4	2.9
			900 999	1.0	( 0.0)	68.0	428.6	37.0	5.9	3.1	3.0	5.0	2.0	3.0
			1300 1399	1.0	( 33.3)	72.2	395.6	54.0	6.6	1.8	5.0	4.0	3.0	3.0
			700 799	1.0	( 33.3)	70.1	425.4	43.0	6.3	1.9	3.0	4.0	2.0	3.0
			499	1.0	( 33.3)	68.6	459.0	41.0	6.0	2.6	2.0	6.0	2.0	4.0
				3.0	( 0.1)	70.3	426.7	46.0	6.3	2.1	3.3	4.7	2.3	3.3
			1700 1799	1.0	( 1.9)	73.5	521.8	66.0	8.6	1.9	8.0	4.0	5.0	3.0
			1600 1699	6.0	( 11.3)	69.3	557.0	53.7	8.0	3.8	4.8	3.8	3.5	3.0
			1500 1599	4.0	( 7.5)	70.0	539.2	60.0	7.5	3.8	4.8	3.8	3.5	2.8
			1400 1499	7.0	( 13.2)	71.4	507.6	62.7	7.8	3.4	4.0	4.0	3.0	2.7
			1300 1399	8.0	( 15.1)	70.2	491.9	51.9	7.6	3.2	3.4	3.9	2.6	2.8
			1200 1299	17.0	( 32.1)	69.9	464.6	48.5	6.9	2.8	3.0	4.5	2.1	2.7
			1100 1199	2.0	( 3.8)	70.5	438.6	45.0	7.0	2.1	2.0	5.5	2.0	2.5
			1000 1099	3.0	( 5.7)	69.0	401.0	42.7	6.1	3.3	2.3	5.0	2.0	2.7
			700 799	1.0	( 1.9)	68.9	300.0	28.0	4.5	1.5	2.0	4.0	2.0	3.0
			600 699	4.0	( 7.5)	70.0	306.2	39.0	4.2	1.6	2.3	4.5	2.0	3.0
				53.0	( 1.5)	70.1	471.9	51.1	7.0	3.0	3.5	4.2	2.6	2.8
			1200 1299	2.0	( 66.7)	70.3	524.0	56.5	7.2	2.9	3.5	4.0	3.0	3.0
			900 999	1.0	( 33.3)	68.7	435.0	42.0	6.3	3.2	3.0	4.0	2.0	2.0

					(%)	(kg)	(cm2)	(cm)	(cm)					
				3.0	( 0.1)	69.8	494.3	51.7	6.9	3.0	3.3	4.0	2.7	2.7
			1700 1799	1.0	( 50.0)	71.6	509.4	64.0	7.0	2.6	6.0	3.0	4.0	3.0
			1000 1099	1.0	( 50.0)	68.6	521.4	54.0	6.3	3.8	3.0	4.0	3.0	3.0
				2.0	( 0.1)	70.1	515.4	59.0	6.7	3.2	4.5	3.5	3.5	3.0
			1800 1899	1.0	( 6.7)	70.8	583.2	70.0	8.3	4.4	8.0	4.0	5.0	3.0
			1700 1799	1.0	( 6.7)	71.1	409.4	56.0	7.0	3.3	7.0	4.0	4.0	3.0
			1600 1699	4.0	( 26.7)	71.3	522.2	66.5	6.9	3.1	6.0	4.0	4.0	3.0
			1500 1599	3.0	( 20.0)	71.2	485.7	57.7	7.1	2.7	5.7	3.7	4.3	3.0
			1400 1499	2.0	( 13.3)	72.5	465.4	61.5	6.8	1.8	5.5	4.0	4.0	3.0
			1300 1399	2.0	( 13.3)	70.9	458.7	57.5	6.7	2.9	5.0	4.0	3.5	3.0
			1200 1299	1.0	( 6.7)	68.8	649.6	63.0	8.6	4.8	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 6.7)	69.6	450.4	50.0	6.3	3.2	4.0	4.0	3.0	3.0
				15.0	( 0.4)	71.0	499.1	61.1	7.1	3.0	5.7	3.9	3.9	3.0
			1700 1799	1.0	( 3.2)	71.9	533.0	63.0	7.8	2.4	5.0	3.0	4.0	3.0
			1600 1699	3.0	( 9.7)	73.2	539.0	69.7	8.6	2.5	4.7	4.3	3.3	3.0
			1500 1599	2.0	( 6.5)	72.8	490.5	68.0	7.4	2.5	4.5	4.0	3.5	2.5
			1400 1499	7.0	( 22.6)	72.0	477.7	61.0	7.3	2.5	4.1	4.3	3.0	2.9
			1300 1399	3.0	( 9.7)	71.1	449.7	54.3	7.4	3.0	4.0	4.3	3.0	2.7
			1200 1299	5.0	( 16.1)	70.0	426.1	49.0	6.1	2.7	3.0	4.2	2.4	2.6
			1100 1199	3.0	( 9.7)	69.8	345.9	39.0	5.1	1.9	3.0	4.3	2.3	3.0
			1000 1099	1.0	( 3.2)	69.7	337.8	41.0	5.1	2.4	3.0	4.0	2.0	3.0
			900 999	3.0	( 9.7)	69.2	315.2	32.3	5.1	2.0	2.7	4.0	2.0	3.0
			700 799	1.0	( 3.2)	67.9	401.6	33.0	4.1	1.6	2.0	5.0	2.0	4.0
			500 599	2.0	( 6.5)	67.8	208.5	15.5	2.3	0.6	1.0	5.5	1.0	5.0
				31.0	( 0.9)	70.8	422.4	50.4	6.3	2.3	3.5	4.3	2.6	3.0
			2100 2199	1.0	( 1.1)	74.1	502.6	78.0	8.0	2.7	9.0	3.0	5.0	3.0
			1700 1799	2.0	( 2.3)	72.5	549.4	73.0	8.6	3.5	8.5	4.0	5.0	3.0
			1600 1699	3.0	( 3.4)	72.5	505.5	66.3	8.0	2.8	6.3	4.0	4.3	3.0
			1500 1599	6.0	( 6.8)	72.3	518.9	66.8	7.7	2.7	6.0	4.2	3.8	2.5
			1400 1499	20.0	( 22.7)	71.1	494.8	59.3	7.5	3.1	5.0	4.0	3.5	2.8
			1300 1399	16.0	( 18.2)	70.9	489.6	57.9	7.2	3.0	4.1	4.1	3.1	2.8
			1200 1299	10.0	( 11.4)	70.8	494.7	59.9	7.2	3.3	3.5	4.2	2.9	2.9
			1100 1199	14.0	( 15.9)	70.0	482.1	51.1	7.0	3.0	3.0	4.5	2.1	2.6
			1000 1099	7.0	( 8.0)	68.9	497.3	50.3	6.8	3.7	2.7	4.7	2.0	2.9
			900 999	5.0	( 5.7)	69.3	455.7	45.8	6.2	2.8	2.4	4.8	2.0	2.8
			800 899	3.0	( 3.4)	68.3	505.4	44.7	6.6	3.2	3.0	4.7	2.0	2.7
			700 799	1.0	( 1.1)	68.2	484.8	39.0	6.8	3.0	3.0	5.0	2.0	3.0
				88.0	( 2.5)	70.6	493.4	56.9	7.2	3.1	4.2	4.3	3.0	2.8
			1600 1699	20.0	( 16.9)	71.9	514.7	67.4	7.7	3.3	6.2	3.9	4.0	2.8
			1500 1599	18.0	( 15.3)	71.7	497.2	63.8	7.5	3.0	5.5	3.9	4.0	2.7

					(%)		(kg)	(m <sup>2</sup> )	(m)	(m)				
			1400 1499	8.0	( 6.8)	70.9	482.4	57.5	7.0	2.8	4.0	3.4	3.3	2.8
			1300 1399	48.0	( 40.7)	70.6	486.1	56.4	7.0	3.0	3.6	3.9	3.0	2.6
			1200 1299	6.0	( 5.1)	70.9	490.1	54.3	7.3	2.5	2.8	3.5	2.3	2.7
			1100 1199	16.0	( 13.6)	70.4	464.7	51.7	7.1	2.9	2.7	3.9	2.1	2.7
			1000 1099	1.0	( 0.8)	71.4	447.4	56.0	7.3	2.7	2.0	4.0	2.0	3.0
			800 899	1.0	( 0.8)	69.1	412.2	45.0	4.1	1.9	2.0	5.0	2.0	6.0
				118.0	( 3.3)	71.0	488.7	58.6	7.2	3.0	4.2	3.9	3.2	2.7
			1800 1899	1.0	( 8.3)	71.0	423.2	53.0	6.0	2.1	4.0	4.0	3.0	3.0
			1600 1699	4.0	( 33.3)	73.5	498.0	72.3	7.5	2.2	7.5	4.0	4.5	2.8
			1500 1599	1.0	( 8.3)	71.0	499.4	51.0	7.6	2.0	7.0	4.0	4.0	3.0
			1400 1499	1.0	( 8.3)	69.0	508.9	49.0	7.3	3.5	6.0	4.0	4.0	3.0
			1300 1399	2.0	( 16.7)	70.9	580.5	66.5	7.7	3.4	5.5	4.0	3.5	2.5
			1200 1299	2.0	( 16.7)	70.7	559.5	69.5	8.3	4.7	5.0	4.5	3.0	2.5
			1100 1199	1.0	( 8.3)	71.0	436.0	52.0	5.4	1.4	3.0	4.0	2.0	2.0
				12.0	( 0.3)	71.6	511.6	63.8	7.3	2.8	5.9	4.1	3.7	2.7
			1800 1899	1.0	( 2.8)	74.0	508.6	74.0	8.1	2.3	7.0	3.0	5.0	3.0
			1700 1799	5.0	( 13.9)	71.6	545.6	66.6	8.2	3.3	7.0	4.0	4.2	3.0
			1600 1699	4.0	( 11.1)	71.8	498.4	64.3	7.4	2.8	5.3	3.8	4.0	3.0
			1500 1599	2.0	( 5.6)	71.3	561.4	66.5	7.4	3.0	5.0	3.5	4.0	2.5
			1400 1499	3.0	( 8.3)	71.5	508.5	60.7	7.5	2.7	5.3	4.0	3.7	3.0
			1300 1399	10.0	( 27.8)	70.2	514.7	57.9	7.0	3.3	4.0	4.1	3.2	2.8
			1200 1299	3.0	( 8.3)	71.2	486.5	57.3	7.2	2.6	3.7	4.0	2.7	2.7
			1100 1199	7.0	( 19.4)	70.6	451.7	53.3	6.5	2.6	3.1	4.0	2.3	2.9
			800 899	1.0	( 2.8)	70.5	280.0	39.0	4.3	1.4	2.0	5.0	2.0	3.0
				36.0	( 1.0)	71.0	497.9	59.5	7.2	2.9	4.6	4.0	3.3	2.9
			1600 1699	2.0	( 10.0)	69.6	541.9	58.5	7.9	4.4	7.5	4.0	4.5	2.5
			1500 1599	3.0	( 15.0)	71.3	555.4	68.3	8.2	4.0	5.7	3.7	4.0	2.7
			1400 1499	3.0	( 15.0)	70.4	551.6	65.0	8.0	4.2	5.0	3.7	3.3	3.0
			1300 1399	2.0	( 10.0)	69.7	563.0	60.0	8.0	4.2	4.0	4.0	3.0	3.0
			1200 1299	6.0	( 30.0)	70.3	493.1	55.0	7.3	3.3	3.5	3.3	3.0	3.0
			1100 1199	2.0	( 10.0)	69.3	446.7	44.0	7.0	3.3	3.0	3.5	2.0	3.0
			1000 1099	1.0	( 5.0)	66.5	379.9	28.0	6.0	4.2	2.0	4.0	2.0	4.0
			600 699	1.0	( 5.0)	69.7	291.0	32.0	3.4	0.5	1.0	7.0	1.0	6.0
				20.0	( 0.6)	70.0	502.7	55.8	7.4	3.6	4.3	3.8	3.1	3.1
			1800 1899	1.0	( 4.8)	73.7	455.4	68.0	8.2	2.5	7.0	3.0	5.0	3.0
			1600 1699	4.0	( 19.0)	71.0	526.3	62.8	8.0	3.7	6.3	3.8	4.0	3.0
			1500 1599	2.0	( 9.5)	71.7	576.9	66.5	7.7	2.4	5.0	4.0	4.0	2.5
			1400 1499	4.0	( 19.0)	72.2	498.1	64.8	7.5	2.6	5.3	3.8	3.8	3.0
			1300 1399	6.0	( 28.6)	70.8	511.1	57.0	7.3	2.7	4.0	4.0	3.2	3.0
			1200 1299	4.0	( 19.0)	69.2	516.4	52.5	7.0	3.6	4.0	4.5	3.0	3.0



					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				21.0	( 0.6)	71.0	516.1	60.1	7.5	3.0	4.9	4.0	3.6	3.0
			2000 2099	1.0	( 1.4)	72.5	561.9	71.0	8.3	2.9	8.0	4.0	5.0	3.0
			1700 1799	5.0	( 7.1)	72.2	530.9	70.6	7.6	3.1	6.8	3.8	4.6	3.0
			1600 1699	3.0	( 4.3)	72.0	461.4	59.3	6.7	1.9	4.3	4.3	3.7	3.0
			1500 1599	5.0	( 7.1)	70.7	445.8	53.8	6.2	2.5	4.2	4.0	3.2	2.8
			1400 1499	14.0	( 20.0)	71.7	447.7	59.4	6.6	2.4	4.6	3.9	3.2	3.1
			1300 1399	12.0	( 17.1)	71.0	482.1	56.5	6.9	2.5	3.5	3.9	2.8	2.9
			1200 1299	7.0	( 10.0)	70.3	424.6	50.3	6.1	2.7	3.6	3.9	2.6	3.0
			1100 1199	15.0	( 21.4)	70.4	431.9	49.8	6.4	2.6	2.7	4.2	2.1	2.9
			1000 1099	5.0	( 7.1)	69.2	372.2	42.2	5.5	2.9	2.8	4.4	2.2	2.8
			900 999	1.0	( 1.4)	69.0	307.9	32.0	4.6	1.9	2.0	4.0	2.0	2.0
			800 899	2.0	( 2.9)	69.0	357.1	36.5	4.3	1.7	2.0	5.0	2.0	4.0
				70.0	( 2.0)	70.9	446.0	54.2	6.5	2.5	3.8	4.1	2.9	3.0
			1600 1699	1.0	( 5.0)	70.6	477.2	53.0	7.1	2.7	4.0	4.0	4.0	3.0
			1400 1499	5.0	( 25.0)	71.0	481.6	56.4	7.5	3.0	5.6	4.0	3.8	3.0
			1300 1399	7.0	( 35.0)	71.3	469.5	56.7	7.3	2.6	3.4	4.1	3.0	3.0
			1200 1299	4.0	( 20.0)	70.7	466.7	52.0	6.7	2.3	3.0	4.0	2.3	2.5
			1100 1199	3.0	( 15.0)	70.2	478.3	48.0	7.4	2.7	2.3	4.3	2.0	2.7
				20.0	( 0.6)	70.9	473.7	54.2	7.2	2.7	3.8	4.1	3.0	2.9
			1800 1899	2.0	( 0.6)	74.8	474.9	74.5	8.4	2.1	8.0	4.0	5.0	2.5
			1700 1799	4.0	( 1.2)	72.5	536.5	71.8	7.5	2.8	7.0	3.3	4.5	3.0
			1600 1699	5.0	( 1.4)	72.5	479.5	64.2	7.4	2.3	6.4	3.6	4.2	3.0
			1500 1599	7.0	( 2.0)	71.4	471.4	56.9	7.3	2.6	5.0	4.0	3.7	2.9
			1400 1499	29.0	( 8.4)	71.6	478.6	59.0	7.6	2.8	4.9	4.0	3.6	3.0
			1300 1399	64.0	( 18.5)	70.9	470.3	55.3	7.3	3.0	4.2	4.1	3.2	3.0
			1200 1299	95.0	( 27.5)	70.5	473.8	54.0	7.2	3.0	3.7	4.3	2.8	2.9
			1100 1199	89.0	( 25.7)	69.9	469.9	51.2	7.0	3.2	3.3	4.4	2.6	3.0
			1000 1099	35.0	( 10.1)	69.6	468.8	50.3	6.9	3.4	3.0	4.5	2.2	3.0
			900 999	15.0	( 4.3)	70.1	443.0	50.0	6.4	2.7	2.7	4.5	2.0	3.1
			800 899	1.0	( 0.3)	70.2	485.0	60.0	7.1	4.0	3.0	5.0	2.0	3.0
				346.0	( 9.8)	70.5	471.5	53.9	7.2	3.0	3.8	4.3	2.8	2.9
			1000 1099	2.0	( 40.0)	69.4	470.6	48.0	6.2	2.7	3.0	4.0	2.0	3.0
			900 999	1.0	( 20.0)	69.7	368.4	43.0	5.0	2.1	2.0	5.0	2.0	3.0
			700 799	1.0	( 20.0)	68.9	541.7	57.0	6.4	3.7	3.0	4.0	3.0	3.0
			600 699	1.0	( 20.0)	70.2	518.9	49.0	6.0	1.2	3.0	5.0	2.0	3.0
				5.0	( 0.1)	69.5	474.0	49.0	6.0	2.5	2.8	4.4	2.2	3.0
			1700 1799	4.0	( 4.6)	72.1	524.1	67.3	8.1	3.2	6.3	4.0	4.3	3.0
			1500 1599	1.0	( 1.1)	71.0	559.3	61.0	6.7	2.0	4.0	3.0	3.0	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1400 1499	32.0	( 36.8)	70.9	512.8	59.0	7.8	3.2	3.8	3.9	3.1	2.9
			1300 1399	34.0	( 39.1)	70.1	509.1	53.9	7.6	3.3	2.8	4.0	2.4	2.7
			1200 1299	5.0	( 5.7)	70.5	493.8	54.0	7.8	3.2	3.0	4.0	2.6	3.0
			1100 1199	3.0	( 3.4)	71.0	397.2	49.0	6.5	2.4	2.3	4.3	2.0	2.7
			1000 1099	1.0	( 1.1)	67.9	485.0	39.0	7.2	3.7	3.0	4.0	2.0	3.0
			700 799	3.0	( 3.4)	69.1	348.6	39.3	4.1	1.9	2.7	5.0	2.0	3.7
			600 699	1.0	( 1.1)	68.0	315.8	28.0	3.2	1.3	1.0	5.0	1.0	5.0
			499	3.0	( 3.4)	70.1	333.7	39.0	5.0	1.7	2.3	4.0	2.0	2.7
				87.0	( 2.5)	70.5	492.9	54.8	7.4	3.1	3.3	4.0	2.7	2.9
			1500 1599	1.0	( 12.5)	70.9	547.4	58.0	8.4	3.1	5.0	4.0	4.0	3.0
			1300 1399	1.0	( 12.5)	70.9	461.0	56.0	7.0	3.0	5.0	3.0	4.0	3.0
			1200 1299	1.0	( 12.5)	70.0	459.0	47.0	6.6	2.3	3.0	4.0	2.0	3.0
			1100 1199	2.0	( 25.0)	69.5	487.0	48.5	6.3	2.6	2.0	5.0	2.0	3.0
			900 999	1.0	( 12.5)	68.8	427.0	45.0	5.9	3.4	3.0	5.0	2.0	3.0
			600 699	1.0	( 12.5)	69.1	501.0	52.0	6.0	3.1	2.0	5.0	2.0	5.0
			500 599	1.0	( 12.5)	67.8	509.3	45.0	5.8	3.2	2.0	5.0	2.0	4.0
				8.0	( 0.2)	69.5	484.8	50.0	6.5	2.9	3.0	4.5	2.5	3.4
			2400 2499	1.0	( 0.0)	73.9	507.0	78.0	7.9	2.9	10.0	3.0	5.0	3.0
			2300 2399	3.0	( 0.1)	76.2	555.2	91.0	8.8	2.2	10.0	3.0	5.0	2.7
			2200 2299	3.0	( 0.1)	74.6	518.5	80.7	8.4	2.7	8.3	3.3	4.7	3.0
			2100 2199	2.0	( 0.1)	74.3	522.3	76.0	8.1	2.0	8.5	3.0	5.0	3.0
			2000 2099	5.0	( 0.1)	72.8	556.4	76.6	8.2	3.4	9.0	3.6	5.0	3.0
			1900 1999	14.0	( 0.4)	73.0	536.8	71.9	8.2	2.8	7.9	3.4	4.6	2.7
			1800 1899	44.0	( 1.2)	73.3	521.3	72.5	7.9	2.5	7.3	3.7	4.5	2.7
			1700 1799	117.0	( 3.3)	72.6	523.1	68.3	7.9	2.7	7.0	3.7	4.3	2.7
			1600 1699	249.0	( 7.1)	71.9	514.1	63.9	7.7	2.8	5.8	3.8	3.9	2.8
			1500 1599	303.0	( 8.6)	71.7	511.2	62.4	7.7	2.8	5.3	3.9	3.8	2.7
			1400 1499	562.0	(15.9)	71.3	504.9	59.3	7.6	2.9	4.4	4.0	3.3	2.8
			1300 1399	622.0	( 17.7)	70.7	502.4	56.4	7.5	3.0	3.9	4.1	3.0	2.8
			1200 1299	614.0	( 17.4)	70.4	492.0	54.2	7.3	3.0	3.6	4.3	2.7	2.7
			1100 1199	551.0	( 15.6)	70.1	480.3	51.7	7.1	3.0	3.0	4.4	2.2	2.7
			1000 1099	207.0	( 5.9)	69.5	465.2	48.5	6.8	3.2	2.9	4.5	2.1	2.6
			900 999	90.0	( 2.6)	69.5	426.9	44.5	6.3	2.8	2.7	4.6	2.1	2.8
			800 899	51.0	( 1.4)	70.0	399.6	45.3	5.5	2.1	2.4	4.9	2.0	3.3
			700 799	40.0	( 1.1)	69.2	385.9	39.4	5.0	1.9	2.4	5.3	2.1	3.8
			600 699	38.0	( 1.1)	69.0	362.0	37.3	4.3	1.8	2.2	5.2	1.9	4.2
			500 599	4.0	( 0.1)	68.4	315.2	28.5	3.8	1.4	1.5	5.0	1.5	4.0
			499	4.0	( 0.1)	69.7	365.1	39.5	5.2	1.9	2.3	4.5	2.0	3.0
				3524.0	(100.0)	70.8	491.5	56.2	7.3	2.9	4.1	4.2	3.0	2.8

							(kg)	(m <sup>2</sup> )	(m)	(m)				
			1700 1799	2.0	( 0.8)	71.8	559.0	63.0	8.9	3.0	6.5	3.0	4.0	3.0
			1600 1699	4.0	( 1.7)	71.3	568.5	62.3	7.9	2.6	6.0	4.0	4.0	2.5
			1500 1599	5.0	( 2.1)	70.7	543.2	57.0	8.2	3.0	5.4	3.8	4.0	2.6
			1400 1499	36.0	( 15.2)	70.8	550.2	56.5	8.3	2.8	4.2	3.8	3.2	2.8
			1300 1399	48.0	( 20.3)	70.7	554.5	57.5	8.0	2.9	4.0	4.0	3.1	2.7
			1200 1299	85.0	( 35.9)	70.1	554.3	54.1	7.9	2.9	3.3	4.1	2.5	2.6
			1100 1199	45.0	( 19.0)	69.6	546.2	52.7	7.4	3.0	2.7	4.3	2.1	2.6
			1000 1099	11.0	( 4.6)	68.0	556.3	46.2	7.7	4.0	2.5	4.2	2.0	2.2
			800 899	1.0	( 0.4)	68.5	417.5	43.0	4.7	2.6	3.0	4.0	2.0	2.0
				237.0	( 9.1)	70.2	551.7	54.8	7.9	3.0	3.6	4.1	2.7	2.6
			1700 1799	1.0	( 2.5)	72.0	587.0	66.0	8.8	2.8	7.0	4.0	4.0	3.0
			1600 1699	3.0	( 7.5)	72.1	512.0	60.7	7.7	2.2	5.3	4.0	4.0	2.0
			1500 1599	5.0	( 12.5)	71.0	592.8	61.2	8.2	2.7	5.8	3.8	3.8	2.6
			1400 1499	5.0	( 12.5)	70.9	580.4	62.4	7.9	2.8	4.0	4.2	2.8	2.2
			1300 1399	3.0	( 7.5)	71.0	546.3	60.0	8.2	3.2	3.7	4.0	3.0	2.3
			1200 1299	10.0	( 25.0)	70.8	514.3	55.7	7.8	2.9	3.5	4.2	2.4	2.7
			1100 1199	9.0	( 22.5)	69.7	489.9	49.0	6.8	2.7	2.8	4.3	2.0	2.8
			1000 1099	1.0	( 2.5)	67.5	496.0	34.0	7.4	3.4	3.0	4.0	2.0	2.0
			900 999	1.0	( 2.5)	69.6	281.0	35.0	3.1	1.0	2.0	5.0	2.0	3.0
			700 799	2.0	( 5.0)	69.5	294.5	34.5	3.5	1.1	2.0	5.5	1.5	4.5
				40.0	( 1.5)	70.6	513.6	54.5	7.3	2.7	3.8	4.2	2.7	2.6
			1500 1599	1.0	( 4.3)	70.8	555.0	61.0	8.6	3.7	8.0	3.0	5.0	3.0
			1400 1499	5.0	( 21.7)	71.0	558.4	58.2	8.1	2.6	6.0	4.0	3.8	3.0
			1300 1399	4.0	( 17.4)	70.0	587.8	55.5	8.1	2.9	5.0	4.3	3.3	3.0
			1200 1299	5.0	( 21.7)	70.5	590.0	64.0	7.7	3.2	4.0	4.6	3.0	2.8
			1100 1199	5.0	( 21.7)	69.8	578.6	55.8	7.9	3.2	2.8	4.8	2.0	3.0
			1000 1099	3.0	( 13.0)	67.8	604.0	50.3	7.4	3.8	3.0	4.0	2.0	3.0
				23.0	( 0.9)	70.1	580.6	57.6	7.9	3.1	4.4	4.3	3.0	3.0
			2000 2099	1.0	( 1.1)	73.0	650.5	80.0	8.4	2.5	9.0	3.0	5.0	3.0
			1500 1599	2.0	( 2.2)	71.7	581.4	65.0	8.4	2.8	6.0	3.5	4.0	3.0
			1400 1499	5.0	( 5.4)	70.4	581.4	58.0	7.7	2.7	4.4	3.8	3.6	2.6
			1300 1399	17.0	( 18.3)	70.6	590.9	58.2	8.1	2.6	4.6	4.0	3.4	2.6
			1200 1299	35.0	( 37.6)	69.6	596.3	54.4	8.1	3.1	4.0	3.7	3.2	2.7
			1100 1199	19.0	( 20.4)	69.1	581.0	51.1	7.8	3.2	3.3	3.9	2.8	2.7
			1000 1099	12.0	( 12.9)	69.5	536.2	48.7	7.4	2.7	3.2	3.8	2.6	2.7
			900 999	1.0	( 1.1)	66.5	695.0	54.0	8.9	5.7	3.0	3.0	2.0	3.0
			800 899	1.0	( 1.1)	68.9	299.5	29.0	3.9	1.2	2.0	5.0	2.0	2.0
				93.0	( 3.6)	69.7	581.8	54.1	7.9	3.0	3.9	3.8	3.1	2.7
			1400 1499	1.0	( 10.0)	69.0	585.0	55.0	7.6	3.6	6.0	4.0	4.0	3.0
			1300 1399	2.0	( 20.0)	69.3	519.5	46.5	7.3	2.7	3.5	4.0	3.0	2.5

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1200 1299	1.0	( 10.0)	71.2	441.7	53.0	6.6	2.1	3.0	3.0	3.0	3.0
			1100 1199	2.0	( 20.0)	70.3	385.1	43.5	5.8	2.0	3.5	4.0	3.0	3.0
			1000 1099	2.0	( 20.0)	69.5	449.3	44.5	6.7	2.8	3.0	3.5	2.5	3.0
			900 999	2.0	( 20.0)	71.2	432.8	49.0	6.8	1.8	2.5	4.0	2.0	3.0
				10.0	( 0.4)	70.1	460.0	47.5	6.7	2.4	3.4	3.8	2.8	2.9
			1500 1599	2.0	( 8.3)	72.1	598.0	70.0	7.7	2.3	6.0	3.5	4.0	2.0
			1400 1499	3.0	( 12.5)	70.4	588.3	64.3	7.4	3.2	4.7	4.3	3.3	2.7
			1300 1399	3.0	( 12.5)	70.2	537.3	53.0	7.2	2.5	3.7	3.7	3.3	2.3
			1200 1299	9.0	( 37.5)	69.9	559.9	56.1	7.3	3.0	4.1	4.1	3.1	2.4
			1100 1199	3.0	( 12.5)	70.9	534.3	56.3	7.7	2.5	3.0	4.7	2.3	2.0
			1000 1099	4.0	( 16.7)	69.3	473.8	47.0	7.0	3.2	2.3	4.3	2.0	2.0
				24.0	( 0.9)	70.2	546.3	56.4	7.3	2.9	3.8	4.1	3.0	2.3
			1800 1899	1.0	( 0.5)	72.0	595.0	64.0	9.2	2.6	6.0	4.0	4.0	2.0
			1700 1799	8.0	( 4.3)	71.5	574.6	64.8	8.3	2.9	7.1	3.4	4.4	2.3
			1600 1699	6.0	( 3.2)	70.9	581.1	60.8	8.2	2.9	6.3	3.7	4.2	2.3
			1500 1599	18.0	( 9.7)	71.3	579.5	62.2	8.2	2.6	5.1	4.1	3.7	2.6
			1400 1499	54.0	( 29.0)	70.4	560.0	56.2	7.8	2.8	4.1	3.9	3.1	2.6
			1300 1399	26.0	( 14.0)	70.1	549.0	54.8	7.8	3.0	3.7	4.1	2.9	2.3
			1200 1299	42.0	( 22.6)	69.8	550.4	51.9	7.7	2.9	3.2	4.1	2.4	2.5
			1100 1199	22.0	( 11.8)	69.7	524.1	50.7	7.2	2.8	3.0	4.3	2.1	2.3
			1000 1099	7.0	( 3.8)	69.5	489.8	47.0	6.5	2.6	2.4	4.1	2.1	2.3
			800 899	1.0	( 0.5)	70.4	385.0	41.0	5.4	1.3	2.0	4.0	2.0	3.0
			600 699	1.0	( 0.5)	68.2	328.5	32.0	4.7	2.6	2.0	6.0	2.0	3.0
				186.0	( 7.1)	70.2	550.6	55.0	7.7	2.8	3.9	4.0	2.9	2.5
			2000 2099	1.0	( 0.2)	70.2	604.0	55.0	8.2	2.5	9.0	4.0	5.0	3.0
			1900 1999	1.0	( 0.2)	72.9	725.0	84.0	8.9	2.6	9.0	4.0	5.0	3.0
			1800 1899	5.0	( 1.0)	72.7	632.0	72.8	8.8	2.4	6.6	3.6	4.6	2.4
			1700 1799	22.0	( 4.6)	71.7	610.7	68.9	8.6	3.0	6.8	3.9	4.2	2.5
			1600 1699	31.0	( 6.4)	71.6	604.6	65.3	8.4	2.6	5.9	3.8	4.0	2.7
			1500 1599	53.0	( 11.0)	71.2	600.3	63.9	8.2	2.8	5.2	3.9	3.8	2.7
			1400 1499	115.0	( 23.8)	70.9	587.2	60.6	8.1	2.7	4.2	4.1	3.2	2.7
			1300 1399	98.0	( 20.3)	70.1	583.6	57.5	7.8	2.9	3.9	4.2	3.0	2.6
			1200 1299	94.0	( 19.5)	69.9	586.7	56.1	7.8	2.9	3.4	4.3	2.5	2.6
			1100 1199	49.0	( 10.1)	69.6	565.8	54.1	7.3	2.9	2.8	4.4	2.1	2.7
			1000 1099	13.0	( 2.7)	68.9	544.2	50.0	7.1	3.3	2.8	4.2	2.1	2.6
			900 999	1.0	( 0.2)	67.1	653.0	55.0	8.8	5.7	3.0	5.0	2.0	2.0
				483.0	( 18.6)	70.5	587.6	59.3	7.9	2.8	4.2	4.2	3.0	2.6
			1900 1999	1.0	( 0.8)	74.5	589.0	76.0	8.2	0.9	7.0	4.0	5.0	3.0
			1800 1899	4.0	( 3.2)	72.8	596.0	71.8	8.8	2.5	6.8	3.5	4.5	3.0
			1700 1799	2.0	( 1.6)	71.3	610.5	69.0	8.0	3.0	7.0	3.0	5.0	3.0
			1600 1699	15.0	( 11.9)	71.1	572.9	62.8	7.8	2.7	6.3	3.5	4.0	2.9

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	23.0	( 18.3)	71.0	571.0	61.9	7.9	2.8	4.5	3.5	3.7	2.7
			1400 1499	33.0	( 26.2)	71.0	547.7	60.4	7.5	2.6	3.8	3.8	3.0	2.7
			1300 1399	17.0	( 13.5)	70.0	576.9	55.9	7.8	2.9	3.1	3.9	2.6	2.6
			1200 1299	13.0	( 10.3)	70.1	574.2	58.4	7.1	2.7	2.8	3.8	2.2	2.3
			1100 1199	6.0	( 4.8)	69.1	575.5	53.5	7.7	3.5	2.8	4.2	2.5	2.5
			1000 1099	7.0	( 5.6)	70.1	390.3	42.0	5.1	1.4	2.0	4.3	2.0	2.1
			900 999	3.0	( 2.4)	69.5	392.7	39.3	4.5	1.3	2.0	5.0	2.0	2.3
			500 599	1.0	( 0.8)	70.4	258.5	32.0	3.6	0.3	2.0	6.0	1.0	5.0
			499	1.0	( 0.8)	71.0	606.0	63.0	7.8	2.5	4.0	5.0	3.0	2.0
				126.0	( 4.8)	70.7	551.5	58.7	7.4	2.6	4.0	3.8	3.1	2.7
			1500 1599	1.0	( 4.2)	73.0	603.5	65.0	9.8	2.1	6.0	4.0	4.0	3.0
			1400 1499	2.0	( 8.3)	70.0	530.8	52.5	7.1	2.5	3.5	4.0	3.0	2.5
			1300 1399	4.0	( 16.7)	69.4	583.8	52.0	8.4	3.5	4.0	4.3	3.0	3.0
			1200 1299	4.0	( 16.7)	69.4	541.8	49.3	7.9	3.3	3.8	4.8	2.5	2.8
			1100 1199	10.0	( 41.7)	69.4	503.1	47.9	7.2	3.0	2.6	4.9	2.1	2.6
			1000 1099	2.0	( 8.3)	70.0	511.5	47.0	7.9	2.7	2.5	5.0	2.0	2.5
			900 999	1.0	( 4.2)	70.5	342.0	42.0	6.7	2.8	2.0	5.0	2.0	2.0
				24.0	( 0.9)	69.7	523.4	49.6	7.7	3.0	3.2	4.7	2.5	2.7
			1900 1999	1.0	( 0.3)	74.4	675.0	88.0	9.3	2.4	9.0	4.0	5.0	2.0
			1800 1899	1.0	( 0.3)	71.3	511.0	57.0	7.5	2.4	8.0	4.0	5.0	3.0
			1700 1799	27.0	( 6.9)	71.5	590.3	65.2	8.3	2.8	7.0	3.9	4.4	2.6
			1600 1699	29.0	( 7.4)	70.5	597.3	59.5	8.2	2.9	5.8	4.1	4.0	2.4
			1500 1599	53.0	( 13.6)	70.6	582.9	59.6	7.9	2.9	5.1	4.3	3.5	2.2
			1400 1499	59.0	( 15.1)	70.4	582.3	58.0	7.9	2.7	4.6	4.0	3.3	2.5
			1300 1399	52.0	( 13.3)	70.0	574.8	56.3	7.5	2.8	4.0	4.2	3.0	2.4
			1200 1299	73.0	( 18.7)	69.6	564.6	53.4	7.5	2.9	3.6	4.3	2.6	2.4
			1100 1199	63.0	( 16.2)	69.4	556.7	51.8	7.2	2.8	2.9	4.4	2.2	2.5
			1000 1099	22.0	( 5.6)	68.2	523.0	46.1	6.5	3.3	2.7	4.5	2.0	2.7
			900 999	3.0	( 0.8)	68.7	384.0	37.7	4.8	2.1	2.3	4.0	2.0	2.0
			800 899	3.0	( 0.8)	70.2	271.0	38.3	3.6	1.3	1.7	5.0	1.3	3.7
			700 799	3.0	( 0.8)	69.1	286.7	32.7	3.3	1.2	1.7	4.7	1.3	3.0
			499	1.0	( 0.3)	68.6	357.0	28.0	5.0	1.5	3.0	5.0	2.0	2.0
				390.0	( 15.0)	70.0	565.5	55.6	7.5	2.8	4.2	4.2	3.0	2.4
			1700 1799	1.0	( 3.6)	70.1	661.0	64.0	9.2	3.9	7.0	3.0	5.0	3.0
			1600 1699	2.0	( 7.1)	70.9	561.5	55.5	8.4	2.6	6.0	4.0	4.0	3.0
			1500 1599	1.0	( 3.6)	73.0	555.0	69.0	7.8	1.8	6.0	4.0	4.0	3.0
			1400 1499	8.0	( 28.6)	70.7	586.4	61.8	8.0	3.0	4.5	4.0	3.3	2.8
			1300 1399	6.0	( 21.4)	69.7	560.0	53.3	8.0	3.3	4.3	3.7	3.2	3.0
			1200 1299	7.0	( 25.0)	69.2	547.3	50.0	7.9	3.5	3.4	4.0	2.4	2.9
			1100 1199	3.0	( 10.7)	68.6	543.0	45.3	7.6	3.3	3.0	4.3	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				28.0	( 1.1)	70.0	566.1	55.1	8.0	3.2	4.3	3.9	3.0	2.9
			1300 1399	2.0	( 50.0)	71.5	479.0	58.0	7.8	3.0	2.5	5.0	2.0	2.0
			1200 1299	1.0	( 25.0)	70.7	425.0	48.0	6.6	2.3	2.0	5.0	2.0	2.0
			1100 1199	1.0	( 25.0)	69.3	366.5	37.0	5.6	2.3	2.0	5.0	2.0	2.0
				4.0	( 0.2)	70.7	437.4	50.3	6.9	2.6	2.3	5.0	2.0	2.0
			1500 1599	1.0	( 20.0)	69.1	567.5	53.0	7.9	3.7	7.0	3.0	4.0	3.0
			1300 1399	3.0	( 60.0)	71.2	555.5	58.7	7.4	2.0	4.0	3.7	3.0	3.0
			1200 1299	1.0	( 20.0)	69.3	606.0	59.0	7.6	3.7	4.0	3.0	3.0	3.0
				5.0	( 0.2)	70.4	568.0	57.6	7.6	2.7	4.6	3.4	3.2	3.0
			1700 1799	3.0	( 60.0)	70.2	532.8	56.0	7.3	2.9	4.3	4.0	3.0	2.3
			1600 1699	1.0	( 20.0)	71.7	555.0	60.0	8.0	2.1	4.0	4.0	3.0	2.0
			900 999	1.0	( 20.0)	68.8	302.0	28.0	4.6	1.7	2.0	5.0	2.0	2.0
				5.0	( 0.2)	70.2	491.1	51.2	6.9	2.5	3.8	4.2	2.8	2.2
			1800 1899	2.0	( 5.6)	72.0	492.4	58.5	7.6	2.0	8.0	3.5	4.5	3.0
			1600 1699	4.0	( 11.1)	71.7	508.3	59.3	7.8	2.5	5.3	3.8	4.0	3.0
			1500 1599	3.0	( 8.3)	70.0	545.1	54.7	7.8	3.2	5.3	3.0	4.0	2.7
			1400 1499	9.0	( 25.0)	70.2	504.0	52.4	6.8	2.5	4.2	3.9	3.3	2.8
			1300 1399	11.0	( 30.6)	69.9	520.4	51.7	7.3	2.9	3.8	4.2	3.0	2.6
			1200 1299	4.0	( 11.1)	69.2	498.4	45.3	7.0	2.8	2.8	4.3	2.3	3.0
			1100 1199	3.0	( 8.3)	68.2	486.0	43.0	6.4	3.2	2.0	4.0	2.0	2.7
				36.0	( 1.4)	70.1	510.1	51.9	7.2	2.7	4.2	3.9	3.2	2.8
			1700 1799	6.0	( 4.7)	71.7	597.8	68.2	8.1	2.8	7.7	3.3	4.5	2.8
			1600 1699	24.0	( 18.9)	71.4	554.5	62.3	7.7	2.5	5.8	3.5	4.0	2.7
			1500 1599	24.0	( 18.9)	70.9	533.9	57.8	7.3	2.4	4.7	3.8	3.5	2.6
			1400 1499	24.0	( 18.9)	70.5	546.9	56.8	7.4	2.6	4.4	3.8	3.3	2.7
			1300 1399	15.0	( 11.8)	70.5	560.0	56.1	8.0	2.8	4.3	4.1	3.3	2.8
			1200 1299	17.0	( 13.4)	69.6	514.8	50.9	7.1	2.9	3.4	4.2	2.6	2.9
			1100 1199	13.0	( 10.2)	69.4	532.4	49.8	7.3	3.0	2.9	4.5	2.4	2.8
			1000 1099	2.0	( 1.6)	69.2	528.5	49.0	7.2	3.0	2.5	4.5	2.0	3.0
			900 999	2.0	( 1.6)	71.2	369.4	47.0	5.1	1.1	2.0	4.5	2.0	2.0
				127.0	( 4.9)	70.5	540.9	56.7	7.4	2.7	4.5	3.9	3.3	2.7
			2000 2099	2.0	( 1.4)	70.6	565.4	65.0	7.1	3.2	10.5	3.5	5.0	2.5
			1900 1999	4.0	( 2.8)	71.2	558.9	62.3	7.8	2.8	7.5	3.5	4.5	3.0
			1800 1899	7.0	( 4.9)	72.3	606.1	70.7	8.5	2.5	7.0	3.1	4.4	2.6
			1700 1799	9.0	( 6.3)	71.3	573.8	62.9	7.8	2.6	6.2	3.7	4.1	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1600 1699	17.0	( 12.0)	71.1	555.7	61.0	7.5	2.5	5.9	3.6	4.1	2.8
			1500 1599	18.0	( 12.7)	70.7	539.3	56.2	7.3	2.3	5.1	3.8	3.8	2.7
			1400 1499	28.0	( 19.7)	70.5	571.3	60.4	7.7	3.0	4.8	3.9	3.6	2.6
			1300 1399	30.0	( 21.1)	69.9	544.0	54.3	7.4	2.9	4.1	3.8	3.0	2.8
			1200 1299	15.0	( 10.6)	68.7	540.0	48.3	6.9	3.1	3.3	3.9	2.7	2.9
			1100 1199	12.0	( 8.5)	69.1	513.7	47.8	6.7	2.7	2.8	4.2	2.1	2.9
				142.0	( 5.5)	70.3	552.9	57.1	7.4	2.8	4.9	3.8	3.5	2.7
			1600 1699	1.0	( 50.0)	71.3	562.0	64.0	8.4	3.3	6.0	4.0	4.0	3.0
			1400 1499	1.0	( 50.0)	67.0	631.0	50.0	7.1	4.3	5.0	4.0	4.0	2.0
				2.0	( 0.1)	69.2	596.5	57.0	7.8	3.8	5.5	4.0	4.0	2.5
			1700 1799	5.0	( 6.3)	70.4	640.0	64.4	9.0	3.7	4.4	4.0	3.4	3.0
			1600 1699	64.0	( 81.0)	69.5	573.9	52.4	8.1	3.2	3.0	4.4	2.6	3.0
			1500 1599	4.0	( 5.1)	69.1	537.5	47.5	7.4	3.0	3.3	4.0	3.0	3.0
			1400 1499	2.0	( 2.5)	69.4	567.4	55.0	7.7	3.5	4.0	3.5	3.0	3.0
			1300 1399	1.0	( 1.3)	67.9	581.5	45.0	7.2	3.1	2.0	5.0	2.0	3.0
			1200 1299	1.0	( 1.3)	69.4	628.0	51.0	8.7	2.8	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 1.3)	70.3	464.0	47.0	5.7	1.3	2.0	5.0	2.0	3.0
			900 999	1.0	( 1.3)	69.8	527.0	54.0	7.1	3.0	3.0	4.0	3.0	3.0
				79.0	( 3.0)	69.5	574.9	52.8	8.1	3.2	3.1	4.3	2.7	3.0
			1200 1299	1.0	( 33.3)	70.6	493.6	49.0	7.1	1.9	5.0	4.0	3.0	2.0
			1000 1099	1.0	( 33.3)	70.4	547.1	50.0	7.7	2.0	4.0	5.0	3.0	2.0
			900 999	1.0	( 33.3)	70.2	417.6	38.0	6.2	1.2	3.0	4.0	2.0	2.0
				3.0	( 0.1)	70.4	486.1	45.7	7.0	1.7	4.0	4.3	2.7	2.0
			1300 1399	3.0	( 50.0)	71.1	455.1	52.0	6.7	1.9	3.7	4.0	3.0	2.7
			1200 1299	3.0	( 50.0)	71.2	439.5	53.7	6.3	2.1	2.7	4.0	2.0	3.0
				6.0	( 0.2)	71.2	447.3	52.8	6.5	2.0	3.2	4.0	2.5	2.8
			1600 1699	4.0	( 40.0)	69.4	580.8	53.5	8.0	3.3	4.0	3.8	3.3	3.0
			1500 1599	1.0	( 10.0)	70.3	508.4	61.0	7.0	3.8	5.0	4.0	4.0	3.0
			1200 1299	1.0	( 10.0)	70.8	498.5	52.0	6.7	1.8	3.0	4.0	2.0	2.0
			1000 1099	1.0	( 10.0)	70.2	348.6	43.0	4.9	1.8	2.0	5.0	2.0	2.0
			900 999	3.0	( 30.0)	69.3	326.8	34.7	4.5	1.6	2.3	4.7	1.7	2.0
				10.0	( 0.4)	69.7	465.9	47.4	6.4	2.5	3.3	4.2	2.6	2.5
			1200 1299	1.0	( 0.0)	71.9	473.6	57.0	6.7	1.6	3.0	4.0	3.0	3.0
			1500 1599	3.0	( 12.5)	71.0	531.9	59.3	7.2	2.4	5.0	3.7	3.3	3.0
			1400 1499	3.0	( 12.5)	70.3	542.2	56.0	8.0	3.2	4.0	3.3	3.0	2.7
			1300 1399	4.0	( 16.7)	70.5	560.2	58.5	7.7	2.8	3.8	3.8	3.0	2.8
			1200 1299	7.0	( 29.2)	70.3	519.6	51.9	7.6	2.6	3.6	4.0	2.6	2.6

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	7.0	( 29.2)	69.2	546.3	53.6	6.8	3.1	3.1	4.4	2.4	3.0
				24.0	( 0.9)	70.1	538.5	54.9	7.4	2.8	3.7	4.0	2.8	2.8
			1600 1699	4.0	( 11.1)	71.1	546.8	58.8	7.9	2.5	4.0	4.0	3.3	2.3
			1500 1599	4.0	( 11.1)	71.1	550.0	58.3	8.2	2.7	3.8	4.0	3.0	2.5
			1400 1499	4.0	( 11.1)	70.3	494.1	51.3	7.3	2.7	4.0	4.0	3.0	2.5
			1300 1399	1.0	( 2.8)	70.2	497.2	48.0	7.5	2.5	3.0	4.0	3.0	3.0
			1200 1299	10.0	( 27.8)	70.4	492.0	53.3	6.9	2.6	3.1	3.9	2.2	2.6
			1100 1199	11.0	( 30.6)	69.5	434.5	43.3	6.0	2.3	2.9	4.2	2.2	2.7
			1000 1099	1.0	( 2.8)	68.5	520.0	44.0	6.6	2.8	2.0	5.0	2.0	2.0
			900 999	1.0	( 2.8)	69.8	378.4	39.0	5.5	1.7	2.0	5.0	2.0	2.0
				36.0	( 1.4)	70.2	485.0	50.4	6.9	2.5	3.3	4.1	2.5	2.6
			1800 1899	1.0	( 2.2)	69.7	577.5	56.0	7.6	3.2	6.0	4.0	4.0	3.0
			1700 1799	2.0	( 4.4)	73.1	543.5	64.0	8.8	1.9	7.0	4.0	4.5	2.5
			1500 1599	9.0	( 20.0)	71.7	523.4	61.7	7.1	2.1	5.2	3.9	3.7	2.7
			1400 1499	9.0	( 20.0)	70.8	557.3	59.0	7.5	2.5	4.8	3.9	3.7	2.8
			1300 1399	13.0	( 28.9)	70.7	531.3	55.5	7.6	2.6	4.7	3.9	3.3	2.6
			1200 1299	4.0	( 8.9)	70.5	550.0	58.3	7.3	2.7	3.8	4.0	3.0	3.0
			1100 1199	4.0	( 8.9)	69.4	565.6	49.3	7.4	2.4	3.0	4.3	2.3	2.5
			1000 1099	1.0	( 2.2)	71.8	438.0	57.0	6.8	2.3	2.0	4.0	2.0	2.0
			900 999	2.0	( 4.4)	71.0	460.6	51.5	7.2	2.3	2.5	4.5	2.0	2.5
				45.0	( 1.7)	70.9	536.0	57.4	7.5	2.4	4.6	4.0	3.3	2.7
			1500 1599	2.0	( 16.7)	71.0	544.8	62.5	7.5	3.0	6.0	3.5	4.0	2.0
			1400 1499	1.0	( 8.3)	72.9	507.8	67.0	6.7	1.4	6.0	4.0	4.0	2.0
			1300 1399	4.0	( 33.3)	70.3	527.6	51.8	7.6	2.6	3.0	3.8	2.8	2.5
			1200 1299	1.0	( 8.3)	70.9	617.0	62.0	8.5	2.8	3.0	2.0	2.0	2.0
			1100 1199	4.0	( 33.3)	70.6	556.5	58.0	7.7	2.8	2.8	3.3	2.0	2.8
				12.0	( 0.5)	70.8	545.9	57.8	7.6	2.6	3.7	3.4	2.8	2.4
			1800 1899	2.0	( 50.0)	71.6	487.8	63.0	6.5	2.5	5.0	4.0	3.5	3.0
			1600 1699	1.0	( 25.0)	71.1	489.5	62.0	7.6	3.7	8.0	3.0	5.0	3.0
			1300 1399	1.0	( 25.0)	71.3	491.5	58.0	7.2	2.6	4.0	3.0	3.0	3.0
				4.0	( 0.2)	71.4	489.1	61.5	6.9	2.8	5.5	3.5	3.8	3.0
			1800 1899	2.0	( 3.1)	72.8	581.1	81.5	7.2	2.9	7.5	3.5	4.5	2.5
			1700 1799	1.0	( 1.6)	71.1	596.6	67.0	8.3	3.3	8.0	3.0	5.0	3.0
			1600 1699	1.0	( 1.6)	71.2	595.0	63.0	8.0	2.5	6.0	3.0	4.0	3.0
			1500 1599	4.0	( 6.3)	69.5	606.3	60.0	7.9	3.7	5.8	3.8	4.0	3.0
			1400 1499	12.0	( 18.8)	70.5	550.7	58.7	7.5	2.8	5.4	3.5	4.0	2.4
			1300 1399	17.0	( 26.6)	70.0	529.2	54.0	7.0	2.7	3.7	4.0	3.1	2.6



					(%)		(kg)	(cm2)	(cm)	(cm)				
			1200 1299	11.0	( 17.2)	69.8	513.2	49.1	7.2	2.6	3.5	4.0	2.7	2.7
			1100 1199	8.0	( 12.5)	69.9	495.8	50.4	6.5	2.3	2.6	4.3	2.1	3.0
			1000 1099	5.0	( 7.8)	69.2	432.0	41.0	5.7	2.1	2.2	4.6	2.0	3.0
			900 999	2.0	( 3.1)	69.1	410.1	39.5	5.1	1.9	2.0	5.0	2.0	2.5
			800 899	1.0	( 1.6)	68.7	431.0	46.0	5.2	3.0	2.0	5.0	2.0	3.0
				64.0	( 2.5)	70.0	522.0	53.6	7.0	2.6	4.0	4.0	3.1	2.7
			1600 1699	2.0	( 5.0)	70.3	590.9	57.5	8.0	2.6	6.5	3.0	4.5	2.5
			1500 1599	5.0	( 12.5)	70.8	585.3	62.2	7.9	2.9	5.2	3.6	4.0	2.4
			1400 1499	8.0	( 20.0)	70.0	566.2	54.0	8.1	3.0	4.1	3.8	3.1	2.5
			1300 1399	11.0	( 27.5)	69.3	563.1	52.1	7.9	3.4	3.5	3.7	2.9	2.8
			1200 1299	4.0	( 10.0)	69.5	598.1	52.3	8.2	3.0	2.8	5.0	2.0	2.8
			1100 1199	6.0	( 15.0)	68.4	544.2	49.0	6.8	3.4	2.7	4.2	2.0	2.3
			1000 1099	4.0	( 10.0)	69.0	541.3	50.3	7.2	3.3	2.5	4.8	2.0	3.0
				40.0	( 1.5)	69.5	566.4	53.4	7.8	3.2	3.7	4.0	2.9	2.6
			1800 1899	2.0	( 8.3)	72.7	611.2	76.0	8.0	2.5	8.5	4.0	5.0	2.5
			1700 1799	5.0	( 20.8)	71.0	532.4	61.4	7.4	2.9	6.4	3.8	4.0	3.0
			1600 1699	4.0	( 16.7)	70.9	521.4	58.5	7.3	2.7	6.0	3.8	4.3	2.8
			1500 1599	2.0	( 8.3)	71.8	548.9	62.5	7.9	2.5	5.5	3.5	4.0	2.5
			1400 1499	4.0	( 16.7)	71.2	534.1	61.3	7.2	2.5	4.3	4.0	3.5	2.8
			1300 1399	4.0	( 16.7)	69.3	559.5	56.3	6.8	3.1	4.3	4.0	3.3	2.5
			1200 1299	1.0	( 4.2)	69.4	508.6	43.0	6.7	1.9	3.0	3.0	3.0	2.0
			1100 1199	1.0	( 4.2)	68.6	498.0	58.0	6.6	5.0	3.0	4.0	3.0	3.0
			900 999	1.0	( 4.2)	69.3	338.6	36.0	4.2	1.5	3.0	4.0	2.0	2.0
				24.0	( 0.9)	70.7	532.8	59.4	7.1	2.8	5.3	3.8	3.8	2.7
			2000 2099	2.0	( 5.0)	75.1	515.0	83.0	7.5	1.8	9.5	3.0	5.0	3.0
			1900 1999	1.0	( 2.5)	73.8	649.4	95.0	7.7	3.3	7.0	3.0	5.0	3.0
			1800 1899	1.0	( 2.5)	73.7	594.5	75.0	9.0	2.2	8.0	3.0	5.0	3.0
			1700 1799	3.0	( 7.5)	71.5	585.7	66.0	8.5	3.1	6.3	4.0	4.3	3.0
			1600 1699	6.0	( 15.0)	71.7	580.5	66.3	8.0	2.7	7.0	4.0	4.2	3.0
			1500 1599	7.0	( 17.5)	71.3	581.7	62.9	7.8	2.3	6.0	3.7	3.9	3.0
			1400 1499	6.0	( 15.0)	70.6	526.9	54.0	7.5	2.5	4.7	4.3	3.5	3.0
			1300 1399	7.0	( 17.5)	69.9	535.0	54.7	6.7	2.6	3.3	4.0	2.4	3.0
			1200 1299	2.0	( 5.0)	72.0	471.5	60.5	6.5	1.9	2.5	4.5	2.0	3.0
			1100 1199	5.0	( 12.5)	70.5	482.0	51.4	6.5	2.0	2.6	4.0	2.0	3.0
				40.0	( 1.5)	71.3	546.1	61.4	7.4	2.4	5.2	3.9	3.4	3.0
			1400 1499	2.0	( 0.1)	71.1	503.4	57.5	6.3	1.9	5.0	4.0	3.5	3.0
			1700 1799	3.0	( 6.5)	72.8	566.6	69.7	7.9	2.0	7.0	3.7	4.3	3.3
			1600 1699	8.0	( 17.4)	71.5	583.2	63.9	8.4	2.8	6.5	3.9	4.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	4.0	( 8.7)	71.0	604.0	58.8	8.1	2.0	5.8	4.0	3.8	3.0
			1400 1499	3.0	( 6.5)	70.2	521.4	51.0	7.6	2.5	4.0	4.0	3.0	3.0
			1300 1399	3.0	( 6.5)	69.7	569.1	56.0	7.6	3.2	3.3	4.3	2.7	3.0
			1200 1299	11.0	( 23.9)	69.6	532.2	52.3	7.2	3.0	3.9	4.3	2.8	3.0
			1100 1199	9.0	( 19.6)	68.6	527.2	47.6	7.0	3.4	3.7	4.1	2.6	2.9
			1000 1099	5.0	( 10.9)	69.3	553.7	53.0	6.9	2.8	2.6	4.8	2.2	2.8
				46.0	( 1.8)	70.1	552.6	55.3	7.5	2.9	4.5	4.2	3.1	3.0
			1900 1999	1.0	( 0.8)	72.9	570.8	70.0	7.6	1.7	8.0	3.0	5.0	2.0
			1700 1799	9.0	( 7.6)	72.5	570.4	67.6	8.6	2.4	6.8	3.9	4.3	3.0
			1600 1699	8.0	( 6.8)	71.5	592.8	63.9	8.2	2.5	6.1	3.8	4.0	2.8
			1500 1599	13.0	( 11.0)	71.0	611.2	66.1	7.8	2.8	5.6	3.8	4.1	2.7
			1400 1499	23.0	( 19.5)	70.9	588.3	62.6	7.9	2.8	4.7	3.8	3.4	2.8
			1300 1399	27.0	( 22.9)	70.8	575.3	60.8	7.6	2.6	4.1	3.9	3.0	2.9
			1200 1299	19.0	( 16.1)	69.9	584.7	57.4	7.4	2.8	3.4	3.9	2.7	2.8
			1100 1199	12.0	( 10.2)	69.8	564.9	54.2	7.1	2.5	2.7	4.6	2.0	2.8
			1000 1099	6.0	( 5.1)	69.7	537.7	53.8	7.2	3.1	2.5	4.8	2.0	2.5
				118.0	( 4.5)	70.7	581.1	60.9	7.7	2.7	4.4	4.0	3.2	2.8
			1700 1799	1.0	( 1.9)	69.8	587.4	57.0	6.9	2.5	6.0	4.0	4.0	3.0
			1600 1699	3.0	( 5.6)	71.7	548.9	64.0	8.4	2.9	6.0	3.7	4.0	3.0
			1500 1599	4.0	( 7.4)	71.0	570.1	58.3	8.2	2.6	4.5	4.3	3.3	3.0
			1400 1499	16.0	( 29.6)	69.9	546.2	53.3	7.5	2.9	3.9	3.8	3.0	2.9
			1300 1399	18.0	( 33.3)	69.8	508.2	51.2	7.2	3.0	2.6	4.0	2.2	2.8
			1200 1299	2.0	( 3.7)	71.1	512.0	60.0	7.5	3.1	3.0	3.0	2.0	2.0
			1100 1199	6.0	( 11.1)	68.2	511.6	47.5	6.8	3.9	2.7	4.2	2.0	2.5
			900 999	1.0	( 1.9)	69.2	370.7	42.0	4.0	1.8	2.0	4.0	2.0	3.0
			499	3.0	( 5.6)	70.4	358.6	41.0	5.2	1.5	3.3	4.0	2.7	3.0
				54.0	( 2.1)	69.9	517.5	52.3	7.3	2.9	3.4	3.9	2.6	2.8
			1400 1499	1.0	( 10.0)	72.9	575.2	74.0	8.4	2.8	4.0	4.0	3.0	3.0
			1300 1399	1.0	( 10.0)	70.9	492.5	64.0	7.3	3.9	4.0	4.0	3.0	3.0
			1200 1299	3.0	( 30.0)	71.8	526.2	60.0	8.1	2.5	3.3	4.0	2.7	3.0
			1100 1199	5.0	( 50.0)	68.6	506.0	49.0	6.5	3.5	2.4	4.4	2.0	3.0
				10.0	( 0.4)	70.2	517.6	56.3	7.3	3.2	3.0	4.2	2.4	3.0
			2000 2099	6.0	( 0.2)	72.4	569.2	71.8	7.6	2.5	9.7	3.3	5.0	2.8
			1900 1999	9.0	( 0.3)	72.6	605.0	73.6	8.1	2.4	7.8	3.6	4.8	2.8
			1800 1899	28.0	( 1.1)	72.4	586.1	69.9	8.2	2.5	7.0	3.5	4.5	2.7
			1700 1799	110.0	( 4.2)	71.6	587.5	65.7	8.3	2.8	6.7	3.8	4.2	2.7
			1600 1699	242.0	( 9.3)	70.7	574.8	59.4	8.0	2.8	5.1	3.9	3.6	2.8
			1500 1599	272.0	( 10.4)	70.9	574.1	60.8	7.9	2.7	5.1	3.9	3.7	2.6
			1400 1499	482.0	( 18.5)	70.6	566.6	58.5	7.8	2.8	4.3	3.9	3.3	2.7
			1300 1399	456.0	( 17.5)	70.2	560.3	56.1	7.7	2.8	3.9	4.1	3.0	2.7

