



					(%)		(kg)	(cm2)	(cm)	(cm)				
			1300 1399	1.0	( 20.0)	70.8	556.0	56.0	8.2	2.6	5.0	3.0	3.0	3.0
			1100 1199	2.0	( 40.0)	72.4	447.0	57.0	7.8	2.2	3.5	3.5	2.5	2.5
			1000 1099	1.0	( 20.0)	69.5	535.0	46.0	8.1	2.9	3.0	4.0	2.0	3.0
			800 899	1.0	( 20.0)	70.9	535.0	59.0	8.4	3.5	3.0	5.0	2.0	3.0
				5.0	( 0.3)	71.2	504.0	55.0	8.1	2.7	3.6	3.8	2.4	2.8
			500 599	1.0	( 0.1)	69.9	189.0	30.0	3.1	1.2	2.0	4.0	2.0	3.0
			1500 1599	1.0	( 0.1)	74.7	437.0	70.0	7.0	1.1	10.0	4.0	5.0	3.0
			1500 1599	1.0	( 0.1)	71.8	474.0	57.0	6.8	1.8	4.0	4.0	3.0	3.0
			1400 1499	1.0	( 50.0)	71.6	501.0	58.0	6.8	1.7	4.0	4.0	3.0	3.0
			1300 1399	1.0	( 50.0)	69.6	541.0	49.0	7.5	2.7	3.0	3.0	3.0	3.0
				2.0	( 0.1)	70.6	521.0	53.5	7.2	2.2	3.5	3.5	3.0	3.0
			1700 1799	1.0	( 33.3)	73.7	492.5	71.0	7.6	2.1	9.0	3.0	5.0	3.0
			1400 1499	2.0	( 66.7)	72.0	611.5	67.0	8.7	2.5	8.5	4.0	4.5	3.0
				3.0	( 0.2)	72.6	571.8	68.3	8.3	2.4	8.7	3.7	4.7	3.0
			1200 1299	1.0	( 0.1)	71.4	448.0	56.0	6.7	2.4	4.0	5.0	3.0	3.0
			1800 1899	17.0	( 5.8)	72.3	512.6	62.9	8.5	2.8	5.7	4.0	3.9	2.9
			1700 1799	120.0	( 40.7)	71.3	519.9	57.6	8.4	3.0	3.7	4.1	3.0	2.6
			1600 1699	99.0	( 33.6)	70.9	523.1	55.6	8.4	3.1	3.0	4.3	2.1	2.6
			1500 1599	51.0	( 17.3)	69.9	531.1	52.3	8.2	3.5	2.4	4.7	2.0	2.4
			1400 1499	8.0	( 2.7)	67.6	574.5	47.6	8.2	4.8	2.0	5.0	2.0	2.6
				295.0	( 20.3)	70.9	524.0	56.0	8.4	3.1	3.3	4.3	2.6	2.6
			1800 1899	1.0	( 0.6)	70.2	588.7	54.0	8.5	2.8	6.0	4.0	4.0	2.0
			1700 1799	25.0	( 14.8)	71.3	524.0	57.2	8.5	3.0	4.1	4.1	3.1	2.6
			1600 1699	69.0	( 40.8)	70.5	527.8	54.2	8.3	3.2	3.4	4.1	2.7	2.6
			1500 1599	67.0	( 39.6)	69.9	501.7	50.9	7.8	3.4	2.9	4.5	2.0	2.5
			1400 1499	7.0	( 4.1)	68.0	510.6	43.3	7.3	3.9	2.0	5.0	2.0	2.4
				169.0	( 11.6)	70.3	516.5	52.9	8.1	3.2	3.2	4.3	2.5	2.5
			1300 1399	1.0	( 0.1)	71.9	469.2	58.0	7.0	2.0	4.0	4.0	3.0	3.0
			1800 1899	1.0	( 2.0)	72.0	497.6	65.0	7.6	3.0	7.0	4.0	4.0	3.0
			1700 1799	6.0	( 12.0)	71.0	503.6	56.3	8.2	3.2	4.7	4.2	3.2	2.5
			1600 1699	16.0	( 32.0)	70.6	487.6	51.6	8.1	3.0	3.1	4.1	2.6	2.8
			1500 1599	25.0	( 50.0)	69.9	499.5	51.8	7.6	3.4	2.8	4.4	2.0	2.8
			1400 1499	2.0	( 4.0)	67.3	507.4	42.5	7.1	4.5	2.0	5.0	2.0	2.5

